



75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662

Max intensity = 180900 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 679.244 lysoAsSugPL678

Max intensity = 512640 Scans = 55




75As LC-ICPMS




LC-ESIMS. EIC = 691.244 lysoAsSugPL690

Max intensity = 72090 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 719.275 lysoAsSugPL718

Max intensity = 182050 Scans = 147




75As LC-ICPMS




LC-ESIMS. EIC = 721.291 lysoAsSugPL720

Max intensity = 140440 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 747.307 lysoAsSugPL746

Max intensity = 60250 Scans = 64




75As LC-ICPMS




LC-ESIMS. EIC = 777.354 lysoAsSugPL776

Max intensity = 69580 Scans = 333




75As LC-ICPMS




LC-ESIMS. EIC = 816.322 AsPC815

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 816.416 AsPC815

Max intensity = 521320 Scans = 69




75As LC-ICPMS




LC-ESIMS. EIC = 820.353 AsPC819

Max intensity = 47770 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 820.447 AsPC819

Max intensity = 148600 Scans = 67




75As LC-ICPMS




LC-ESIMS. EIC = 830.338 AsPC829


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 830.432 AsPC829
Max intensity = 3076330 Scans = 42




75As LC-ICPMS




LC-ESIMS. EIC = 834.369 AsPC833

Max intensity = 201950 Scans = 54




75As LC-ICPMS




LC-ESIMS. EIC = 834.463 AsPC833

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 837.317 AsSugPL836


Max intensity = 50020 Scans = 35




75As LC-ICPMS



LC-ESIMS. EIC = 838.4 AsPC837
Max intensity = 119460 Scans = 157




75As LC-ICPMS




LC-ESIMS. EIC = 838.494 AsPC837

Max intensity = 277090 Scans = 19




75As LC-ICPMS




LC-ESIMS. EIC = 843.364 AsSugPL842

Max intensity = 84560 Scans = 38




75As LC-ICPMS




LC-ESIMS. EIC = 845.286 AsSugPL844

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 845.38 AsSugPL844


Max intensity = 65170 Scans = 86




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855
Max intensity = 1149470 Scans = 42




75As LC-ICPMS



LC-ESIMS. EIC = 862.4 AsPC861
Max intensity = 494570 Scans = 39




75As LC-ICPMS




LC-ESIMS. EIC = 862.494 AsPC861

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 866.526 AsPC866


Max intensity = 452750 Scans = 46




75As LC-ICPMS




LC-ESIMS. EIC = 868.541 AsPC868
Max intensity = 8485340 Scans = 110




75As LC-ICPMS



LC-ESIMS. EIC = 872.385 AsPC871
Max intensity = 168860 Scans = 185




75As LC-ICPMS




LC-ESIMS. EIC = 872.479 AsPC871


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883
Max intensity = 2220380 Scans = 75




75As LC-ICPMS




LC-ESIMS. EIC = 894.463 AsPC893
Max intensity = 1290500 Scans = 111




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC894
Max intensity = 535920 Scans = 175




75As LC-ICPMS




LC-ESIMS. EIC = 896.573 AsPC896
Max intensity = 680160 Scans = 262




75As LC-ICPMS



LC-ESIMS. EIC = 910.588 AsPC910 Max intensity = 77210 Scans = 21




75As LC-ICPMS




LC-ESIMS. EIC = 938.526 AsPC938


Max intensity = 566810 Scans = 5




75As LC-ICPMS



LC-ESIMS. EIC = 938.62 AsPC938 Max intensity = 1518740 Scans = 92




75As LC-ICPMS




LC-ESIMS. EIC = 950.526 AsPC950

Max intensity = 363680 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 950.62 AsPC950


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 952.541 AsPC952
Max intensity = 1041120 Scans = 62




75As LC-ICPMS




LC-ESIMS. EIC = 952.635 AsPC952

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954


Max intensity = 3623210 Scans = 71




75As LC-ICPMS




LC-ESIMS. EIC = 964.541 AsPC964 Max intensity = 241180 Scans = 14




75As LC-ICPMS



LC-ESIMS. EIC = 964.635 AsPC964
Max intensity = 2504400 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 966.557 AsPC966


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 966.651 AsPC966
Max intensity = 4068720 Scans = 115




75As LC-ICPMS



LC-ESIMS. EIC = 981.505 AsSugPL981
Max intensity = 104160 Scans = 52




75As LC-ICPMS




LC-ESIMS. EIC = 983.521 AsSugPL983

Max intensity = 252750 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 992.573 AsPC992

Max intensity = 0 Scans = 0



75As LC-ICPMS



LC-ESIMS. EIC = 992.666 AsPC992
Max intensity = 5937440 Scans = 110

