



75As LC-ICPMS




LC-ESIMS. EIC = 264.985 AsFA264

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 265.078 AsFA264


Max intensity = 195630 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 267 AsFA266
Max intensity = 80640 Scans = 56




75As LC-ICPMS



LC-ESIMS. EIC = 279 AsFA278
Max intensity = 114420 Scans = 57




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278


Max intensity = 63060 Scans = 10




75As LC-ICPMS



LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 431110 Scans = 1323




75As LC-ICPMS




LC-ESIMS. EIC = 295.032 AsFA294

Max intensity = 143580 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 295.104 AsHC294

Max intensity = 147710 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 297.047 AsFA296


Max intensity = 708370 Scans = 81




75As LC-ICPMS



LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 777380 Scans = 1332




75As LC-ICPMS




LC-ESIMS. EIC = 307.104 AsHC306

Max intensity = 169980 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 311.136 AsHC310


Max intensity = 303860 Scans = 69




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 584250 Scans = 1256




75As LC-ICPMS




LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 199460 Scans = 498




75As LC-ICPMS



LC-ESIMS. EIC = 315.167 AsHC314
Max intensity = 6835240 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 317.183 AsHC316

Max intensity = 598260 Scans = 68




75As LC-ICPMS




LC-ESIMS. EIC = 321.047 AsFA320

Max intensity = 209260 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 321.141 AsFA320

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 323.063 AsFA322


Max intensity = 445410 Scans = 31




75As LC-ICPMS



LC-ESIMS. EIC = 329.11 AsFA328
Max intensity = 60500 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 331.198 AsHC330

Max intensity = 170510 Scans = 42




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332

Max intensity = 886550 Scans = 65




75As LC-ICPMS




LC-ESIMS. EIC = 335.136 AsHC334


Max intensity = 302560 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 645420 Scans = 1032




75As LC-ICPMS




LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 2593140 Scans = 133




75As LC-ICPMS




LC-ESIMS. EIC = 339.167 AsHC338
Max intensity = 1096130 Scans = 60




75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 449530 Scans = 581




75As LC-ICPMS



LC-ESIMS. EIC = 341.183 AsHC340
Max intensity = 1234910 Scans = 89




75As LC-ICPMS




LC-ESIMS. EIC = 343.125 AsFA342

Max intensity = 70280 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 343.198 AsHC342


Max intensity = 81210 Scans = 24




75As LC-ICPMS



LC-ESIMS. EIC = 345.214 AsHC344
Max intensity = 1237090 Scans = 121




75As LC-ICPMS




LC-ESIMS. EIC = 347.063 AsFA346

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 347.157 AsFA346


Max intensity = 252830 Scans = 25




75As LC-ICPMS



LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 524750 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 355.198 AsHC354


Max intensity = 654160 Scans = 47




75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 1021780 Scans = 129




75As LC-ICPMS



LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 3566030 Scans = 123




75As LC-ICPMS




LC-ESIMS. EIC = 363.094 AsFA362


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 183890 Scans = 619




75As LC-ICPMS




LC-ESIMS. EIC = 363.188 AsFA362


Max intensity = 665830 Scans = 60




75As LC-ICPMS



LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 563880 Scans = 64




75As LC-ICPMS




LC-ESIMS. EIC = 365.183 AsHC364


Max intensity = 223240 Scans = 42




75As LC-ICPMS




LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 836020 Scans = 1441




75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372
Max intensity = 7778330 Scans = 343




75As LC-ICPMS



LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 330810 Scans = 245




75As LC-ICPMS




LC-ESIMS. EIC = 375.188 AsFA374

Max intensity = 51770 Scans = 20




75As LC-ICPMS




LC-ESIMS. EIC = 377.183 AsHC376

Max intensity = 482700 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 379.125 AsFA378

Max intensity = 270420 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 383.157 AsFA382


Max intensity = 583740 Scans = 38




75As LC-ICPMS



LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 3255050 Scans = 116




75As LC-ICPMS




LC-ESIMS. EIC = 387.188 AsFA386


Max intensity = 387890 Scans = 65




75As LC-ICPMS




LC-ESIMS. EIC = 387.261 AsHC386
Max intensity = 1287550 Scans = 44




75As LC-ICPMS



LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 2506310 Scans = 1133




75As LC-ICPMS




LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390


Max intensity = 140970 Scans = 50




75As LC-ICPMS



LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 5349060 Scans = 1715




75As LC-ICPMS




LC-ESIMS. EIC = 399.261 AsHC398


Max intensity = 225990 Scans = 39




75As LC-ICPMS




LC-ESIMS. EIC = 401.204 AsFA400
Max intensity = 448510 Scans = 158




75As LC-ICPMS



LC-ESIMS. EIC = 401.276 AsHC400
Max intensity = 1541660 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 403.219 AsFA402

Max intensity = 88850 Scans = 186




75As LC-ICPMS




LC-ESIMS. EIC = 403.292 AsHC402


Max intensity = 201520 Scans = 41




75As LC-ICPMS



LC-ESIMS. EIC = 405.141 AsFA404
Max intensity = 408910 Scans = 122




75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404


Max intensity = 389850 Scans = 88




75As LC-ICPMS




LC-ESIMS. EIC = 405.235 AsFA404
Max intensity = 1141660 Scans = 52




75As LC-ICPMS




LC-ESIMS. EIC = 407.157 AsFA406
Max intensity = 138120 Scans = 128




75As LC-ICPMS



LC-ESIMS. EIC = 407.23 AsHC406
Max intensity = 1864600 Scans = 142




75As LC-ICPMS




LC-ESIMS. EIC = 409.194 AsIsop408

Max intensity = 427050 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 409.245 AsHC408


Max intensity = 175720 Scans = 52




75As LC-ICPMS



LC-ESIMS. EIC = 411.261 AsHC410
Max intensity = 1459140 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 413.204 AsFA412

Max intensity = 555620 Scans = 47




75As LC-ICPMS




LC-ESIMS. EIC = 413.276 AsHC412


Max intensity = 327380 Scans = 80




75As LC-ICPMS



LC-ESIMS. EIC = 415.292 AsHC414
Max intensity = 1200930 Scans = 205




75As LC-ICPMS




LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 417.235 AsFA416 Max intensity = 176900 Scans = 2327




75As LC-ICPMS




LC-ESIMS. EIC = 417.308 AsHC416


Max intensity = 322250 Scans = 60




75As LC-ICPMS



LC-ESIMS. EIC = 419.23 AsHC418
Max intensity = 399610 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 419.23 TMA_sFOH418


Max intensity = 399610 Scans = 23




75As LC-ICPMS



LC-ESIMS. EIC = 421.245 AsHC420
Max intensity = 11960970 Scans = 75




75As LC-ICPMS




LC-ESIMS. EIC = 423.261 AsHC422


Max intensity = 573510 Scans = 96




75As LC-ICPMS



LC-ESIMS. EIC = 427.219 AsFA426
Max intensity = 189640 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 427.292 AsHC426


Max intensity = 214310 Scans = 42




75As LC-ICPMS



LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 1234440 Scans = 71




75As LC-ICPMS




LC-ESIMS. EIC = 429.308 AsHC428

Max intensity = 403160 Scans = 67




75As LC-ICPMS




LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 1436860 Scans = 2033




75As LC-ICPMS




LC-ESIMS. EIC = 431.323 AsHC430


Max intensity = 328230 Scans = 29




75As LC-ICPMS



LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 2219800 Scans = 219




75As LC-ICPMS




LC-ESIMS. EIC = 437.276 AsHC436

Max intensity = 199670 Scans = 42




75As LC-ICPMS




LC-ESIMS. EIC = 439.292 AsHC438

Max intensity = 553730 Scans = 49




75As LC-ICPMS




LC-ESIMS. EIC = 441.308 AsHC440

Max intensity = 284820 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 445.172 AsFA444


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 144880 Scans = 314




75As LC-ICPMS



LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 538550 Scans = 200




75As LC-ICPMS




LC-ESIMS. EIC = 447.188 AsFA446

Max intensity = 496440 Scans = 62




75As LC-ICPMS




LC-ESIMS. EIC = 447.282 AsFA446

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 449.204 AsFA448

Max intensity = 423270 Scans = 64




75As LC-ICPMS




LC-ESIMS. EIC = 449.276 AsHC448

Max intensity = 393530 Scans = 36




75As LC-ICPMS



LC-ESIMS. EIC = 453.308 AsHC452
Max intensity = 1419410 Scans = 99




75As LC-ICPMS




LC-ESIMS. EIC = 455.323 AsHC454

Max intensity = 152410 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 457.339 AsHC456


Max intensity = 494230 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 459.282 AsFA458
Max intensity = 769050 Scans = 61




75As LC-ICPMS



LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 343870 Scans = 382




75As LC-ICPMS




LC-ESIMS. EIC = 461.276 AsHC460

Max intensity = 178990 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 461.298 AsFA460


Max intensity = 365760 Scans = 29




75As LC-ICPMS



LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 8389630 Scans = 270




75As LC-ICPMS




LC-ESIMS. EIC = 469.339 AsHC468


Max intensity = 227890 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 471.355 AsHC470
Max intensity = 505260 Scans = 101




75As LC-ICPMS



LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 693190 Scans = 235




75As LC-ICPMS




LC-ESIMS. EIC = 475.292 AsHC474

Max intensity = 175590 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 477.308 AsHC476


Max intensity = 401920 Scans = 29




75As LC-ICPMS




LC-ESIMS. EIC = 479.323 AsHC478
Max intensity = 404470 Scans = 112




75As LC-ICPMS




LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 1892750 Scans = 82




75As LC-ICPMS



LC-ESIMS. EIC = 485.37 AsHC484
Max intensity = 309800 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 487.386 AsHC486

Max intensity = 658970 Scans = 46




75As LC-ICPMS




LC-ESIMS. EIC = 491.323 AsHC490


Max intensity = 308690 Scans = 58




75As LC-ICPMS



LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 3230990 Scans = 162




75As LC-ICPMS




LC-ESIMS. EIC = 495.355 AsHC494

Max intensity = 128420 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 499.386 AsHC498

Max intensity = 237750 Scans = 28



75As LC-ICPMS



LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 414690 Scans = 125

