




## 75As LC-ICPMS




**LC-ESIMS. EIC = 275.063 AsFA274  
Max intensity = 75090 Scans = 16**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 283.032 AsFA282  
Max intensity = 132120 Scans = 24**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292  
Max intensity = 361950 Scans = 835**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 295.104 AsHC294  
Max intensity = 300340 Scans = 242**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298  
Max intensity = 1533240 Scans = 2073**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310  
Max intensity = 269430 Scans = 98**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312  
Max intensity = 311750 Scans = 506**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314  
Max intensity = 1264340 Scans = 1051**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314  
Max intensity = 357770 Scans = 30**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 317.183 AsHC316  
Max intensity = 353460 Scans = 35**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322  
Max intensity = 357480 Scans = 89**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 331.125 AsFA330  
Max intensity = 169830 Scans = 5**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332  
Max intensity = 3473690 Scans = 173**




## 75As LC-ICPMS




LC-ESIMS. EIC = 335.136 AsHC334  
Max intensity = 810170 Scans = 83




## 75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336  
Max intensity = 3782180 Scans = 1096**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336  
Max intensity = 2999950 Scans = 89**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338  
Max intensity = 586570 Scans = 50**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340  
Max intensity = 1001700 Scans = 1656**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340  
Max intensity = 723020 Scans = 58**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346**  
**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 359.157 AsFA358  
Max intensity = 188690 Scans = 25**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 361.172 AsFA360  
Max intensity = 435170 Scans = 40**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 363.188 AsFA362  
Max intensity = 361510 Scans = 72**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364  
Max intensity = 550570 Scans = 52**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 375.094 AsFA374  
Max intensity = 921610 Scans = 811**




## 75As LC-ICPMS




LC-ESIMS. EIC = 375.261 AsHC374  
Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 TMA<sub>3</sub>FOH374**  
**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 379.125 AsFA378  
Max intensity = 866850 Scans = 234**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386  
Max intensity = 224700 Scans = 17**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 387.261 AsHC386  
Max intensity = 392740 Scans = 6**




## 75As LC-ICPMS




LC-ESIMS. EIC = 389.11 AsFA388  
Max intensity = 15380670 Scans = 1370




## 75As LC-ICPMS




**LC-ESIMS. EIC = 389.204 AsFA388  
Max intensity = 546050 Scans = 35**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.219 AsFA390  
Max intensity = 716020 Scans = 10**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 395.157 AsFA394  
Max intensity = 1156860 Scans = 70**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 401.204 AsFA400  
Max intensity = 386380 Scans = 25**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402  
Max intensity = 92190 Scans = 336**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 403.292 AsHC402  
Max intensity = 99670 Scans = 49**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404  
Max intensity = 1568110 Scans = 186**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 405.235 AsFA404  
Max intensity = 1460200 Scans = 111**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406  
Max intensity = 804860 Scans = 84**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 409.194 Aslsop408  
Max intensity = 3033980 Scans = 59**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 411.188 AsFA410  
Max intensity = 954940 Scans = 45**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 411.261 AsHC410  
Max intensity = 2162300 Scans = 61**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 413.204 AsFA412  
Max intensity = 320630 Scans = 67**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416  
Max intensity = 289380 Scans = 2010**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 417.308 AsHC416  
Max intensity = 251150 Scans = 23**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 AsHC418  
Max intensity = 100880 Scans = 5**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 TMA<sub>s</sub>FOH418  
Max intensity = 100880 Scans = 5**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 421.245 AsHC420  
Max intensity = 1657490 Scans = 6**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 423.188 AsFA422  
Max intensity = 164150 Scans = 11**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422  
Max intensity = 400210 Scans = 70**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430  
Max intensity = 5387550 Scans = 1807**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432  
Max intensity = 2113140 Scans = 226**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 443.323 AsHC442  
Max intensity = 636980 Scans = 63**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444  
Max intensity = 304320 Scans = 487**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.339 AsHC444  
Max intensity = 289670 Scans = 475**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 453.235 AsFA452  
Max intensity = 471380 Scans = 73**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452  
Max intensity = 1173830 Scans = 59**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 453.782 AsPC905\_MH2  
Max intensity = 707970 Scans = 134**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 455.251 AsFA454  
Max intensity = 128040 Scans = 24**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 455.751 AsPC909\_MH2  
Max intensity = 255090 Scans = 22**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 465.308 AsHC464  
Max intensity = 12189390 Scans = 303**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 467.323 AsHC466  
Max intensity = 257940 Scans = 28**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 467.798 AsPC933\_MH2  
Max intensity = 7607870 Scans = 130**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 471.355 AsHC470  
Max intensity = 317270 Scans = 35**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472  
Max intensity = 2363340 Scans = 723**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 479.323 AsHC478  
Max intensity = 507340 Scans = 124**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480  
Max intensity = 600060 Scans = 48**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 483.355 AsHC482  
Max intensity = 764330 Scans = 40**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486  
Max intensity = 506890 Scans = 166**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488  
Max intensity = 620410 Scans = 180**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490  
Max intensity = 984930 Scans = 131**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492  
Max intensity = 6973230 Scans = 239**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 495.355 AsHC494  
Max intensity = 1179120 Scans = 146**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 497.37 AsHC496  
Max intensity = 1807270 Scans = 165**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498  
Max intensity = 2614540 Scans = 149**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500  
Max intensity = 3993960 Scans = 220**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502  
Max intensity = 559050 Scans = 126**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 505.339 AsHC504  
Max intensity = 912250 Scans = 130**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 507.355 AsHC506  
Max intensity = 354220 Scans = 38**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 509.37 AsHC508  
Max intensity = 355110 Scans = 30**




## 75As LC-ICPMS




LC-ESIMS. EIC = 509.845 AsPC1017\_MH2  
Max intensity = 2677300 Scans = 452




## 75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514  
Max intensity = 69208230 Scans = 322**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 519.355 AsHC518  
Max intensity = 468800 Scans = 86**




## 75As LC-ICPMS




LC-ESIMS. EIC = 521.37 AsHC520  
Max intensity = 10898800 Scans = 182




## 75As LC-ICPMS




**LC-ESIMS. EIC = 523.386 AsHC522  
Max intensity = 1410410 Scans = 138**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 527.417 AsHC526  
Max intensity = 213130 Scans = 22**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 539.417 AsHC538  
Max intensity = 304780 Scans = 16**



## 75As LC-ICPMS



**LC-ESIMS. EIC = 541.433 AsHC540  
Max intensity = 199540 Scans = 36**

