



75As LC-ICPMS




LC-ESIMS. EIC = 659.181 lysoAsSugPL658

Max intensity = 148900 Scans = 68




75As LC-ICPMS




LC-ESIMS. EIC = 721.291 lysoAsSugPL720

Max intensity = 68930 Scans = 128




75As LC-ICPMS




LC-ESIMS. EIC = 775.338 lysoAsSugPL774

Max intensity = 125100 Scans = 110




75As LC-ICPMS




LC-ESIMS. EIC = 777.354 lysoAsSugPL776

Max intensity = 68030 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 820.353 AsPC819

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 820.447 AsPC819

Max intensity = 89860 Scans = 196




75As LC-ICPMS




LC-ESIMS. EIC = 836.385 AsPC835

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 836.479 AsPC835

Max intensity = 632040 Scans = 38




75As LC-ICPMS




LC-ESIMS. EIC = 838.4 AsPC837

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 838.494 AsPC837

Max intensity = 467020 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 847.301 AsSugPL846

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 847.395 AsSugPL846


Max intensity = 71080 Scans = 109




75As LC-ICPMS



LC-ESIMS. EIC = 864.51 AsPC864
Max intensity = 480060 Scans = 285




75As LC-ICPMS




LC-ESIMS. EIC = 873.317 AsSugPL872

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 873.411 AsSugPL872

Max intensity = 110230 Scans = 93




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883


Max intensity = 103450 Scans = 37




75As LC-ICPMS



LC-ESIMS. EIC = 888.51 AsPC888
Max intensity = 77130 Scans = 198




75As LC-ICPMS




LC-ESIMS. EIC = 889.348 AsSugPL888

Max intensity = 422970 Scans = 11




75As LC-ICPMS




LC-ESIMS. EIC = 889.442 AsSugPL888

Max intensity = 192120 Scans = 110




75As LC-ICPMS




LC-ESIMS. EIC = 890.526 AsPC890

Max intensity = 74790 Scans = 273




75As LC-ICPMS




LC-ESIMS. EIC = 892.541 AsPC892


Max intensity = 113710 Scans = 63




75As LC-ICPMS



LC-ESIMS. EIC = 896.573 AsPC896
Max intensity = 88440 Scans = 180




75As LC-ICPMS




LC-ESIMS. EIC = 903.364 AsSugPL902

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 903.458 AsSugPL902

Max intensity = 375250 Scans = 50




75As LC-ICPMS




LC-ESIMS. EIC = 910.588 AsPC910

Max intensity = 385130 Scans = 66




75As LC-ICPMS




LC-ESIMS. EIC = 917.38 AsSugPL916


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 917.474 AsSugPL916
Max intensity = 75270 Scans = 58




75As LC-ICPMS




LC-ESIMS. EIC = 922.588 AsPC922

Max intensity = 114120 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 935.427 AsSugPL934

Max intensity = 73190 Scans = 64




75As LC-ICPMS




LC-ESIMS. EIC = 954.557 AsPC954

Max intensity = 59840 Scans = 46




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954

Max intensity = 3561250 Scans = 177




75As LC-ICPMS




LC-ESIMS. EIC = 957.505 AsSugPL957


Max intensity = 1005710 Scans = 69




75As LC-ICPMS



LC-ESIMS. EIC = 959.521 AsSugPL959
Max intensity = 684410 Scans = 40



75As LC-ICPMS



LC-ESIMS. EIC = 961.442 AsSugPL960
Max intensity = 63040 Scans = 34

