




## 75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266**  
**Max intensity = 103470 Scans = 676**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 279 AsFA278**  
**Max intensity = 172500 Scans = 94**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 279.094 AsFA278

Max intensity = 64700 Scans = 33




## 75As LC-ICPMS




**LC-ESIMS. EIC = 283.032 AsFA282**


**Max intensity = 100960 Scans = 51**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292**  
**Max intensity = 290570 Scans = 803**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 295.104 AsHC294**  
**Max intensity = 268780 Scans = 211**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296**


**Max intensity = 61590 Scans = 145**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298**  
**Max intensity = 1524080 Scans = 2397**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 307.104 AsHC306**  
**Max intensity = 113010 Scans = 62**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310**


**Max intensity = 194820 Scans = 45**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312**  
**Max intensity = 223290 Scans = 1540**




## 75As LC-ICPMS



## LC-ESIMS. EIC = 315.094 AsFA314 Max intensity = 501620 Scans = 1131




# 75As LC-ICPMS




## LC-ESIMS. EIC = 321.047 AsFA320

Max intensity = 70540 Scans = 40




## 75As LC-ICPMS




## LC-ESIMS. EIC = 321.141 AsFA320


Max intensity = 42770 Scans = 24




## 75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322**  
**Max intensity = 222700 Scans = 847**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332**  
**Max intensity = 2200050 Scans = 192**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 335.063 AsFA334**

**Max intensity = 86140 Scans = 409**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 335.157 AsFA334**


**Max intensity = 45770 Scans = 10**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336**  
**Max intensity = 1857370 Scans = 1267**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340**  
**Max intensity = 890070 Scans = 1789**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 347.23 AsHC346**  
**Max intensity = 272320 Scans = 22**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 351.167 AsHC350**


**Max intensity = 478140 Scans = 62**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 357.214 AsHC356**  
**Max intensity = 141700 Scans = 162**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360**

**Max intensity = 132570 Scans = 76**







## 75As LC-ICPMS




**LC-ESIMS. EIC = 363.167 AsHC362**  
**Max intensity = 141010 Scans = 893**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 365.11 AsFA364**  
**Max intensity = 416550 Scans = 81**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364**


**Max intensity = 76890 Scans = 25**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370**  
**Max intensity = 245030 Scans = 1828**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 375.094 AsFA374**  
**Max intensity = 422410 Scans = 681**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 375.188 AsFA374**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 379.125 AsFA378**


**Max intensity = 60910 Scans = 132**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384**  
**Max intensity = 392730 Scans = 124**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 389.11 AsFA388**  
**Max intensity = 2700390 Scans = 1253**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390**


**Max intensity = 142070 Scans = 34**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392**  
**Max intensity = 581120 Scans = 1803**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 397.245 AsHC396**  
**Max intensity = 71760 Scans = 28**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 399.261 AsHC398**  
**Max intensity = 191240 Scans = 56**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 403.125 AsFA402**

**Max intensity = 7300 Scans = 5**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402**

**Max intensity = 77840 Scans = 242**







## 75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404**  
**Max intensity = 1203610 Scans = 88**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 407.23 AsHC406**  
**Max intensity = 187190 Scans = 82**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 409.245 AsHC408**

**Max intensity = 266580 Scans = 54**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 0 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 417.235 AsFA416 Max intensity = 161920 Scans = 1100




## 75As LC-ICPMS



**LC-ESIMS. EIC = 423.261 AsHC422**  
**Max intensity = 623680 Scans = 118**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426**

**Max intensity = 114130 Scans = 65**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 431.157 AsFA430

Max intensity = 0 Scans = 0







## 75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430**  
**Max intensity = 365760 Scans = 1016**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 433.245 AsHC432**  
**Max intensity = 808970 Scans = 455**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 437.276 AsHC436**

**Max intensity = 138400 Scans = 27**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 443.323 AsHC442**

**Max intensity = 298840 Scans = 76**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.172 AsFA444**


**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 445.266 AsFA444**  
**Max intensity = 115330 Scans = 103**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.339 AsHC444**


**Max intensity = 175500 Scans = 57**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 449.204 AsFA448**  
**Max intensity = 114630 Scans = 47**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 461.276 AsHC460**  
**Max intensity = 103800 Scans = 36**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 471.355 AsHC470**


**Max intensity = 104520 Scans = 35**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 473.37 AsHC472**  
**Max intensity = 574410 Scans = 142**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474**

**Max intensity = 91990 Scans = 27**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480**

**Max intensity = 203620 Scans = 46**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492**

**Max intensity = 172500 Scans = 42**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 495.355 AsHC494**


**Max intensity = 301800 Scans = 61**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 497.37 AsHC496**  
**Max intensity = 438590 Scans = 95**





## 75As LC-ICPMS



**LC-ESIMS. EIC = 499.386 AsHC498**

**Max intensity = 486100 Scans = 45**

