



75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662

Max intensity = 151450 Scans = 317




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664


Max intensity = 130390 Scans = 256




75As LC-ICPMS



LC-ESIMS. EIC = 677.228 lysoAsSugPL676 Max intensity = 79120 Scans = 204




75As LC-ICPMS




LC-ESIMS. EIC = 679.244 lysoAsSugPL678

Max intensity = 165420 Scans = 290




75As LC-ICPMS




LC-ESIMS. EIC = 717.26 lysoAsSugPL716

Max intensity = 103810 Scans = 65




75As LC-ICPMS




LC-ESIMS. EIC = 775.338 lysoAsSugPL774

Max intensity = 111360 Scans = 18




75As LC-ICPMS




LC-ESIMS. EIC = 822.463 AsPC821

Max intensity = 48100 Scans = 5




75As LC-ICPMS




LC-ESIMS. EIC = 826.494 AsPC825


Max intensity = 75330 Scans = 6




75As LC-ICPMS



LC-ESIMS. EIC = 834.369 AsPC833 Max intensity = 147450 Scans = 165




75As LC-ICPMS




LC-ESIMS. EIC = 836.479 AsPC835


Max intensity = 329010 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 838.494 AsPC837
Max intensity = 125200 Scans = 97




75As LC-ICPMS




LC-ESIMS. EIC = 840.51 AsPC839
Max intensity = 120210 Scans = 554




75As LC-ICPMS



LC-ESIMS. EIC = 850.494 AsPC849 Max intensity = 1449020 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 852.51 AsPC851


Max intensity = 53180 Scans = 5




75As LC-ICPMS




LC-ESIMS. EIC = 854.526 AsPC853 Max intensity = 412870 Scans = 105




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855
Max intensity = 990110 Scans = 56




75As LC-ICPMS



LC-ESIMS. EIC = 862.4 AsPC861 Max intensity = 128900 Scans = 107




75As LC-ICPMS




LC-ESIMS. EIC = 866.432 AsPC865


Max intensity = 261720 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 866.526 AsPC865
Max intensity = 118950 Scans = 359




75As LC-ICPMS



LC-ESIMS. EIC = 868.541 AsPC867
Max intensity = 251520 Scans = 675




75As LC-ICPMS




LC-ESIMS. EIC = 882.557 AsPC881


Max intensity = 162320 Scans = 5




75As LC-ICPMS



LC-ESIMS. EIC = 884.479 AsPC883 Max intensity = 1434780 Scans = 70




75As LC-ICPMS




LC-ESIMS. EIC = 888.416 AsPC887


Max intensity = 187590 Scans = 5




75As LC-ICPMS




LC-ESIMS. EIC = 892.541 AsPC891
Max intensity = 122800 Scans = 318




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 362960 Scans = 884




75As LC-ICPMS



LC-ESIMS. EIC = 896.573 AsPC895
Max intensity = 599940 Scans = 1072




75As LC-ICPMS




LC-ESIMS. EIC = 898.494 AsPC897

Max intensity = 142480 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 901.442 AsSugPL900

Max intensity = 244310 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 903.458 AsSugPL902

Max intensity = 295010 Scans = 49




75As LC-ICPMS




LC-ESIMS. EIC = 910.588 AsPC909


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 912.51 AsPC911
Max intensity = 541660 Scans = 52




75As LC-ICPMS




LC-ESIMS. EIC = 920.573 AsPC919

Max intensity = 72990 Scans = 7




75As LC-ICPMS




LC-ESIMS. EIC = 924.604 AsPC923

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 928.447 AsPC927


Max intensity = 665780 Scans = 31




75As LC-ICPMS



LC-ESIMS. EIC = 948.51 AsPC947
Max intensity = 252060 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954

Max intensity = 1204250 Scans = 70




75As LC-ICPMS




LC-ESIMS. EIC = 964.541 AsPC963

Max intensity = 64520 Scans = 22




75As LC-ICPMS



LC-ESIMS. EIC = 972.604 AsPC971
Max intensity = 245270 Scans = 19




75As LC-ICPMS




LC-ESIMS. EIC = 981.505 AsSugPL980

Max intensity = 158400 Scans = 52




75As LC-ICPMS




LC-ESIMS. EIC = 985.442 AsSugPL984

Max intensity = 459000 Scans = 38




75As LC-ICPMS




LC-ESIMS. EIC = 1009.536 AsSugPL1008

Max intensity = 87850 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010

Max intensity = 541970 Scans = 21



75As LC-ICPMS



LC-ESIMS. EIC = 1015.489 AsSugPL1014

Max intensity = 86090 Scans = 17

