



75As LC-ICPMS




LC-ESIMS. EIC = 264.985 AsFA264

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 265.078 AsFA264


Max intensity = 558960 Scans = 62




75As LC-ICPMS




LC-ESIMS. EIC = 267 AsFA266
Max intensity = 84320 Scans = 60




75As LC-ICPMS




LC-ESIMS. EIC = 279 AsFA278
Max intensity = 112430 Scans = 73




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 1107730 Scans = 48




75As LC-ICPMS



LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 475920 Scans = 180




75As LC-ICPMS




LC-ESIMS. EIC = 297.047 AsFA296


Max intensity = 55140 Scans = 38




75As LC-ICPMS



LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 568570 Scans = 1203




75As LC-ICPMS




LC-ESIMS. EIC = 299.136 AsHC298

Max intensity = 53010 Scans = 49




75As LC-ICPMS




LC-ESIMS. EIC = 305.183 AsHC304

Max intensity = 354360 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 307.104 AsHC306

Max intensity = 149870 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 311.136 AsHC310


Max intensity = 153820 Scans = 21




75As LC-ICPMS



LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 398400 Scans = 2163




75As LC-ICPMS




LC-ESIMS. EIC = 315.094 AsFA314


Max intensity = 137520 Scans = 402




75As LC-ICPMS




LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 200210 Scans = 290




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 5838630 Scans = 293




75As LC-ICPMS



LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 121740 Scans = 110




75As LC-ICPMS




LC-ESIMS. EIC = 335.136 AsHC334

Max intensity = 559770 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 335.157 AsFA334


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 299420 Scans = 912




75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 380570 Scans = 479




75As LC-ICPMS



LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 458190 Scans = 42




75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356


Max intensity = 139780 Scans = 143




75As LC-ICPMS



LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 122940 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 361.245 AsHC360


Max intensity = 221590 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 133610 Scans = 1045




75As LC-ICPMS



LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 478770 Scans = 66




75As LC-ICPMS




LC-ESIMS. EIC = 365.183 AsHC364


Max intensity = 204610 Scans = 49




75As LC-ICPMS



LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 216460 Scans = 2223




75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372


Max intensity = 138930 Scans = 57




75As LC-ICPMS



LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 224300 Scans = 297




75As LC-ICPMS




LC-ESIMS. EIC = 375.188 AsFA374


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 212260 Scans = 119




75As LC-ICPMS




LC-ESIMS. EIC = 387.261 AsHC386


Max intensity = 68020 Scans = 21




75As LC-ICPMS



LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 1558530 Scans = 1081




75As LC-ICPMS




LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 389.276 AsHC388

Max intensity = 136540 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390


Max intensity = 123580 Scans = 22




75As LC-ICPMS



LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 408750 Scans = 2564




75As LC-ICPMS




LC-ESIMS. EIC = 397.245 AsHC396

Max intensity = 164920 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 399.261 AsHC398

Max intensity = 104390 Scans = 56




75As LC-ICPMS




LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 403.219 AsFA402

Max intensity = 93700 Scans = 427




75As LC-ICPMS




LC-ESIMS. EIC = 403.292 AsHC402

Max intensity = 118000 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 407.23 AsHC406

Max intensity = 63180 Scans = 29




75As LC-ICPMS




LC-ESIMS. EIC = 411.261 AsHC410

Max intensity = 165970 Scans = 59




75As LC-ICPMS




LC-ESIMS. EIC = 415.292 AsHC414

Max intensity = 68280 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 141810 Scans = 2881




75As LC-ICPMS




LC-ESIMS. EIC = 423.261 AsHC422

Max intensity = 159310 Scans = 47




75As LC-ICPMS




LC-ESIMS. EIC = 425.276 AsHC424

Max intensity = 94890 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 427.292 AsHC426


Max intensity = 1e+05 Scans = 57




75As LC-ICPMS



LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 1284020 Scans = 316




75As LC-ICPMS




LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430 Max intensity = 154860 Scans = 2493




75As LC-ICPMS



LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 1850760 Scans = 74




75As LC-ICPMS




LC-ESIMS. EIC = 443.323 AsHC442

Max intensity = 216370 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 445.172 AsFA444

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444

Max intensity = 88770 Scans = 470




75As LC-ICPMS




LC-ESIMS. EIC = 445.339 AsHC444

Max intensity = 243860 Scans = 68




75As LC-ICPMS




LC-ESIMS. EIC = 459.355 AsHC458

Max intensity = 59890 Scans = 110




75As LC-ICPMS




LC-ESIMS. EIC = 465.308 AsHC464


Max intensity = 126270 Scans = 26




75As LC-ICPMS



LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 525920 Scans = 265




75As LC-ICPMS




LC-ESIMS. EIC = 481.339 AsHC480

Max intensity = 237400 Scans = 50




75As LC-ICPMS




LC-ESIMS. EIC = 493.339 AsHC492

Max intensity = 369560 Scans = 33



75As LC-ICPMS



LC-ESIMS. EIC = 497.37 AsHC496
Max intensity = 765950 Scans = 64

