



75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662

Max intensity = 781270 Scans = 703




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664

Max intensity = 116440 Scans = 153




75As LC-ICPMS




LC-ESIMS. EIC = 677.228 lysoAsSugPL676

Max intensity = 438830 Scans = 536




75As LC-ICPMS




LC-ESIMS. EIC = 691.244 lysoAsSugPL690

Max intensity = 164370 Scans = 116




75As LC-ICPMS




LC-ESIMS. EIC = 731.275 lysoAsSugPL730


Max intensity = 816280 Scans = 25




75As LC-ICPMS



LC-ESIMS. EIC = 838.4 AsPC837 Max intensity = 1034150 Scans = 56




75As LC-ICPMS




LC-ESIMS. EIC = 838.494 AsPC837

Max intensity = 0 Scans = 0



75As LC-ICPMS


75As Intensity (cps)



Retention Time (min)


LC-ESIMS. EIC = 840.51 AsPC840
Max intensity = 573000 Scans = 36

Intensity (scaled for 13C)




Retention Time (min)

75As LC-ICPMS




LC-ESIMS. EIC = 844.353 AsPC843

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 844.447 AsPC843

Max intensity = 82590 Scans = 92



75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 845.286 AsSugPL844


Max intensity = 0 Scans = 0

Intensity (scaled for 13C)




Retention Time (min)

75As LC-ICPMS




LC-ESIMS. EIC = 845.38 AsSugPL844

Max intensity = 286660 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855

Max intensity = 328750 Scans = 40




75As LC-ICPMS




LC-ESIMS. EIC = 860.385 AsPC859

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 860.479 AsPC859

Max intensity = 147710 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 861.317 AsSugPL860

Max intensity = 0 Scans = 0



75As LC-ICPMS


75As Intensity (cps)




LC-ESIMS. EIC = 861.411 AsSugPL860

Max intensity = 78610 Scans = 76


Intensity (scaled for 13C)




75As LC-ICPMS



LC-ESIMS. EIC = 866.526 AsPC866
Max intensity = 1389360 Scans = 127




75As LC-ICPMS




LC-ESIMS. EIC = 868.541 AsPC868


Max intensity = 1230090 Scans = 59




75As LC-ICPMS



LC-ESIMS. EIC = 876.51 AsPC876
Max intensity = 121440 Scans = 171




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883

Max intensity = 257910 Scans = 39



75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 892.541 AsPC892

Max intensity = 2586910 Scans = 73


Intensity (scaled for 13C)



Retention Time (min)

75As LC-ICPMS


75As Intensity (cps)



LC-ESIMS. EIC = 893.38 AsSugPL892


Max intensity = 190060 Scans = 22

Intensity (scaled for 13C)



75As LC-ICPMS


75As Intensity (cps)



Retention Time (min)

LC-ESIMS. EIC = 894.557 AsPC894
Max intensity = 18489740 Scans = 196


Intensity (scaled for ¹³C)



Retention Time (min)

75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 901.348 AsSugPL900


Max intensity = 0 Scans = 0

Intensity (scaled for 13C)




Retention Time (min)

75As LC-ICPMS




LC-ESIMS. EIC = 901.442 AsSugPL900

Max intensity = 1098870 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 906.557 AsPC906

Max intensity = 94990 Scans = 32



75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 909.411 AsSugPL908


Max intensity = 77080 Scans = 51

Intensity (scaled for 13C)




Retention Time (min)

75As LC-ICPMS




LC-ESIMS. EIC = 910.494 AsPC909

Max intensity = 92720 Scans = 255




75As LC-ICPMS




LC-ESIMS. EIC = 922.494 AsPC921

Max intensity = 98460 Scans = 104




75As LC-ICPMS




LC-ESIMS. EIC = 924.51 AsPC924

Max intensity = 60540 Scans = 33



75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 924.604 AsPC924

Max intensity = 0 Scans = 0


Intensity (scaled for 13C)



Retention Time (min)

75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 929.38 AsSugPL928


Max intensity = 0 Scans = 0

Intensity (scaled for 13C)




Retention Time (min)

75As LC-ICPMS




LC-ESIMS. EIC = 929.474 AsSugPL928

Max intensity = 349930 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 931.395 AsSugPL930

Max intensity = 0 Scans = 0



75As LC-ICPMS


75As Intensity (cps)




LC-ESIMS. EIC = 931.489 AsSugPL930

Max intensity = 252930 Scans = 242

Intensity (scaled for 13C)




75As LC-ICPMS




LC-ESIMS. EIC = 934.588 AsPC934

Max intensity = 271470 Scans = 26



75As LC-ICPMS


75As Intensity (cps)




LC-ESIMS. EIC = 935.427 AsSugPL934

Max intensity = 246340 Scans = 127

Intensity (scaled for 13C)




75As LC-ICPMS




LC-ESIMS. EIC = 939.458 AsSugPL938

Max intensity = 83220 Scans = 107




75As LC-ICPMS




LC-ESIMS. EIC = 943.395 AsSugPL942

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 943.489 AsSugPL942

Max intensity = 58550 Scans = 39



75As LC-ICPMS

75As Intensity (cps)




Retention Time (min)

LC-ESIMS. EIC = 944.573 AsPC944


Max intensity = 143660 Scans = 30

Intensity (scaled for 13C)



Retention Time (min)

75As LC-ICPMS



LC-ESIMS. EIC = 945.505 AsSugPL945

Max intensity = 175210 Scans = 245

