



## 75As LC-ICPMS




**LC-ESIMS. EIC = 659.181 lysoAsSugPL658**

**Max intensity = 134270 Scans = 77**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 775.338 lysoAsSugPL774**

**Max intensity = 66300 Scans = 49**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 820.353 AsPC819**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 820.447 AsPC819**

**Max intensity = 52080 Scans = 214**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 836.385 AsPC835**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 836.479 AsPC835**


**Max intensity = 981910 Scans = 26**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 840.51 AsPC840**  
**Max intensity = 594580 Scans = 38**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 854.432 AsPC853

Max intensity = 90520 Scans = 61







## 75As LC-ICPMS



**LC-ESIMS. EIC = 864.51 AsPC864**  
**Max intensity = 64260 Scans = 240**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 873.317 AsSugPL872**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 873.411 AsSugPL872**

**Max intensity = 62710 Scans = 97**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 884.479 AsPC883

Max intensity = 68840 Scans = 35




## 75As LC-ICPMS




## LC-ESIMS. EIC = 888.51 AsPC888

Max intensity = 70480 Scans = 75




## 75As LC-ICPMS




**LC-ESIMS. EIC = 889.348 AsSugPL888**

**Max intensity = 297700 Scans = 13**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 889.442 AsSugPL888

Max intensity = 169080 Scans = 226




## 75As LC-ICPMS




**LC-ESIMS. EIC = 890.526 AsPC890**

**Max intensity = 332470 Scans = 92**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 892.541 AsPC892**

**Max intensity = 50960 Scans = 47**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 896.573 AsPC896**

**Max intensity = 262610 Scans = 64**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 903.364 AsSugPL902**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 903.458 AsSugPL902**


**Max intensity = 160290 Scans = 51**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 910.588 AsPC910**  
**Max intensity = 1321000 Scans = 113**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 917.38 AsSugPL916**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 917.474 AsSugPL916**

**Max intensity = 58530 Scans = 72**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 922.588 AsPC922**

**Max intensity = 381660 Scans = 53**






### 75As LC-ICPMS




### LC-ESIMS. EIC = 924.51 AsPC924

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 924.604 AsPC924**

**Max intensity = 240170 Scans = 43**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 938.526 AsPC938

Max intensity = 0 Scans = 0




# 75As LC-ICPMS



**LC-ESIMS. EIC = 938.62 AsPC938**  
**Max intensity = 197070 Scans = 69**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 955.489 AsSugPL954**

**Max intensity = 1589600 Scans = 70**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 957.505 AsSugPL957**

**Max intensity = 1133010 Scans = 77**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 959.521 AsSugPL959**

**Max intensity = 769070 Scans = 51**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 982.588 AsPC982

Max intensity = 69270 Scans = 73






# 75As LC-ICPMS




**LC-ESIMS. EIC = 983.521 AsSugPL983**

**Max intensity = 761980 Scans = 51**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 985.536 AsSugPL985**

**Max intensity = 712510 Scans = 61**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 994.588 AsPC994**

**Max intensity = 0 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 994.682 AsPC994**

**Max intensity = 204200 Scans = 47**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 1011.552 AsSugPL1011**

**Max intensity = 951410 Scans = 55**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1020.698 AsPC1020

Max intensity = 116350 Scans = 99



## 75As LC-ICPMS



## LC-ESIMS. EIC = 1023.552 AsSugPL1023

Max intensity = 91030 Scans = 173

