




### 75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266  
Max intensity = 92560 Scans = 30**




### 75As LC-ICPMS




LC-ESIMS. EIC = 279 AsFA278  
Max intensity = 122460 Scans = 64




### 75As LC-ICPMS




LC-ESIMS. EIC = 293.089 AsHC292  
Max intensity = 506370 Scans = 156




### 75As LC-ICPMS




**LC-ESIMS. EIC = 295.032 AsFA294  
Max intensity = 50380 Scans = 41**




### 75As LC-ICPMS




LC-ESIMS. EIC = 297.047 AsFA296  
Max intensity = 50530 Scans = 54




### 75As LC-ICPMS




LC-ESIMS. EIC = 299.063 AsFA298  
Max intensity = 623830 Scans = 1281




### 75As LC-ICPMS




**LC-ESIMS. EIC = 307.104 AsHC306  
Max intensity = 89510 Scans = 52**




### 75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312  
Max intensity = 298770 Scans = 2794




### 75As LC-ICPMS




LC-ESIMS. EIC = 315.094 AsFA314  
Max intensity = 89610 Scans = 266




### 75As LC-ICPMS




LC-ESIMS. EIC = 323.063 AsFA322  
Max intensity = 280050 Scans = 654




### 75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332  
Max intensity = 863550 Scans = 114




MS<sub>2</sub> spectra for mass 333.213 at 13.7 minutes




### 75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332  
Max intensity = 863550 Scans = 114




MS2 spectra for mass 333.2133 at 13.9 minutes




### 75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332  
Max intensity = 863550 Scans = 114




MS2 spectra for mass 333.2132 at 14.1 minutes




### 75As LC-ICPMS




LC-ESIMS. EIC = 335.063 AsFA334  
Max intensity = 147250 Scans = 348




### 75As LC-ICPMS




LC-ESIMS. EIC = 337.078 AsFA336  
Max intensity = 177680 Scans = 1181




### 75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340  
Max intensity = 384100 Scans = 310




### 75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346  
Max intensity = 567400 Scans = 34**




### 75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356  
Max intensity = 109070 Scans = 177




### 75As LC-ICPMS




**LC-ESIMS. EIC = 359.23 AsHC358  
Max intensity = 176150 Scans = 24**




### 75As LC-ICPMS




LC-ESIMS. EIC = 361.245 AsHC360  
Max intensity = 297160 Scans = 81




### 75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362  
Max intensity = 131470 Scans = 640




### 75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364  
Max intensity = 407420 Scans = 54**




### 75As LC-ICPMS




LC-ESIMS. EIC = 371.23 AsHC370  
Max intensity = 137210 Scans = 1635




### 75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372  
Max intensity = 135570 Scans = 26




### 75As LC-ICPMS




**LC-ESIMS. EIC = 375.094 AsFA374  
Max intensity = 82510 Scans = 212**




### 75As LC-ICPMS




LC-ESIMS. EIC = 385.245 AsHC384  
Max intensity = 275310 Scans = 91




### 75As LC-ICPMS




LC-ESIMS. EIC = 389.11 AsFA388  
Max intensity = 1254890 Scans = 1084




### 75As LC-ICPMS




LC-ESIMS. EIC = 389.276 AsHC388  
Max intensity = 97650 Scans = 25




### 75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390  
Max intensity = 1179100 Scans = 189




### 75As LC-ICPMS




LC-ESIMS. EIC = 393.214 AsHC392  
Max intensity = 1396890 Scans = 2132




### 75As LC-ICPMS




LC-ESIMS. EIC = 397.245 AsHC396  
Max intensity = 236930 Scans = 30




### 75As LC-ICPMS




LC-ESIMS. EIC = 399.261 AsHC398  
Max intensity = 227570 Scans = 47




### 75As LC-ICPMS




LC-ESIMS. EIC = 403.219 AsFA402  
Max intensity = 80440 Scans = 112




### 75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404  
Max intensity = 93770 Scans = 63**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 411.261 AsHC410  
Max intensity = 201160 Scans = 43**




### 75As LC-ICPMS




LC-ESIMS. EIC = 417.235 AsFA416  
Max intensity = 164530 Scans = 2310




### 75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 AsHC418  
Max intensity = 896190 Scans = 48**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 TMA<sub>5</sub>FOH<sub>4</sub>I<sub>8</sub>**  
**Max intensity = 896190 Scans = 48**




### 75As LC-ICPMS




LC-ESIMS. EIC = 423.261 AsHC422  
Max intensity = 165620 Scans = 37




### 75As LC-ICPMS




LC-ESIMS. EIC = 425.276 AsHC424  
Max intensity = 151070 Scans = 30




### 75As LC-ICPMS




LC-ESIMS. EIC = 427.292 AsHC426  
Max intensity = 92000 Scans = 22




### 75As LC-ICPMS




LC-ESIMS. EIC = 429.235 AsFA428  
Max intensity = 2551820 Scans = 361




### 75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430  
Max intensity = 193780 Scans = 1836




### 75As LC-ICPMS




LC-ESIMS. EIC = 433.245 AsHC432  
Max intensity = 1011520 Scans = 747




### 75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444  
Max intensity = 90560 Scans = 115**




### 75As LC-ICPMS




LC-ESIMS. EIC = 455.323 AsHC454  
Max intensity = 817530 Scans = 60




### 75As LC-ICPMS




**LC-ESIMS. EIC = 457.266 AsFA456  
Max intensity = 284850 Scans = 41**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 459.355 AsHC458  
Max intensity = 61520 Scans = 22**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 467.798 AsPC933\_MH2  
Max intensity = 3426580 Scans = 195**




### 75As LC-ICPMS




LC-ESIMS. EIC = 468.806 AsPC935\_MH2  
Max intensity = 136890 Scans = 22




### 75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474  
Max intensity = 262730 Scans = 60**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476  
Max intensity = 141430 Scans = 24**




### 75As LC-ICPMS




LC-ESIMS. EIC = 481.339 AsHC480  
Max intensity = 265400 Scans = 73




### 75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961\_MH2  
Max intensity = 5460690 Scans = 1787**




### 75As LC-ICPMS




LC-ESIMS. EIC = 482.821 AsPC963\_MH2  
Max intensity = 136470 Scans = 26




### 75As LC-ICPMS




LC-ESIMS. EIC = 493.339 AsHC492  
Max intensity = 158910 Scans = 36




### 75As LC-ICPMS




LC-ESIMS. EIC = 495.782 AsPC989\_MH2  
Max intensity = 74470 Scans = 588




### 75As LC-ICPMS




LC-ESIMS. EIC = 495.829 AsPC989\_MH2  
Max intensity = 813780 Scans = 445




### 75As LC-ICPMS




**LC-ESIMS. EIC = 496.837 AsPC991\_MH2**  
**Max intensity = 60950 Scans = 76**




### 75As LC-ICPMS




LC-ESIMS. EIC = 501.402 AsHC500  
Max intensity = 155790 Scans = 126




### 75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502  
Max intensity = 109410 Scans = 39**




### 75As LC-ICPMS




LC-ESIMS. EIC = 509.845 AsPC1017\_MH2  
Max intensity = 1870060 Scans = 220




### 75As LC-ICPMS




LC-ESIMS. EIC = 515.417 AsHC514  
Max intensity = 117072010 Scans = 305




### 75As LC-ICPMS




LC-ESIMS. EIC = 541.433 AsHC540  
Max intensity = 77340 Scans = 24




### 75As LC-ICPMS



**LC-ESIMS. EIC = 543.449 AsHC542  
Max intensity = 733830 Scans = 43**



### 75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 AsIsop546  
Max intensity = 119300 Scans = 43**

