




75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266
Max intensity = 90180 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279 AsFA278
Max intensity = 109360 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 312100 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296
Max intensity = 101170 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 396140 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 140820 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 320600 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 90480 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 100100 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 329.11 AsFA328
Max intensity = 63680 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 219620 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 227830 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 129930 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 289760 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 345.214 AsHC344
Max intensity = 71180 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 236400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 351.167 AsHC350
Max intensity = 280300 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 139950 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 552980 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 168330 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 230740 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 108540 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 194830 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 373.245 AsHC372
Max intensity = 1092400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 115520 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 695350 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 1289750 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 186590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 279860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 535800 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 74390 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 199930 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 409.245 AsHC408
Max intensity = 128220 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 415.673 AsPC829_MH2
Max intensity = 219330 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 131370 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422
Max intensity = 507210 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426
Max intensity = 239270 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 1124960 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 322560 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.751 AsPC861_MH2
Max intensity = 287440 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 1150210 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 437.276 AsHC436
Max intensity = 188150 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 439.292 AsHC438
Max intensity = 583720 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 441.235 AsFA440
Max intensity = 73410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 441.308 AsHC440
Max intensity = 270660 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 129640 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.767 AsPC889_MH2
Max intensity = 45220 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.276 AsHC448
Max intensity = 387880 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452
Max intensity = 70540 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.782 AsPC905_MH2
Max intensity = 478700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 454.743 AsPC907_MH2
Max intensity = 232380 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.323 AsHC454
Max intensity = 98960 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460
Max intensity = 111590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.751 AsPC933_MH2
Max intensity = 208610 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 467.798 AsPC933_MH2
Max intensity = 2492150 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 468.806 AsPC935_MH2
Max intensity = 309830 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 471.355 AsHC470
Max intensity = 168100 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 117320 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 124910 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 476.775 AsPC951_MH2
Max intensity = 189870 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 259530 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961_MH2
Max intensity = 933200 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 482.821 AsPC963_MH2
Max intensity = 0 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 489.782 AsPC977_MH2
Max intensity = 167750 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 182220 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.782 AsPC989_MH2
Max intensity = 93820 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.829 AsPC989_MH2
Max intensity = 116830 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 207760 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 502.837 AsPC1003_MH2
Max intensity = 900130 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502
Max intensity = 98980 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 509.37 AsHC508
Max intensity = 198900 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 509.845 AsPC1017_MH2
Max intensity = 5703140 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 510.853 AsPC1019_MH2
Max intensity = 669870 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 41585770 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 521.37 AsHC520
Max intensity = 187640 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 529.433 AsHC528
Max intensity = 87300 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 541.433 AsHC540
Max intensity = 766590 Scans = 0**




75As LC-ICPMS



**LC-ESIMS. EIC = 543.449 AsHC542
Max intensity = 257840 Scans = 0**



75As LC-ICPMS



LC-ESIMS. EIC = 547.334 Aslsop546
Max intensity = 75000 Scans = 0

