




75As LC-ICPMS




LC-ESIMS. EIC = 265.078 AsFA264
Max intensity = 353350 Scans = 54




75As LC-ICPMS




LC-ESIMS. EIC = 267 AsFA266
Max intensity = 97220 Scans = 85




75As LC-ICPMS




LC-ESIMS. EIC = 269.016 AsFA268
Max intensity = 392470 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 279 AsFA278
Max intensity = 146600 Scans = 68




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 442080 Scans = 95




75As LC-ICPMS




LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 550710 Scans = 2449




75As LC-ICPMS




LC-ESIMS. EIC = 295.032 AsFA294
Max intensity = 438790 Scans = 34




75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296
Max intensity = 2271240 Scans = 64**




75As LC-ICPMS




LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 228110 Scans = 222




75As LC-ICPMS




LC-ESIMS. EIC = 305.016 AsFA304
Max intensity = 61990 Scans = 22




75As LC-ICPMS




LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 162400 Scans = 87




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 382200 Scans = 2324




75As LC-ICPMS




**LC-ESIMS. EIC = 321.047 AsFA320
Max intensity = 576510 Scans = 41**




75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 1535860 Scans = 697**




75As LC-ICPMS




**LC-ESIMS. EIC = 327.167 AsHC326
Max intensity = 69980 Scans = 24**




75As LC-ICPMS




**LC-ESIMS. EIC = 333.047 AsFA332
Max intensity = 145100 Scans = 29**




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 1861110 Scans = 100




MS2 spectra for mass 333.2133 at 13.9 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 1861110 Scans = 100




MS2 spectra for mass 333.2129 at 14 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 1861110 Scans = 100




MS2 spectra for mass 333.2131 at 14.2 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 98370 Scans = 276




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 95530 Scans = 59**




75As LC-ICPMS




LC-ESIMS. EIC = 339.167 AsHC338
Max intensity = 290940 Scans = 40




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 162760 Scans = 21**




75As LC-ICPMS




LC-ESIMS. EIC = 341.183 AsHC340
Max intensity = 327210 Scans = 55




75As LC-ICPMS




LC-ESIMS. EIC = 343.125 AsFA342
Max intensity = 222560 Scans = 103




75As LC-ICPMS




**LC-ESIMS. EIC = 345.214 AsHC344
Max intensity = 228220 Scans = 28**




75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 922090 Scans = 80**




75As LC-ICPMS




**LC-ESIMS. EIC = 351.094 AsFA350
Max intensity = 321250 Scans = 25**




75As LC-ICPMS




LC-ESIMS. EIC = 355.198 AsHC354
Max intensity = 90710 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 96470 Scans = 63




75As LC-ICPMS




**LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 163830 Scans = 27**




75As LC-ICPMS




**LC-ESIMS. EIC = 361.172 AsFA360
Max intensity = 1816690 Scans = 83**




75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360
Max intensity = 90170 Scans = 21**




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 211270 Scans = 645




75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 79230 Scans = 33**




75As LC-ICPMS




LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 561360 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 367.198 AsHC366
Max intensity = 216030 Scans = 39




75As LC-ICPMS




LC-ESIMS. EIC = 369.214 AsHC368
Max intensity = 1162480 Scans = 135




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 1566660 Scans = 1650**




75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372
Max intensity = 148800 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 377.183 AsHC376
Max intensity = 580580 Scans = 49




75As LC-ICPMS




LC-ESIMS. EIC = 379.125 AsFA378
Max intensity = 264300 Scans = 32




75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 117120 Scans = 21**




75As LC-ICPMS




LC-ESIMS. EIC = 387.188 AsFA386
Max intensity = 1593770 Scans = 73




75As LC-ICPMS




LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 735980 Scans = 891




75As LC-ICPMS




LC-ESIMS. EIC = 389.204 AsFA388
Max intensity = 461580 Scans = 59




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 633390 Scans = 79




75As LC-ICPMS




LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 5816900 Scans = 1776




75As LC-ICPMS




**LC-ESIMS. EIC = 395.23 AsHC394
Max intensity = 656770 Scans = 46**




75As LC-ICPMS




LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 261280 Scans = 50




75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 81650 Scans = 196**




75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 572680 Scans = 124




MS₂ spectra for mass 405.2132 at 14 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 572680 Scans = 124




MS2 spectra for mass 405.2133 at 14.2 minutes




75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406
Max intensity = 67510 Scans = 30**




75As LC-ICPMS




**LC-ESIMS. EIC = 411.188 AsFA410
Max intensity = 179570 Scans = 31**




75As LC-ICPMS




**LC-ESIMS. EIC = 412.696 AsPC823_MH2
Max intensity = 1014470 Scans = 39**




75As LC-ICPMS




LC-ESIMS. EIC = 413.204 AsFA412
Max intensity = 264580 Scans = 39




75As LC-ICPMS




LC-ESIMS. EIC = 413.276 AsHC412
Max intensity = 776790 Scans = 53




75As LC-ICPMS




**LC-ESIMS. EIC = 417.141 AsFA416
Max intensity = 57830 Scans = 22**




75As LC-ICPMS




LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 416910 Scans = 2694




75As LC-ICPMS




LC-ESIMS. EIC = 419.157 AsFA418
Max intensity = 96610 Scans = 31




75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 AsHC418
Max intensity = 275330 Scans = 53**




75As LC-ICPMS




LC-ESIMS. EIC = 419.23 TMA₃FOH418
Max intensity = 275330 Scans = 53




75As LC-ICPMS




**LC-ESIMS. EIC = 419.251 AsFA418
Max intensity = 82820 Scans = 25**




75As LC-ICPMS




LC-ESIMS. EIC = 421.245 AsHC420
Max intensity = 406780 Scans = 48




75As LC-ICPMS




**LC-ESIMS. EIC = 422.728 AsPC843_MH2
Max intensity = 1384230 Scans = 35**




75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422
Max intensity = 346790 Scans = 66**




75As LC-ICPMS




**LC-ESIMS. EIC = 425.751 AsPC849_MH2
Max intensity = 806090 Scans = 41**




75As LC-ICPMS




**LC-ESIMS. EIC = 426.759 AsPC851_MH2
Max intensity = 2629570 Scans = 38**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 183540 Scans = 30**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.308 AsHC428
Max intensity = 370150 Scans = 60**




75As LC-ICPMS




**LC-ESIMS. EIC = 430.696 AsPC859_MH2
Max intensity = 4195070 Scans = 44**




75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 184370 Scans = 2445




75As LC-ICPMS




LC-ESIMS. EIC = 431.323 AsHC430
Max intensity = 1555200 Scans = 111




75As LC-ICPMS




LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 2190190 Scans = 191




75As LC-ICPMS




**LC-ESIMS. EIC = 440.728 AsPC879_MH2
Max intensity = 3259770 Scans = 30**




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 136210 Scans = 698




75As LC-ICPMS




LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 219850 Scans = 390




75As LC-ICPMS




LC-ESIMS. EIC = 447.261 AsHC446
Max intensity = 189800 Scans = 29




75As LC-ICPMS




LC-ESIMS. EIC = 449.276 AsHC448
Max intensity = 1288790 Scans = 62




75As LC-ICPMS




**LC-ESIMS. EIC = 450.759 AsPC899_MH2
Max intensity = 3279030 Scans = 23**




75As LC-ICPMS




LC-ESIMS. EIC = 453.308 AsHC452
Max intensity = 559480 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 459.282 AsFA458
Max intensity = 2640970 Scans = 79




75As LC-ICPMS




LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 1499920 Scans = 926




75As LC-ICPMS




LC-ESIMS. EIC = 461.276 AsHC460
Max intensity = 244640 Scans = 61




75As LC-ICPMS




**LC-ESIMS. EIC = 463.292 AsHC462
Max intensity = 177380 Scans = 36**




75As LC-ICPMS




**LC-ESIMS. EIC = 464.728 AsPC927_MH2
Max intensity = 1532300 Scans = 33**




75As LC-ICPMS




LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 2940310 Scans = 195




75As LC-ICPMS




**LC-ESIMS. EIC = 467.798 AsPC933_MH2
Max intensity = 1322510 Scans = 157**




75As LC-ICPMS




LC-ESIMS. EIC = 471.355 AsHC470
Max intensity = 255820 Scans = 21




75As LC-ICPMS




**LC-ESIMS. EIC = 472.79 AsPC943_MH2
Max intensity = 190020 Scans = 24**




75As LC-ICPMS




LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 670730 Scans = 601




75As LC-ICPMS




LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 3081520 Scans = 75




75As LC-ICPMS




LC-ESIMS. EIC = 477.308 AsHC476
Max intensity = 790440 Scans = 98




75As LC-ICPMS




LC-ESIMS. EIC = 479.323 AsHC478
Max intensity = 286760 Scans = 94




75As LC-ICPMS




LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 1516780 Scans = 84




75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961_MH2
Max intensity = 1282690 Scans = 1217**




75As LC-ICPMS




**LC-ESIMS. EIC = 482.821 AsPC963_MH2
Max intensity = 307510 Scans = 26**




75As LC-ICPMS




LC-ESIMS. EIC = 483.355 AsHC482
Max intensity = 194080 Scans = 53




75As LC-ICPMS




**LC-ESIMS. EIC = 483.782 AsPC965_MH2
Max intensity = 495870 Scans = 30**




75As LC-ICPMS




LC-ESIMS. EIC = 489.308 AsHC488
Max intensity = 168720 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 491.323 AsHC490
Max intensity = 265360 Scans = 152




75As LC-ICPMS




LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 1589230 Scans = 171




MS2 spectra for mass 493.3397 at 19.9 minutes




75As LC-ICPMS




**LC-ESIMS. EIC = 494.775 AsPC987_MH2
Max intensity = 198180 Scans = 25**




75As LC-ICPMS




LC-ESIMS. EIC = 495.355 AsHC494
Max intensity = 1107410 Scans = 139




75As LC-ICPMS




**LC-ESIMS. EIC = 495.782 AsPC989_MH2
Max intensity = 61390 Scans = 263**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.829 AsPC989_MH2
Max intensity = 193640 Scans = 243**




75As LC-ICPMS




**LC-ESIMS. EIC = 496.837 AsPC991_MH2
Max intensity = 85350 Scans = 45**




75As LC-ICPMS




LC-ESIMS. EIC = 497.37 AsHC496
Max intensity = 970110 Scans = 119




75As LC-ICPMS




LC-ESIMS. EIC = 499.386 AsHC498
Max intensity = 955800 Scans = 76




75As LC-ICPMS




LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 696830 Scans = 111




75As LC-ICPMS




LC-ESIMS. EIC = 503.323 AsHC502
Max intensity = 1336030 Scans = 160




75As LC-ICPMS




LC-ESIMS. EIC = 505.339 AsHC504
Max intensity = 263360 Scans = 126




75As LC-ICPMS




LC-ESIMS. EIC = 507.355 AsHC506
Max intensity = 410850 Scans = 47




75As LC-ICPMS




**LC-ESIMS. EIC = 509.37 AsHC508
Max intensity = 1214110 Scans = 145**




75As LC-ICPMS




LC-ESIMS. EIC = 509.845 AsPC1017_MH2
Max intensity = 1645710 Scans = 127




75As LC-ICPMS




LC-ESIMS. EIC = 510.853 AsPC1019_MH2
Max intensity = 53120 Scans = 32




75As LC-ICPMS




**LC-ESIMS. EIC = 511.386 AsHC510
Max intensity = 122830 Scans = 33**




75As LC-ICPMS




LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 192667740 Scans = 89




75As LC-ICPMS




LC-ESIMS. EIC = 517.339 AsHC516
Max intensity = 546300 Scans = 79




75As LC-ICPMS




LC-ESIMS. EIC = 519.355 AsHC518
Max intensity = 207030 Scans = 58




75As LC-ICPMS




**LC-ESIMS. EIC = 521.37 AsHC520
Max intensity = 2380620 Scans = 214**




75As LC-ICPMS




LC-ESIMS. EIC = 523.386 AsHC522
Max intensity = 333450 Scans = 122




75As LC-ICPMS




LC-ESIMS. EIC = 531.355 AsHC530
Max intensity = 287230 Scans = 39




75As LC-ICPMS




LC-ESIMS. EIC = 539.417 AsHC538
Max intensity = 521860 Scans = 175




75As LC-ICPMS



LC-ESIMS. EIC = 541.433 AsHC540
Max intensity = 2770500 Scans = 34



75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 AsIsop546
Max intensity = 2611670 Scans = 56**

