




75As LC-ICPMS




**LC-ESIMS. EIC = 265.078 AsFA264
Max intensity = 195630 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266
Max intensity = 80640 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 269.016 AsFA268
Max intensity = 158840 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279 AsFA278
Max intensity = 114420 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 63060 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 431110 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 295.032 AsFA294
Max intensity = 143580 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 295.104 AsHC294
Max intensity = 147710 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296
Max intensity = 708370 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 777380 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 305.183 AsHC304
Max intensity = 566950 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 307.104 AsHC306
Max intensity = 169980 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 307.125 AsFA306
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 303860 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 584250 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 199460 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314
Max intensity = 6835240 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 317.183 AsHC316
Max intensity = 598260 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 319.198 AsHC318
Max intensity = 180890 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 321.047 AsFA320
Max intensity = 209260 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 445410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 329.11 AsFA328
Max intensity = 60500 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 331.198 AsHC330
Max intensity = 170510 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 886550 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 335.136 AsHC334
Max intensity = 302560 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 645420 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 2593140 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338
Max intensity = 1096130 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 449530 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340
Max intensity = 1234910 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 343.125 AsFA342
Max intensity = 70280 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 343.198 AsHC342
Max intensity = 81210 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 345.214 AsHC344
Max intensity = 1237090 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 347.157 AsFA346
Max intensity = 252830 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 524750 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 353.183 AsHC352
Max intensity = 348900 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 355.198 AsHC354
Max intensity = 654160 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 1021780 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 3566030 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 361.172 AsFA360
Max intensity = 88350 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 183890 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 363.188 AsFA362
Max intensity = 665830 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 563880 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 223240 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 367.198 AsHC366
Max intensity = 165800 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 836020 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 373.245 AsHC372
Max intensity = 7778330 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 330810 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 AsHC374
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 TMA₃FOH374
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 377.183 AsHC376
Max intensity = 482700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 379.125 AsFA378
Max intensity = 270420 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 383.157 AsFA382
Max intensity = 583740 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 3255050 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386
Max intensity = 387890 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 387.261 AsHC386
Max intensity = 1287550 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 2506310 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.125 AsFA390
Max intensity = 99940 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 140970 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 5349060 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 225990 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 401.204 AsFA400
Max intensity = 448510 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 401.276 AsHC400
Max intensity = 1541660 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 88850 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.292 AsHC402
Max intensity = 201520 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.141 AsFA404
Max intensity = 408910 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 389850 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.235 AsFA404
Max intensity = 1141660 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 407.157 AsFA406
Max intensity = 138120 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406
Max intensity = 1864600 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 409.194 Aslsop408
Max intensity = 427050 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 409.245 AsHC408
Max intensity = 175720 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 411.261 AsHC410
Max intensity = 1459140 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 412.696 AsPC823_MH2
Max intensity = 544550 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 413.204 AsFA412
Max intensity = 555620 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 413.276 AsHC412
Max intensity = 327380 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 415.292 AsHC414
Max intensity = 1200930 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 176900 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.308 AsHC416
Max intensity = 322250 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 417.735 AsPC833_MH2
Max intensity = 0 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 419.157 AsFA418
Max intensity = 102200 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 AsHC418
Max intensity = 399610 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 419.23 TMA₅FOH₄I₈
Max intensity = 399610 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 421.245 AsHC420
Max intensity = 11960970 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 422.728 AsPC843_MH2
Max intensity = 676210 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422
Max intensity = 573510 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 425.276 AsHC424
Max intensity = 280300 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 425.751 AsPC849_MH2
Max intensity = 484620 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 426.759 AsPC851_MH2
Max intensity = 1689330 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.219 AsFA426
Max intensity = 189640 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426
Max intensity = 214310 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 1234440 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 429.308 AsHC428
Max intensity = 403160 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 430.696 AsPC859_MH2
Max intensity = 2992400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 1436860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.323 AsHC430
Max intensity = 328230 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.751 AsPC861_MH2
Max intensity = 227120 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 2219800 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 437.276 AsHC436
Max intensity = 199670 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 439.292 AsHC438
Max intensity = 553730 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 440.728 AsPC879_MH2
Max intensity = 2401670 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 441.308 AsHC440
Max intensity = 284820 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 444.759 AsPC887_MH2
Max intensity = 67270 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 144880 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 538550 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 447.188 AsFA446
Max intensity = 496440 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 448.79 AsPC895_MH2
Max intensity = 88570 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.204 AsFA448
Max intensity = 423270 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 449.276 AsHC448
Max intensity = 393530 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 450.759 AsPC899_MH2
Max intensity = 2639760 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452
Max intensity = 1419410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.782 AsPC905_MH2
Max intensity = 815680 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 454.743 AsPC907_MH2
Max intensity = 340770 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.323 AsHC454
Max intensity = 152410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 457.339 AsHC456
Max intensity = 494230 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 459.282 AsFA458
Max intensity = 769050 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 343870 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 461.276 AsHC460
Max intensity = 178990 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 461.298 AsFA460
Max intensity = 365760 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 463.292 AsHC462
Max intensity = 159900 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 464.728 AsPC927_MH2
Max intensity = 544480 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 8389630 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.323 AsHC466
Max intensity = 241590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.751 AsPC933_MH2
Max intensity = 287860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.798 AsPC933_MH2
Max intensity = 10820610 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 468.806 AsPC935_MH2
Max intensity = 1435500 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 469.339 AsHC468
Max intensity = 227890 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 471.355 AsHC470
Max intensity = 505260 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 693190 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 175590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 476.775 AsPC951_MH2
Max intensity = 195730 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476
Max intensity = 401920 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 479.323 AsHC478
Max intensity = 404470 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 1892750 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961_MH2
Max intensity = 13476380 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 482.821 AsPC963_MH2
Max intensity = 1107860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 485.37 AsHC484
Max intensity = 309800 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486
Max intensity = 658970 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 487.814 AsPC973_MH2
Max intensity = 121030 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488
Max intensity = 123510 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 489.782 AsPC977_MH2
Max intensity = 120410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490
Max intensity = 308690 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 3230990 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 495.355 AsHC494
Max intensity = 128420 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 495.782 AsPC989_MH2
Max intensity = 71750 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.829 AsPC989_MH2
Max intensity = 557800 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 499.386 AsHC498
Max intensity = 237750 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 414690 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 503.323 AsHC502
Max intensity = 762060 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 505.339 AsHC504
Max intensity = 329460 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 507.355 AsHC506
Max intensity = 485570 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 509.37 AsHC508
Max intensity = 1163030 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 509.845 AsPC1017_MH2
Max intensity = 5587610 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 510.853 AsPC1019_MH2
Max intensity = 295090 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 513.402 AsHC512
Max intensity = 177630 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 91855880 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 521.37 AsHC520
Max intensity = 2281640 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 525.402 AsHC524
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 529.433 AsHC528
Max intensity = 330250 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 531.355 AsHC530
Max intensity = 317200 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 539.417 AsHC538
Max intensity = 1349860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 541.433 AsHC540
Max intensity = 196490 Scans = 0**




75As LC-ICPMS



**LC-ESIMS. EIC = 543.449 AsHC542
Max intensity = 629980 Scans = 0**



75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 Aslsop546
Max intensity = 672610 Scans = 0**

