



# 75As LC-ICPMS




## LC-ESIMS. EIC = 659.181 lysoAsSugPL658

Max intensity = 184440 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 721.291 lysoAsSugPL720

Max intensity = 73480 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 763.338 lysoAsSugPL762

Max intensity = 87500 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 775.338 lysoAsSugPL774

Max intensity = 142730 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 820.447 AsPC819

Max intensity = 106130 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 836.479 AsPC835

Max intensity = 547810 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 838.494 AsPC837

Max intensity = 92800 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 840.51 AsPC839

Max intensity = 0 Scans = 0






# 75As LC-ICPMS




**LC-ESIMS. EIC = 847.395 AsSugPL846**

**Max intensity = 78940 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 854.526 AsPC853

Max intensity = 75710 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 858.369 AsPC857**

**Max intensity = 403640 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 860.479 AsPC859

Max intensity = 69560 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 862.494 AsPC861

Max intensity = 82680 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 864.51 AsPC863**

**Max intensity = 567570 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 866.526 AsPC865

Max intensity = 195450 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 868.541 AsPC867

Max intensity = 202030 Scans = 0






# 75As LC-ICPMS




## LC-ESIMS. EIC = 873.411 AsSugPL872

Max intensity = 160010 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 888.51 AsPC887

Max intensity = 81730 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 889.442 AsSugPL888**

**Max intensity = 168880 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 890.526 AsPC889

Max intensity = 106380 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 892.541 AsPC891

Max intensity = 103110 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 894.557 AsPC893

Max intensity = 231290 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 896.573 AsPC895

Max intensity = 286400 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 900.51 AsPC899

Max intensity = 0 Scans = 0






# 75As LC-ICPMS




**LC-ESIMS. EIC = 903.458 AsSugPL902**

**Max intensity = 561860 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 910.588 AsPC909**

**Max intensity = 881250 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 917.474 AsSugPL916

Max intensity = 96650 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 924.604 AsPC923

Max intensity = 41520 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 929.474 AsSugPL928**

**Max intensity = 712380 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 931.489 AsSugPL930**

**Max intensity = 417780 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 938.62 AsPC937

Max intensity = 153610 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 953.474 AsSugPL952**

**Max intensity = 460800 Scans = 0**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 955.489 AsSugPL954**

**Max intensity = 7099860 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 957.505 AsSugPL956**

**Max intensity = 1414910 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 959.521 AsSugPL958**

**Max intensity = 1064700 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 983.521 AsSugPL982**

**Max intensity = 829240 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 985.536 AsSugPL984**

**Max intensity = 828690 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 994.682 AsPC993

Max intensity = 747130 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 1011.552 AsSugPL1010

Max intensity = 1104860 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 1067.614 AsSugPL1066**

**Max intensity = 132530 Scans = 0**





# 75As LC-ICPMS



## LC-ESIMS. EIC = 1069.63 AsSugPL1068

Max intensity = 209390 Scans = 0

