




75As LC-ICPMS




LC-ESIMS. EIC = 267 AsFA266
Max intensity = 92560 Scans = 42




75As LC-ICPMS




LC-ESIMS. EIC = 279 AsFA278
Max intensity = 122460 Scans = 64




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 1618620 Scans = 33




75As LC-ICPMS



LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 506370 Scans = 339




75As LC-ICPMS




LC-ESIMS. EIC = 295.032 AsFA294

Max intensity = 50380 Scans = 41




75As LC-ICPMS




LC-ESIMS. EIC = 297.047 AsFA296


Max intensity = 55870 Scans = 133




75As LC-ICPMS



LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 623830 Scans = 1336




75As LC-ICPMS




LC-ESIMS. EIC = 307.104 AsHC306


Max intensity = 89510 Scans = 57




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 298770 Scans = 2883




75As LC-ICPMS




LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 89610 Scans = 343




75As LC-ICPMS




LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 280050 Scans = 680




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 863550 Scans = 114




75As LC-ICPMS



LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 147250 Scans = 386




75As LC-ICPMS




LC-ESIMS. EIC = 335.157 AsFA334


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 177680 Scans = 1196




75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340 Max intensity = 384100 Scans = 389




75As LC-ICPMS



LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 567400 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 351.167 AsHC350


Max intensity = 252450 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 109070 Scans = 204




75As LC-ICPMS



LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 176150 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 361.245 AsHC360


Max intensity = 297160 Scans = 81




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 131470 Scans = 847




75As LC-ICPMS




LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 407420 Scans = 54




75As LC-ICPMS



LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 137210 Scans = 1778




75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372

Max intensity = 135570 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 375.094 AsFA374

Max intensity = 82510 Scans = 245




75As LC-ICPMS




LC-ESIMS. EIC = 375.188 AsFA374

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 385.245 AsHC384


Max intensity = 275310 Scans = 91




75As LC-ICPMS



LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 1254890 Scans = 1089




75As LC-ICPMS




LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 389.276 AsHC388


Max intensity = 97650 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 1179100 Scans = 195




75As LC-ICPMS



LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 1396890 Scans = 2185




75As LC-ICPMS




LC-ESIMS. EIC = 397.245 AsHC396

Max intensity = 236930 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 399.261 AsHC398

Max intensity = 227570 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 12580 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 403.219 AsFA402

Max intensity = 80440 Scans = 181




75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404

Max intensity = 93770 Scans = 69




75As LC-ICPMS




LC-ESIMS. EIC = 411.261 AsHC410

Max intensity = 201160 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 164530 Scans = 2566




75As LC-ICPMS



LC-ESIMS. EIC = 419.23 AsHC418
Max intensity = 896190 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 419.23 TMA_sFOH418

Max intensity = 896190 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 423.261 AsHC422

Max intensity = 165620 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 425.276 AsHC424

Max intensity = 151070 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 427.292 AsHC426


Max intensity = 122580 Scans = 27




75As LC-ICPMS



LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 2551820 Scans = 534




75As LC-ICPMS




LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 193780 Scans = 2298




75As LC-ICPMS



LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 1011520 Scans = 763




75As LC-ICPMS




LC-ESIMS. EIC = 445.172 AsFA444

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444


Max intensity = 90560 Scans = 234




75As LC-ICPMS



LC-ESIMS. EIC = 449.276 AsHC448
Max intensity = 1282500 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 453.308 AsHC452

Max intensity = 78600 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 455.323 AsHC454

Max intensity = 817530 Scans = 70




75As LC-ICPMS




LC-ESIMS. EIC = 457.266 AsFA456

Max intensity = 284850 Scans = 57




75As LC-ICPMS




LC-ESIMS. EIC = 459.282 AsFA458

Max intensity = 134700 Scans = 21




75As LC-ICPMS




LC-ESIMS. EIC = 459.355 AsHC458

Max intensity = 68730 Scans = 101




75As LC-ICPMS




LC-ESIMS. EIC = 473.37 AsHC472

Max intensity = 76260 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 475.292 AsHC474

Max intensity = 262730 Scans = 93




75As LC-ICPMS




LC-ESIMS. EIC = 477.308 AsHC476

Max intensity = 141430 Scans = 24



75As LC-ICPMS



LC-ESIMS. EIC = 481.339 AsHC480

Max intensity = 265400 Scans = 85

