



## 75As LC-ICPMS




**LC-ESIMS. EIC = 663.213 lysoAsSugPL662**


**Max intensity = 648530 Scans = 2891**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 665.228 lysoAsSugPL664**  
**Max intensity = 573050 Scans = 2349**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 677.228 lysoAsSugPL676**

**Max intensity = 478910 Scans = 1779**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 679.244 lysoAsSugPL678

Max intensity = 482880 Scans = 329




## 75As LC-ICPMS




**LC-ESIMS. EIC = 717.26 lysoAsSugPL716**

**Max intensity = 537160 Scans = 23**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 721.291 lysoAsSugPL720**

**Max intensity = 154650 Scans = 93**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 729.26 lysoAsSugPL728

Max intensity = 250780 Scans = 55




## 75As LC-ICPMS




## LC-ESIMS. EIC = 731.275 lysoAsSugPL730

Max intensity = 1236190 Scans = 25






## 75As LC-ICPMS




**LC-ESIMS. EIC = 733.291 lysoAsSugPL732**

**Max intensity = 296490 Scans = 33**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 747.307 lysoAsSugPL746**

**Max intensity = 134200 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 777.354 lysoAsSugPL776**


**Max intensity = 98550 Scans = 388**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 802.307 AsPC801**  
**Max intensity = 304010 Scans = 116**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 812.385 AsPC811**  
**Max intensity = 107950 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 816.322 AsPC815**


**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 816.416 AsPC815**  
**Max intensity = 472990 Scans = 109**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 820.353 AsPC819**

**Max intensity = 0 Scans = 0**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 820.447 AsPC819**


**Max intensity = 106210 Scans = 64**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 826.4 AsPC825**  
**Max intensity = 426590 Scans = 43**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 826.494 AsPC825**

**Max intensity = 50500 Scans = 32**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 830.338 AsPC829**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 830.432 AsPC829**

**Max intensity = 2719740 Scans = 97**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 834.369 AsPC833**

**Max intensity = 114880 Scans = 25**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 834.463 AsPC833

Max intensity = 48090 Scans = 14




## 75As LC-ICPMS




**LC-ESIMS. EIC = 844.353 AsPC843**

**Max intensity = 0 Scans = 0**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 844.447 AsPC843**


**Max intensity = 953800 Scans = 26**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 854.526 AsPC854**  
**Max intensity = 2144080 Scans = 38**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 856.447 AsPC855**  
**Max intensity = 1135550 Scans = 43**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 857.38 AsSugPL856

Max intensity = 185410 Scans = 22




## 75As LC-ICPMS




**LC-ESIMS. EIC = 858.369 AsPC857**


**Max intensity = 272010 Scans = 19**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 858.463 AsPC857**  
**Max intensity = 2311420 Scans = 25**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 866.526 AsPC866**  
**Max intensity = 895430 Scans = 124**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 868.541 AsPC868**  
**Max intensity = 3619040 Scans = 170**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 879.364 AsSugPL878**


**Max intensity = 165000 Scans = 30**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 884.479 AsPC883**  
**Max intensity = 1949780 Scans = 66**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 892.541 AsPC892**  
**Max intensity = 216960 Scans = 104**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 894.557 AsPC894**  
**Max intensity = 3340420 Scans = 116**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 896.573 AsPC896**  
**Max intensity = 1071780 Scans = 591**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 900.416 AsPC899**  
**Max intensity = 1405790 Scans = 27**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 903.364 AsSugPL902**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 903.458 AsSugPL902**

**Max intensity = 704470 Scans = 39**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 911.427 AsSugPL910**


**Max intensity = 89580 Scans = 52**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 912.51 AsPC912**  
**Max intensity = 713740 Scans = 26**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 924.51 AsPC924

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 924.604 AsPC924**

**Max intensity = 930930 Scans = 93**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 929.38 AsSugPL928

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 929.474 AsSugPL928**


**Max intensity = 800850 Scans = 25**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 952.541 AsPC952**  
**Max intensity = 6130120 Scans = 23**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 952.635 AsPC952

Max intensity = 0 Scans = 0






## 75As LC-ICPMS




**LC-ESIMS. EIC = 953.474 AsSugPL952**


**Max intensity = 726810 Scans = 24**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 955.489 AsSugPL954**  
**Max intensity = 11212080 Scans = 148**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 957.505 AsSugPL957**

**Max intensity = 1677160 Scans = 433**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 959.427 AsSugPL958


Max intensity = 2803810 Scans = 59




## 75As LC-ICPMS



**LC-ESIMS. EIC = 960.51 AsPC960**  
**Max intensity = 116130 Scans = 288**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 960.604 AsPC960**


**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 964.541 AsPC964**  
**Max intensity = 159730 Scans = 117**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 964.635 AsPC964**

**Max intensity = 0 Scans = 0**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 966.557 AsPC966**  
**Max intensity = 369720 Scans = 315**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 966.651 AsPC966**


**Max intensity = 684990 Scans = 27**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 968.573 AsPC968**  
**Max intensity = 345550 Scans = 842**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 970.588 AsPC970**  
**Max intensity = 185270 Scans = 284**



## 75As LC-ICPMS



**LC-ESIMS. EIC = 976.541 AsPC976**

**Max intensity = 161450 Scans = 24**

