




75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662  
Max intensity = 781270 Scans = 504




75As LC-ICPMS




LC-ESIMS. EIC = 677.228 lysoAsSugPL676  
Max intensity = 438830 Scans = 446




75As LC-ICPMS




LC-ESIMS. EIC = 691.244 lysoAsSugPL690  
Max intensity = 149130 Scans = 34




MS2 spectra for mass 691.2441 at 24.3 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 838.4 AsPC837  
Max intensity = 1034150 Scans = 56




MS2 spectra for mass 838.4004 at 19.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 840.51 AsPC839  
Max intensity = 573000 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 844.447 AsPC843  
Max intensity = 82590 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 845.38 AsSugPL844  
Max intensity = 286660 Scans = 21



75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855  
Max intensity = 328750 Scans = 40







75As LC-ICPMS




LC-ESIMS. EIC = 860.479 AsPC859  
Max intensity = 147710 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 861.411 AsSugPL860  
Max intensity = 78610 Scans = 74




75As LC-ICPMS




LC-ESIMS. EIC = 866.526 AsPC865  
Max intensity = 1389360 Scans = 116




75As LC-ICPMS




LC-ESIMS. EIC = 868.541 AsPC867  
Max intensity = 1230090 Scans = 48




MS2 spectra for mass 868.5422 at 21.2 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 876.51 AsPC875  
Max intensity = 121440 Scans = 114




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883  
Max intensity = 257910 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 892.541 AsPC891  
Max intensity = 2586910 Scans = 73




MS2 spectra for mass 892.5407 at 31.2 minutes




75As LC-ICPMS



LC-ESIMS. EIC = 892.541 AsPC891  
Max intensity = 2586910 Scans = 73




MS2 spectra for mass 892.5422 at 31.5 minutes







75As LC-ICPMS




LC-ESIMS. EIC = 892.541 AsPC891  
Max intensity = 2586910 Scans = 73




MS2 spectra for mass 892.542 at 31.7 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893  
Max intensity = 18489740 Scans = 196




MS2 spectra for mass 894.5572 at 32.5 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893  
Max intensity = 18489740 Scans = 196




MS2 spectra for mass 894.5575 at 32.7 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893  
Max intensity = 18489740 Scans = 196




MS2 spectra for mass 894.5569 at 33.6 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893  
Max intensity = 18489740 Scans = 196




MS2 spectra for mass 894.5568 at 33.9 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 901.442 AsSugPL900  
Max intensity = 1098870 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 906.557 AsPC905  
Max intensity = 94990 Scans = 32



75As LC-ICPMS




LC-ESIMS. EIC = 909.411 AsSugPL908  
Max intensity = 77080 Scans = 39







75As LC-ICPMS




LC-ESIMS. EIC = 910.494 AsPC909  
Max intensity = 92720 Scans = 221




75As LC-ICPMS




LC-ESIMS. EIC = 922.494 AsPC921  
Max intensity = 98460 Scans = 82




75As LC-ICPMS




LC-ESIMS. EIC = 929.474 AsSugPL928  
Max intensity = 349930 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 931.489 AsSugPL930  
Max intensity = 252930 Scans = 172




75As LC-ICPMS




LC-ESIMS. EIC = 935.427 AsSugPL934  
Max intensity = 246340 Scans = 111




75As LC-ICPMS




LC-ESIMS. EIC = 939.458 AsSugPL938  
Max intensity = 78160 Scans = 41




75As LC-ICPMS




LC-ESIMS. EIC = 943.489 AsSugPL942  
Max intensity = 58550 Scans = 28



75As LC-ICPMS




LC-ESIMS. EIC = 945.505 AsSugPL944  
Max intensity = 175210 Scans = 234







75As LC-ICPMS




LC-ESIMS. EIC = 959.521 AsSugPL958  
Max intensity = 132200 Scans = 212




75As LC-ICPMS




LC-ESIMS. EIC = 961.442 AsSugPL960  
Max intensity = 674790 Scans = 67




75As LC-ICPMS




LC-ESIMS. EIC = 983.521 AsSugPL982  
Max intensity = 51200 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 986.526 AsPC985  
Max intensity = 85890 Scans = 33




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010  
Max intensity = 135810 Scans = 188




75As LC-ICPMS



LC-ESIMS. EIC = 1021.536 AsSugPL1020  
Max intensity = 82710 Scans = 68



75As LC-ICPMS



LC-ESIMS. EIC = 1051.583 AsSugPL1050  
Max intensity = 424020 Scans = 50

