




75As LC-ICPMS




**LC-ESIMS. EIC = 265.078 AsFA264
Max intensity = 558960 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266
Max intensity = 84320 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279 AsFA278
Max intensity = 112430 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 1107730 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 475920 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 568570 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 305.183 AsHC304
Max intensity = 354360 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 307.104 AsHC306
Max intensity = 149870 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 153820 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 398400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 137520 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 200210 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 5838630 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 121740 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.136 AsHC334
Max intensity = 559770 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 299420 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 130530 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 380570 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340
Max intensity = 83110 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 343.198 AsHC342
Max intensity = 55670 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 458190 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 355.125 AsFA354
Max intensity = 236130 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 139780 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 359.23 AsHC358
Max intensity = 122940 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360
Max intensity = 221590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 133610 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 478770 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 204610 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 216460 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 373.245 AsHC372
Max intensity = 138930 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 224300 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 212260 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 387.261 AsHC386
Max intensity = 68020 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 1558530 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.276 AsHC388
Max intensity = 136540 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 123580 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 408750 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 397.245 AsHC396
Max intensity = 164920 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 104390 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 93700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.292 AsHC402
Max intensity = 118000 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 411.261 AsHC410
Max intensity = 165970 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 415.292 AsHC414
Max intensity = 68280 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 141810 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 419.157 AsFA418
Max intensity = 46860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422
Max intensity = 159310 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 423.735 AsPC845_MH2
Max intensity = 88030 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 425.276 AsHC424
Max intensity = 94890 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426
Max intensity = 1e+05 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 1284020 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 154860 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 1850760 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 443.323 AsHC442
Max intensity = 216370 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 88770 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 243860 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.276 AsHC448
Max intensity = 484620 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.782 AsPC905_MH2
Max intensity = 1009200 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 59890 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 126270 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.798 AsPC933_MH2
Max intensity = 20175050 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 468.806 AsPC935_MH2
Max intensity = 4533440 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 525920 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 368430 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 237400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961_MH2
Max intensity = 7333880 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 482.821 AsPC963_MH2
Max intensity = 2143090 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 485.37 AsHC484
Max intensity = 194000 Scans = 0**




75As LC-ICPMS




LC-ESIMS. EIC = 487.814 AsPC973_MH2
Max intensity = 0 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 369560 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.782 AsPC989_MH2
Max intensity = 89480 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.829 AsPC989_MH2
Max intensity = 237270 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 497.37 AsHC496
Max intensity = 765950 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498
Max intensity = 910560 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 1246970 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502
Max intensity = 175450 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 509.845 AsPC1017_MH2
Max intensity = 17975480 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 510.853 AsPC1019_MH2
Max intensity = 4290870 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 97452450 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 519.355 AsHC518
Max intensity = 132940 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 529.433 AsHC528
Max intensity = 195100 Scans = 0**




75As LC-ICPMS



**LC-ESIMS. EIC = 543.449 AsHC542
Max intensity = 700190 Scans = 0**



75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 Aslsop546
Max intensity = 738940 Scans = 0**

