



75As LC-ICPMS




LC-ESIMS. EIC = 265.078 AsFA264


Max intensity = 328560 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 267 AsFA266
Max intensity = 94900 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 279 AsFA278
Max intensity = 129650 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278

Max intensity = 1886610 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 293.089 AsHC292

Max intensity = 241370 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 295.104 AsHC294

Max intensity = 78150 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 299.063 AsFA298

Max intensity = 1623190 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 307.104 AsHC306

Max intensity = 150230 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312

Max intensity = 347640 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 315.094 AsFA314

Max intensity = 335000 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 321.047 AsFA320

Max intensity = 81170 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 323.063 AsFA322

Max intensity = 234670 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332

Max intensity = 1086020 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 335.063 AsFA334

Max intensity = 134460 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 337.078 AsFA336

Max intensity = 942590 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340

Max intensity = 931660 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 343.125 AsFA342

Max intensity = 115110 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 347.23 AsHC346

Max intensity = 563910 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 351.167 AsHC350

Max intensity = 449540 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356

Max intensity = 104450 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 359.23 AsHC358

Max intensity = 162490 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362

Max intensity = 117690 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 365.11 AsFA364

Max intensity = 361250 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 365.183 AsHC364

Max intensity = 614950 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 371.23 AsHC370

Max intensity = 124660 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372

Max intensity = 133920 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 375.094 AsFA374

Max intensity = 441210 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 385.245 AsHC384

Max intensity = 205370 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 387.261 AsHC386


Max intensity = 98070 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 3064150 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390

Max intensity = 155440 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 393.214 AsHC392

Max intensity = 1937460 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 397.245 AsHC396

Max intensity = 285730 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 399.261 AsHC398

Max intensity = 179010 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 403.219 AsFA402

Max intensity = 87740 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 407.23 AsHC406

Max intensity = 69790 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 411.261 AsHC410

Max intensity = 228840 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 417.235 AsFA416

Max intensity = 167640 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 423.261 AsHC422

Max intensity = 173000 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 425.276 AsHC424

Max intensity = 165740 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 427.292 AsHC426

Max intensity = 112750 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 429.235 AsFA428

Max intensity = 1409080 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430

Max intensity = 185740 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 433.245 AsHC432

Max intensity = 889830 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444

Max intensity = 87890 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 445.339 AsHC444

Max intensity = 85670 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 448.79 AsPC895_MH2

Max intensity = 70100 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 449.276 AsHC448

Max intensity = 454270 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 453.782 AsPC905_MH2

Max intensity = 1979880 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 455.323 AsHC454

Max intensity = 66440 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 457.266 AsFA456

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 459.355 AsHC458

Max intensity = 85440 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 465.308 AsHC464

Max intensity = 78850 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 467.798 AsPC933_MH2

Max intensity = 2208900 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 468.806 AsPC935_MH2

Max intensity = 80990 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 473.37 AsHC472

Max intensity = 120350 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 475.292 AsHC474

Max intensity = 184840 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 481.339 AsHC480

Max intensity = 267790 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 481.814 AsPC961_MH2

Max intensity = 1342540 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 482.821 AsPC963_MH2

Max intensity = 357370 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 485.37 AsHC484

Max intensity = 119100 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 489.308 AsHC488

Max intensity = 91870 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 493.339 AsHC492

Max intensity = 238960 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 495.782 AsPC989_MH2

Max intensity = 77000 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 495.829 AsPC989_MH2

Max intensity = 136150 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 501.402 AsHC500

Max intensity = 209780 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 503.323 AsHC502

Max intensity = 102990 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 509.845 AsPC1017_MH2

Max intensity = 1588490 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 510.853 AsPC1019_MH2


Max intensity = 843880 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 11431330 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 543.449 AsHC542

Max intensity = 792320 Scans = 0



75As LC-ICPMS



LC-ESIMS. EIC = 547.334 AsIsop546

Max intensity = 111650 Scans = 0

