



# 75As LC-ICPMS




## LC-ESIMS. EIC = 264.985 AsFA264

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 265.078 AsFA264**


**Max intensity = 353350 Scans = 54**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 267 AsFA266**  
**Max intensity = 97220 Scans = 133**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 269.016 AsFA268


Max intensity = 392470 Scans = 30




### 75As LC-ICPMS



**LC-ESIMS. EIC = 279 AsFA278**  
**Max intensity = 146600 Scans = 89**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 279.094 AsFA278**


**Max intensity = 668880 Scans = 181**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 293.089 AsHC292**  
**Max intensity = 550710 Scans = 2816**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 295.032 AsFA294**

**Max intensity = 438790 Scans = 39**







### 75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296**  
**Max intensity = 2271240 Scans = 124**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 299.063 AsFA298**  
**Max intensity = 228110 Scans = 267**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 305.016 AsFA304

Max intensity = 61990 Scans = 22




# 75As LC-ICPMS




## LC-ESIMS. EIC = 305.11 AsFA304

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310**


**Max intensity = 162400 Scans = 87**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 313.151 AsHC312**  
**Max intensity = 382200 Scans = 2394**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314**

**Max intensity = 159250 Scans = 27**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 321.047 AsFA320**

**Max intensity = 576510 Scans = 47**






# 75As LC-ICPMS




## LC-ESIMS. EIC = 321.141 AsFA320


Max intensity = 0 Scans = 0




# 75As LC-ICPMS



**LC-ESIMS. EIC = 323.063 AsFA322**  
**Max intensity = 1535860 Scans = 753**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 327.167 AsHC326**

**Max intensity = 69980 Scans = 30**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 333.047 AsFA332**

**Max intensity = 145100 Scans = 35**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 333.141 AsFA332


Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332**  
**Max intensity = 1861110 Scans = 100**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 335.063 AsFA334**  
**Max intensity = 98370 Scans = 287**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 335.157 AsFA334

Max intensity = 0 Scans = 0






# 75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336**

**Max intensity = 95530 Scans = 132**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338**


**Max intensity = 290940 Scans = 40**




### 75As LC-ICPMS



**LC-ESIMS. EIC = 341.11 AsFA340**  
**Max intensity = 162760 Scans = 32**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340**


**Max intensity = 327210 Scans = 73**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 343.125 AsFA342**  
**Max intensity = 222560 Scans = 113**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 345.214 AsHC344**


**Max intensity = 228220 Scans = 33**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346**  
**Max intensity = 922090 Scans = 80**



### 75As LC-ICPMS




**LC-ESIMS. EIC = 351.094 AsFA350**  
**Max intensity = 321250 Scans = 25**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 355.198 AsHC354**

**Max intensity = 90710 Scans = 35**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 357.214 AsHC356


Max intensity = 96470 Scans = 73




### 75As LC-ICPMS



**LC-ESIMS. EIC = 359.23 AsHC358**  
**Max intensity = 163830 Scans = 37**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 361.078 AsFA360


Max intensity = 0 Scans = 0




# 75As LC-ICPMS



**LC-ESIMS. EIC = 361.172 AsFA360**  
**Max intensity = 1816690 Scans = 99**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 361.245 AsHC360


Max intensity = 90170 Scans = 21




## 75As LC-ICPMS



**LC-ESIMS. EIC = 363.167 AsHC362**  
**Max intensity = 211270 Scans = 905**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364**

**Max intensity = 79230 Scans = 33**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364**

**Max intensity = 561360 Scans = 27**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 367.198 AsHC366


Max intensity = 216030 Scans = 39




## 75As LC-ICPMS




**LC-ESIMS. EIC = 369.214 AsHC368**  
**Max intensity = 1162480 Scans = 141**




### 75As LC-ICPMS



**LC-ESIMS. EIC = 371.23 AsHC370**  
**Max intensity = 1566660 Scans = 1791**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 373.245 AsHC372**

**Max intensity = 212940 Scans = 56**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 377.183 AsHC376**

**Max intensity = 580580 Scans = 49**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 379.125 AsFA378

Max intensity = 264300 Scans = 32




# 75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384**

**Max intensity = 117120 Scans = 27**







## 75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386**  
**Max intensity = 1593770 Scans = 73**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388**  
**Max intensity = 735980 Scans = 897**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 389.204 AsFA388**  
**Max intensity = 461580 Scans = 74**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390**


**Max intensity = 633390 Scans = 91**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392**  
**Max intensity = 5816900 Scans = 1940**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 395.23 AsHC394**  
**Max intensity = 656770 Scans = 46**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398**

**Max intensity = 261280 Scans = 50**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 401.276 AsHC400**

**Max intensity = 623780 Scans = 30**






### 75As LC-ICPMS




### LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 403.219 AsFA402


Max intensity = 85870 Scans = 350




# 75As LC-ICPMS



**LC-ESIMS. EIC = 405.214 AsHC404**  
**Max intensity = 572680 Scans = 129**




### 75As LC-ICPMS




### LC-ESIMS. EIC = 407.23 AsHC406


Max intensity = 79210 Scans = 62




### 75As LC-ICPMS



**LC-ESIMS. EIC = 411.188 AsFA410**  
**Max intensity = 179570 Scans = 31**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 413.204 AsFA412

Max intensity = 264580 Scans = 39




# 75As LC-ICPMS




**LC-ESIMS. EIC = 413.276 AsHC412**

**Max intensity = 776790 Scans = 53**




### 75As LC-ICPMS




### LC-ESIMS. EIC = 417.141 AsFA416

Max intensity = 57830 Scans = 22







# 75As LC-ICPMS



**LC-ESIMS. EIC = 417.235 AsFA416**  
**Max intensity = 416910 Scans = 2819**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 419.157 AsFA418


Max intensity = 96610 Scans = 47




## 75As LC-ICPMS



**LC-ESIMS. EIC = 419.23 AsHC418**  
**Max intensity = 275330 Scans = 53**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 419.23 TMAsFOH418

Max intensity = 275330 Scans = 53




## 75As LC-ICPMS




## LC-ESIMS. EIC = 419.251 AsFA418

Max intensity = 82820 Scans = 25




# 75As LC-ICPMS




## LC-ESIMS. EIC = 421.245 AsHC420

Max intensity = 406780 Scans = 48




# 75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422**

**Max intensity = 346790 Scans = 66**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428**

**Max intensity = 183540 Scans = 45**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 429.308 AsHC428**

**Max intensity = 370150 Scans = 60**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430**  
**Max intensity = 184370 Scans = 2554**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 431.323 AsHC430**  
**Max intensity = 1555200 Scans = 116**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432**  
**Max intensity = 2190190 Scans = 219**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 441.235 AsFA440**  
**Max intensity = 123160 Scans = 23**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 445.172 AsFA444


Max intensity = 0 Scans = 0



# 75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444**  
**Max intensity = 136210 Scans = 976**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 445.339 AsHC444**  
**Max intensity = 219850 Scans = 490**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 447.261 AsHC446**

**Max intensity = 189800 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 449.276 AsHC448**

**Max intensity = 1288790 Scans = 67**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452**


**Max intensity = 559480 Scans = 43**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 459.282 AsFA458**  
**Max intensity = 2640970 Scans = 85**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 459.355 AsHC458**  
**Max intensity = 1499920 Scans = 1127**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460**

**Max intensity = 244640 Scans = 76**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 463.292 AsHC462**

**Max intensity = 177380 Scans = 36**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 465.308 AsHC464**  
**Max intensity = 2940310 Scans = 195**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 469.339 AsHC468**

**Max intensity = 65400 Scans = 22**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 471.355 AsHC470


Max intensity = 255820 Scans = 26




# 75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472**  
**Max intensity = 670730 Scans = 707**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 475.292 AsHC474**  
**Max intensity = 3081520 Scans = 75**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476**

**Max intensity = 790440 Scans = 103**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 479.323 AsHC478**

**Max intensity = 286760 Scans = 105**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480**

**Max intensity = 1516780 Scans = 90**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 483.355 AsHC482**

**Max intensity = 194080 Scans = 53**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486**

**Max intensity = 137230 Scans = 24**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488**


**Max intensity = 168720 Scans = 53**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490**  
**Max intensity = 265360 Scans = 152**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492**  
**Max intensity = 1589230 Scans = 192**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 495.355 AsHC494**  
**Max intensity = 1107410 Scans = 145**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 497.37 AsHC496**  
**Max intensity = 970110 Scans = 119**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498**

**Max intensity = 955800 Scans = 86**







## 75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500**  
**Max intensity = 696830 Scans = 111**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502**  
**Max intensity = 1336030 Scans = 175**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 505.339 AsHC504**  
**Max intensity = 263360 Scans = 132**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 507.355 AsHC506**


**Max intensity = 410850 Scans = 53**




### 75As LC-ICPMS



**LC-ESIMS. EIC = 509.37 AsHC508**  
**Max intensity = 1214110 Scans = 151**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 511.386 AsHC510**


**Max intensity = 122830 Scans = 33**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 515.417 AsHC514**  
**Max intensity = 192667740 Scans = 105**



## 75As LC-ICPMS



**LC-ESIMS. EIC = 517.339 AsHC516**

**Max intensity = 546300 Scans = 104**

