



# 75As LC-ICPMS




## LC-ESIMS. EIC = 834.369 AsPC833

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 836.479 AsPC835

Max intensity = 147090 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 838.494 AsPC837**

**Max intensity = 184900 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 840.51 AsPC839

Max intensity = 134660 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 862.494 AsPC861

Max intensity = 22900 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 864.51 AsPC863


Max intensity = 606980 Scans = 0




# 75As LC-ICPMS



**LC-ESIMS. EIC = 886.4 AsPC885**  
**Max intensity = 197060 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 890.526 AsPC889

Max intensity = 99890 Scans = 0






## 75As LC-ICPMS




## LC-ESIMS. EIC = 892.541 AsPC891

Max intensity = 166720 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 894.557 AsPC893

Max intensity = 59270 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 896.573 AsPC895

Max intensity = 74390 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 903.458 AsSugPL902**

**Max intensity = 291960 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 910.588 AsPC909

Max intensity = 242910 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 917.474 AsSugPL916

Max intensity = 64170 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 922.588 AsPC921

Max intensity = 118150 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 924.604 AsPC923

Max intensity = 72770 Scans = 0






## 75As LC-ICPMS




**LC-ESIMS. EIC = 931.489 AsSugPL930**

**Max intensity = 134850 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 951.458 AsSugPL950**

**Max intensity = 0 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 953.474 AsSugPL952**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 955.489 AsSugPL954**

**Max intensity = 1852270 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 957.505 AsSugPL956**

**Max intensity = 441110 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 959.521 AsSugPL958**

**Max intensity = 504520 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 977.474 AsSugPL976**

**Max intensity = 138190 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 983.521 AsSugPL982**

**Max intensity = 518910 Scans = 0**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 985.536 AsSugPL984**

**Max intensity = 414890 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 987.552 AsSugPL986**

**Max intensity = 228960 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 1011.552 AsSugPL1010**

**Max intensity = 1247880 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1015.583 AsSugPL1014

Max intensity = 93670 Scans = 0



## 75As LC-ICPMS



## LC-ESIMS. EIC = 1069.63 AsSugPL1068

Max intensity = 72650 Scans = 0

