



75As LC-ICPMS




LC-ESIMS. EIC = 775.338 lysoAsSugPL774

Max intensity = 60420 Scans = 238




75As LC-ICPMS




LC-ESIMS. EIC = 836.385 AsPC835

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 836.479 AsPC835


Max intensity = 147090 Scans = 21




75As LC-ICPMS




LC-ESIMS. EIC = 840.51 AsPC840
Max intensity = 134660 Scans = 21




75As LC-ICPMS



LC-ESIMS. EIC = 864.51 AsPC864
Max intensity = 606980 Scans = 202




75As LC-ICPMS




LC-ESIMS. EIC = 890.526 AsPC890


Max intensity = 99890 Scans = 413




75As LC-ICPMS



LC-ESIMS. EIC = 892.541 AsPC892
Max intensity = 166720 Scans = 277




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC894

Max intensity = 59270 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 896.573 AsPC896

Max intensity = 74390 Scans = 418




75As LC-ICPMS




LC-ESIMS. EIC = 903.364 AsSugPL902

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 903.458 AsSugPL902

Max intensity = 291960 Scans = 90




75As LC-ICPMS




LC-ESIMS. EIC = 910.588 AsPC910

Max intensity = 242910 Scans = 179




75As LC-ICPMS




LC-ESIMS. EIC = 917.38 AsSugPL916

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 917.474 AsSugPL916

Max intensity = 64170 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 918.557 AsPC918

Max intensity = 72800 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 922.588 AsPC922

Max intensity = 118150 Scans = 84




75As LC-ICPMS




LC-ESIMS. EIC = 924.51 AsPC924

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 924.604 AsPC924

Max intensity = 72770 Scans = 44




75As LC-ICPMS




LC-ESIMS. EIC = 931.395 AsSugPL930

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 931.489 AsSugPL930

Max intensity = 134850 Scans = 22




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954

Max intensity = 1852270 Scans = 236




75As LC-ICPMS




LC-ESIMS. EIC = 957.505 AsSugPL957

Max intensity = 441110 Scans = 75




75As LC-ICPMS




LC-ESIMS. EIC = 959.521 AsSugPL959

Max intensity = 504520 Scans = 55




75As LC-ICPMS




LC-ESIMS. EIC = 983.521 AsSugPL983

Max intensity = 518910 Scans = 61




75As LC-ICPMS




LC-ESIMS. EIC = 985.536 AsSugPL985

Max intensity = 414890 Scans = 69



75As LC-ICPMS



LC-ESIMS. EIC = 987.458 AsSugPL986

Max intensity = 54300 Scans = 95

