




75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266
Max intensity = 103470 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279 AsFA278
Max intensity = 172500 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 64700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 283.032 AsFA282
Max intensity = 100960 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 290570 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 295.104 AsHC294
Max intensity = 268780 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 1524080 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 307.104 AsHC306
Max intensity = 113010 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 194820 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 223290 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 501620 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 321.047 AsFA320
Max intensity = 70540 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 321.141 AsFA320
Max intensity = 42770 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 222700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 329.11 AsFA328
Max intensity = 89150 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 2200050 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 86140 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 1857370 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 209480 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 890070 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 272320 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 351.167 AsHC350
Max intensity = 478140 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 141700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360
Max intensity = 132570 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 141010 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 416550 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 76890 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 367.198 AsHC366
Max intensity = 58580 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 245030 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 422410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 379.125 AsFA378
Max intensity = 60910 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384
Max intensity = 392730 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 387.261 AsHC386
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 2700390 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 142070 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 581120 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 397.245 AsHC396
Max intensity = 71760 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.188 AsFA398
Max intensity = 97480 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 191240 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 77840 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 1203610 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406
Max intensity = 187190 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 409.245 AsHC408
Max intensity = 266580 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 415.673 AsPC829_MH2
Max intensity = 253030 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 161920 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 418.743 AsPC835_MH2
Max intensity = 113710 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422
Max intensity = 623680 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 426.759 AsPC851_MH2
Max intensity = 110840 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426
Max intensity = 114130 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 365760 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.751 AsPC861_MH2
Max intensity = 354800 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 808970 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 437.276 AsHC436
Max intensity = 138400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 439.292 AsHC438
Max intensity = 158250 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 439.767 AsPC877_MH2
Max intensity = 174450 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 443.323 AsHC442
Max intensity = 298840 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 115330 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 175500 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 448.79 AsPC895_MH2
Max intensity = 70020 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.204 AsFA448
Max intensity = 114630 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.276 AsHC448
Max intensity = 512670 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.782 AsPC905_MH2
Max intensity = 1050740 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 454.743 AsPC907_MH2
Max intensity = 132700 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.251 AsFA454
Max intensity = 45050 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.751 AsPC909_MH2
Max intensity = 452520 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 460.79 AsPC919_MH2
Max intensity = 94140 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460
Max intensity = 103800 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.751 AsPC933_MH2
Max intensity = 273410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 467.798 AsPC933_MH2
Max intensity = 3850070 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 468.806 AsPC935_MH2
Max intensity = 677350 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 471.355 AsHC470
Max intensity = 104520 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 574410 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 91990 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 476.775 AsPC951_MH2
Max intensity = 380940 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 479.323 AsHC478
Max intensity = 87960 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 203620 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961_MH2
Max intensity = 2149590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 482.821 AsPC963_MH2
Max intensity = 585180 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486
Max intensity = 69240 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488
Max intensity = 84510 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 489.782 AsPC977_MH2
Max intensity = 232080 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 172500 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.355 AsHC494
Max intensity = 301800 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.782 AsPC989_MH2
Max intensity = 114080 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 495.829 AsPC989_MH2
Max intensity = 370980 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 497.37 AsHC496
Max intensity = 438590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498
Max intensity = 486100 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 957540 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 502.837 AsPC1003_MH2
Max intensity = 371400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502
Max intensity = 77820 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 509.845 AsPC1017_MH2
Max intensity = 3065270 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 510.853 AsPC1019_MH2
Max intensity = 675270 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 51751020 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 519.355 AsHC518
Max intensity = 131590 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 521.37 AsHC520
Max intensity = 2253400 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 523.386 AsHC522
Max intensity = 195760 Scans = 0**




75As LC-ICPMS



**LC-ESIMS. EIC = 541.433 AsHC540
Max intensity = 814160 Scans = 0**



75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 Aslsop546
Max intensity = 158920 Scans = 0**

