




## 75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298  
Max intensity = 929860 Scans = 1312**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310  
Max intensity = 158600 Scans = 113**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312  
Max intensity = 283350 Scans = 1117**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314  
Max intensity = 306710 Scans = 407**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314  
Max intensity = 2940580 Scans = 92**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 329.183 AsHC328  
Max intensity = 446870 Scans = 55**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 331.198 AsHC330  
Max intensity = 1852600 Scans = 302**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332  
Max intensity = 3173560 Scans = 156**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336  
Max intensity = 321720 Scans = 562**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338  
Max intensity = 392410 Scans = 31**




## 75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340  
Max intensity = 608400 Scans = 678




## 75As LC-ICPMS




**LC-ESIMS. EIC = 345.214 AsHC344  
Max intensity = 1640080 Scans = 102**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 349.172 AsFA348  
Max intensity = 94810 Scans = 57**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 351.167 AsHC350  
Max intensity = 96910 Scans = 5**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 353.183 AsHC352  
Max intensity = 295250 Scans = 66**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356  
Max intensity = 581870 Scans = 103**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360  
Max intensity = 458040 Scans = 18**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 363.167 AsHC362  
Max intensity = 4619440 Scans = 209**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364  
Max intensity = 179780 Scans = 40**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 367.198 AsHC366  
Max intensity = 888980 Scans = 37**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 369.214 AsHC368  
Max intensity = 454070 Scans = 33**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370  
Max intensity = 259480 Scans = 466**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 373.172 AsFA372  
Max intensity = 5895320 Scans = 23**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 AsHC374  
Max intensity = 663700 Scans = 33**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 TMA<sub>3</sub>FOH374  
Max intensity = 663700 Scans = 33**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 377.183 AsHC376  
Max intensity = 3528840 Scans = 174**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386  
Max intensity = 549060 Scans = 346**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388  
Max intensity = 2513180 Scans = 1477**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390  
Max intensity = 60291830 Scans = 373**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.219 AsFA390  
Max intensity = 464460 Scans = 63**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392  
Max intensity = 2184230 Scans = 1329**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 395.157 AsFA394  
Max intensity = 358600 Scans = 113**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398  
Max intensity = 3397630 Scans = 81**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 401.204 AsFA400  
Max intensity = 318560 Scans = 229**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402  
Max intensity = 146220 Scans = 177**




## 75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404  
Max intensity = 5096410 Scans = 132




## 75As LC-ICPMS




**LC-ESIMS. EIC = 405.235 AsFA404  
Max intensity = 294030 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406  
Max intensity = 208110 Scans = 43**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 409.172 AsFA408  
Max intensity = 146510 Scans = 32**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 411.188 AsFA410  
Max intensity = 178240 Scans = 19**




## 75As LC-ICPMS




LC-ESIMS. EIC = 415.292 AsHC414  
Max intensity = 160920 Scans = 15




## 75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416  
Max intensity = 240630 Scans = 1406**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 AsHC418  
Max intensity = 22979940 Scans = 169**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 TMA<sub>5</sub>FOH<sub>4</sub>I<sub>8</sub>  
Max intensity = 22979940 Scans = 169**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 419.251 AsFA418  
Max intensity = 328500 Scans = 68**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 421.245 AsHC420  
Max intensity = 504660 Scans = 100**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426  
Max intensity = 615720 Scans = 41**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 429.308 AsHC428  
Max intensity = 263990 Scans = 43**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430  
Max intensity = 484410 Scans = 1256**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432  
Max intensity = 934850 Scans = 365**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 437.276 AsHC436  
Max intensity = 666440 Scans = 28**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 441.308 AsHC440  
Max intensity = 1492180 Scans = 25**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 443.323 AsHC442  
Max intensity = 417760 Scans = 20**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 447.261 AsHC446  
Max intensity = 8312840 Scans = 49**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 449.204 AsFA448  
Max intensity = 200020 Scans = 40**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 451.219 AsFA450  
Max intensity = 504670 Scans = 35**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 453.235 AsFA452  
Max intensity = 155350 Scans = 15**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452  
Max intensity = 867260 Scans = 75**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 455.251 AsFA454  
Max intensity = 383760 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 455.323 AsHC454  
Max intensity = 54941900 Scans = 204**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 457.266 AsFA456  
Max intensity = 2813830 Scans = 94**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 457.339 AsHC456  
Max intensity = 2906440 Scans = 110**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 459.355 AsHC458  
Max intensity = 8495040 Scans = 508**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 461.298 AsFA460  
Max intensity = 545640 Scans = 45**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 463.292 AsHC462  
Max intensity = 462870 Scans = 79**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 465.308 AsHC464  
Max intensity = 3814280 Scans = 413**




## 75As LC-ICPMS




LC-ESIMS. EIC = 467.798 AsPC933\_MH2  
Max intensity = 3953950 Scans = 81




## 75As LC-ICPMS




**LC-ESIMS. EIC = 469.339 AsHC468  
Max intensity = 3818690 Scans = 27**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472  
Max intensity = 918410 Scans = 396**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474  
Max intensity = 288480 Scans = 50**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476  
Max intensity = 2080120 Scans = 61**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480  
Max intensity = 337800 Scans = 56**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961\_MH2  
Max intensity = 3218770 Scans = 561**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486  
Max intensity = 321440 Scans = 63**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 488.821 AsPC975\_MH2  
Max intensity = 457320 Scans = 19**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488  
Max intensity = 6232790 Scans = 106**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490  
Max intensity = 776260 Scans = 98**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492  
Max intensity = 2324390 Scans = 140**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 497.37 AsHC496  
Max intensity = 385820 Scans = 79**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498  
Max intensity = 711650 Scans = 78**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500  
Max intensity = 2046120 Scans = 195**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 507.829 AsPC1013\_MH2  
Max intensity = 377060 Scans = 9**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 509.37 AsHC508  
Max intensity = 203050 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 510.853 AsPC1019\_MH2**  
**Max intensity = 308940 Scans = 38**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 511.386 AsHC510  
Max intensity = 12336500 Scans = 63**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 513.402 AsHC512  
Max intensity = 823940 Scans = 20**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514  
Max intensity = 71860580 Scans = 199**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 517.339 AsHC516  
Max intensity = 11543940 Scans = 121**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 519.355 AsHC518  
Max intensity = 758270 Scans = 128**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 523.386 AsHC522  
Max intensity = 203510 Scans = 18**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 525.402 AsHC524  
Max intensity = 2047810 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 529.433 AsHC528  
Max intensity = 1004600 Scans = 88**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 531.355 AsHC530  
Max intensity = 1401990 Scans = 18**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 533.37 AsHC532  
Max intensity = 698740 Scans = 33**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 541.433 AsHC540  
Max intensity = 2100510 Scans = 108**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 543.449 AsHC542  
Max intensity = 524050 Scans = 56**



## 75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 Aslsop546  
Max intensity = 485390 Scans = 63**

