




75As LC-ICPMS




**LC-ESIMS. EIC = 663.213 lysoAsSugPL662
Max intensity = 180900 Scans = 42**




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664
Max intensity = 156140 Scans = 12




75As LC-ICPMS




LC-ESIMS. EIC = 679.244 lysoAsSugPL678
Max intensity = 512640 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 719.275 lysoAsSugPL718
Max intensity = 182050 Scans = 138




75As LC-ICPMS




**LC-ESIMS. EIC = 721.291 lysoAsSugPL720
Max intensity = 140440 Scans = 36**




75As LC-ICPMS




**LC-ESIMS. EIC = 816.416 AsPC815
Max intensity = 521320 Scans = 67**




75As LC-ICPMS




**LC-ESIMS. EIC = 820.447 AsPC819
Max intensity = 148600 Scans = 59**




75As LC-ICPMS




**LC-ESIMS. EIC = 828.416 AsPC827
Max intensity = 688430 Scans = 19**




75As LC-ICPMS




**LC-ESIMS. EIC = 834.369 AsPC833
Max intensity = 201950 Scans = 53**




75As LC-ICPMS




LC-ESIMS. EIC = 838.4 AsPC837
Max intensity = 119460 Scans = 154




75As LC-ICPMS




**LC-ESIMS. EIC = 838.494 AsPC837
Max intensity = 277090 Scans = 19**




75As LC-ICPMS




**LC-ESIMS. EIC = 840.51 AsPC839
Max intensity = 67540 Scans = 5**




75As LC-ICPMS




**LC-ESIMS. EIC = 843.364 AsSugPL842
Max intensity = 84560 Scans = 37**




75As LC-ICPMS




**LC-ESIMS. EIC = 844.447 AsPC843
Max intensity = 122830 Scans = 5**




75As LC-ICPMS




**LC-ESIMS. EIC = 846.463 AsPC845
Max intensity = 286320 Scans = 12**




75As LC-ICPMS




**LC-ESIMS. EIC = 856.447 AsPC855
Max intensity = 1149470 Scans = 42**




75As LC-ICPMS




**LC-ESIMS. EIC = 862.4 AsPC861
Max intensity = 494570 Scans = 39**




75As LC-ICPMS




**LC-ESIMS. EIC = 866.526 AsPC865
Max intensity = 452750 Scans = 46**




75As LC-ICPMS




**LC-ESIMS. EIC = 868.541 AsPC867
Max intensity = 8485340 Scans = 110**




75As LC-ICPMS




**LC-ESIMS. EIC = 872.385 AsPC871
Max intensity = 168860 Scans = 171**




75As LC-ICPMS




**LC-ESIMS. EIC = 884.479 AsPC883
Max intensity = 2220380 Scans = 75**




75As LC-ICPMS




**LC-ESIMS. EIC = 892.541 AsPC891
Max intensity = 575660 Scans = 11**




75As LC-ICPMS




**LC-ESIMS. EIC = 894.463 AsPC893
Max intensity = 1290500 Scans = 111**




75As LC-ICPMS




**LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 535920 Scans = 175**




75As LC-ICPMS




**LC-ESIMS. EIC = 896.573 AsPC895
Max intensity = 680160 Scans = 260**




75As LC-ICPMS




**LC-ESIMS. EIC = 936.604 AsPC935
Max intensity = 71340 Scans = 8**




75As LC-ICPMS




**LC-ESIMS. EIC = 938.62 AsPC937
Max intensity = 1518740 Scans = 92**




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 3623210 Scans = 71




75As LC-ICPMS




**LC-ESIMS. EIC = 964.541 AsPC963
Max intensity = 241180 Scans = 14**




75As LC-ICPMS




**LC-ESIMS. EIC = 964.635 AsPC963
Max intensity = 2504400 Scans = 24**




75As LC-ICPMS




**LC-ESIMS. EIC = 966.651 AsPC965
Max intensity = 4068720 Scans = 115**




75As LC-ICPMS




**LC-ESIMS. EIC = 983.521 AsSugPL982
Max intensity = 252750 Scans = 25**




75As LC-ICPMS




**LC-ESIMS. EIC = 990.651 AsPC989
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 992.666 AsPC991
Max intensity = 5937440 Scans = 110**




75As LC-ICPMS




**LC-ESIMS. EIC = 994.682 AsPC993
Max intensity = 3628000 Scans = 136**




75As LC-ICPMS




**LC-ESIMS. EIC = 1002.651 AsPC1001
Max intensity = 1182980 Scans = 32**




75As LC-ICPMS




**LC-ESIMS. EIC = 1004.666 AsPC1003
Max intensity = 2076340 Scans = 60**




75As LC-ICPMS




**LC-ESIMS. EIC = 1006.682 AsPC1005
Max intensity = 3775470 Scans = 91**




75As LC-ICPMS




**LC-ESIMS. EIC = 1008.698 AsPC1007
Max intensity = 8950120 Scans = 29**




75As LC-ICPMS




**LC-ESIMS. EIC = 1016.666 AsPC1015
Max intensity = 1460470 Scans = 35**




75As LC-ICPMS




**LC-ESIMS. EIC = 1018.682 AsPC1017
Max intensity = 48878950 Scans = 162**




75As LC-ICPMS




**LC-ESIMS. EIC = 1020.698 AsPC1019
Max intensity = 182762480 Scans = 559**




75As LC-ICPMS




**LC-ESIMS. EIC = 1022.713 AsPC1021
Max intensity = 12436790 Scans = 270**




75As LC-ICPMS




**LC-ESIMS. EIC = 1025.568 AsSugPL1024
Max intensity = 9146370 Scans = 51**




75As LC-ICPMS




**LC-ESIMS. EIC = 1043.614 AsSugPL1042
Max intensity = 2438180 Scans = 42**




75As LC-ICPMS




**LC-ESIMS. EIC = 1055.614 AsSugPL1054
Max intensity = 4305100 Scans = 35**




75As LC-ICPMS



**LC-ESIMS. EIC = 1061.568 AsSugPL1060
Max intensity = 1324480 Scans = 34**



75As LC-ICPMS



**LC-ESIMS. EIC = 1071.646 AsSugPL1070
Max intensity = 3778050 Scans = 98**

