




75As LC-ICPMS




LC-ESIMS. EIC = 721.291 lysoAsSugPL720
Max intensity = 101470 Scans = 323




75As LC-ICPMS




LC-ESIMS. EIC = 820.447 AsPC819
Max intensity = 67240 Scans = 428




75As LC-ICPMS




LC-ESIMS. EIC = 822.463 AsPC821
Max intensity = 73000 Scans = 60




75As LC-ICPMS




LC-ESIMS. EIC = 889.442 AsSugPL888
Max intensity = 88430 Scans = 120




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 257540 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 896.573 AsPC895
Max intensity = 239050 Scans = 717




75As LC-ICPMS




LC-ESIMS. EIC = 903.458 AsSugPL902
Max intensity = 540430 Scans = 54




MS2 spectra for mass 903.4582 at 22.1 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 910.588 AsPC909
Max intensity = 333540 Scans = 77




75As LC-ICPMS




LC-ESIMS. EIC = 922.588 AsPC921
Max intensity = 1035470 Scans = 53




MS2 spectra for mass 922.5873 at 27.5 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 924.604 AsPC923
Max intensity = 319470 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 929.474 AsSugPL928
Max intensity = 645640 Scans = 55




MS2 spectra for mass 929.4733 at 22.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 931.489 AsSugPL930
Max intensity = 450790 Scans = 21




MS2 spectra for mass 931.4888 at 23.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 944.573 AsPC943
Max intensity = 142460 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 952.635 AsPC951
Max intensity = 54680 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 953.474 AsSugPL952
Max intensity = 439460 Scans = 43




MS2 spectra for mass 953.4734 at 22.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 8567990 Scans = 105




MS2 spectra for mass 955.4885 at 22.9 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 8567990 Scans = 105




MS2 spectra for mass 955.4902 at 23.3 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 957.505 AsSugPL956
Max intensity = 1543350 Scans = 45




MS2 spectra for mass 957.504 at 24.1 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 957.505 AsSugPL956
Max intensity = 1543350 Scans = 45




MS2 spectra for mass 957.5043 at 24.3 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 959.521 AsSugPL958
Max intensity = 845020 Scans = 29




75As LC-ICPMS




LC-ESIMS. EIC = 961.442 AsSugPL960
Max intensity = 114440 Scans = 119




75As LC-ICPMS




LC-ESIMS. EIC = 981.505 AsSugPL980
Max intensity = 857790 Scans = 31




MS2 spectra for mass 981.5056 at 23.8 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 983.521 AsSugPL982
Max intensity = 1071170 Scans = 40




MS2 spectra for mass 983.5205 at 24.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 989.474 AsSugPL988
Max intensity = 57020 Scans = 67




75As LC-ICPMS




LC-ESIMS. EIC = 994.588 AsPC993
Max intensity = 71370 Scans = 57




75As LC-ICPMS




LC-ESIMS. EIC = 1008.604 AsPC1007
Max intensity = 56260 Scans = 21




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010
Max intensity = 1676680 Scans = 48




MS2 spectra for mass 1011.5514 at 25.9 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 1037.568 AsSugPL1036
Max intensity = 114710 Scans = 114




75As LC-ICPMS




LC-ESIMS. EIC = 1063.583 AsSugPL1062
Max intensity = 55860 Scans = 60




75As LC-ICPMS



LC-ESIMS. EIC = 1069.63 AsSugPL1068
Max intensity = 234230 Scans = 55



75As LC-ICPMS



LC-ESIMS. EIC = 1071.646 AsSugPL1070
Max intensity = 220570 Scans = 66

