




75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662
Max intensity = 2131090 Scans = 1172




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664
Max intensity = 367320 Scans = 208




75As LC-ICPMS




LC-ESIMS. EIC = 677.228 lysoAsSugPL676
Max intensity = 645320 Scans = 918




75As LC-ICPMS




LC-ESIMS. EIC = 701.228 lysoAsSugPL700
Max intensity = 84140 Scans = 49




75As LC-ICPMS




LC-ESIMS. EIC = 717.26 lysoAsSugPL716
Max intensity = 177710 Scans = 92




75As LC-ICPMS




LC-ESIMS. EIC = 729.26 lysoAsSugPL728
Max intensity = 277510 Scans = 51




75As LC-ICPMS




LC-ESIMS. EIC = 769.291 lysoAsSugPL768
Max intensity = 397280 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 822.369 AsPC821
Max intensity = 62140 Scans = 43




75As LC-ICPMS




LC-ESIMS. EIC = 830.432 AsPC829
Max intensity = 1136300 Scans = 32




75As LC-ICPMS




LC-ESIMS. EIC = 839.333 AsSugPL838
Max intensity = 217310 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855
Max intensity = 239620 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 866.526 AsPC865
Max intensity = 1297600 Scans = 62




75As LC-ICPMS




LC-ESIMS. EIC = 868.541 AsPC867
Max intensity = 652580 Scans = 50




75As LC-ICPMS




LC-ESIMS. EIC = 873.411 AsSugPL872
Max intensity = 1129940 Scans = 38




75As LC-ICPMS




LC-ESIMS. EIC = 876.51 AsPC875
Max intensity = 91380 Scans = 212




75As LC-ICPMS




LC-ESIMS. EIC = 879.364 AsSugPL878
Max intensity = 282850 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 893.38 AsSugPL892
Max intensity = 164970 Scans = 22




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 20449400 Scans = 262




75As LC-ICPMS




LC-ESIMS. EIC = 901.442 AsSugPL900
Max intensity = 1074000 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 964.635 AsPC963
Max intensity = 63030 Scans = 87




75As LC-ICPMS




LC-ESIMS. EIC = 974.526 AsPC973
Max intensity = 92080 Scans = 40




75As LC-ICPMS




LC-ESIMS. EIC = 983.521 AsSugPL982
Max intensity = 834270 Scans = 114




75As LC-ICPMS



LC-ESIMS. EIC = 1031.521 AsSugPL1030
Max intensity = 115550 Scans = 131



75As LC-ICPMS



LC-ESIMS. EIC = 1039.583 AsSugPL1038
Max intensity = 122820 Scans = 37

