



## 75As LC-ICPMS




## LC-ESIMS. EIC = 826.494 AsPC825

Max intensity = 867640 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 840.416 AsPC839


Max intensity = 435540 Scans = 0




## 75As LC-ICPMS



**LC-ESIMS. EIC = 840.51 AsPC839**  
**Max intensity = 3098250 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 854.526 AsPC853**

**Max intensity = 962100 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 868.541 AsPC867**

**Max intensity = 815440 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 882.557 AsPC881**

**Max intensity = 691870 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 890.526 AsPC889**

**Max intensity = 982600 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 894.557 AsPC893

Max intensity = 203170 Scans = 0






## 75As LC-ICPMS




**LC-ESIMS. EIC = 896.573 AsPC895**

**Max intensity = 1148510 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 908.573 AsPC907

Max intensity = 525700 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 910.494 AsPC909**

**Max intensity = 1694760 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 910.588 AsPC909**

**Max intensity = 1223570 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 922.588 AsPC921**

**Max intensity = 3225210 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 924.604 AsPC923**

**Max intensity = 1521880 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 936.604 AsPC935

Max intensity = 297400 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 938.62 AsPC937**

**Max intensity = 385340 Scans = 0**






## 75As LC-ICPMS




## LC-ESIMS. EIC = 948.604 AsPC947

Max intensity = 208060 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 950.62 AsPC949**

**Max intensity = 724890 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 952.635 AsPC951**

**Max intensity = 373150 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 961.442 AsSugPL960**

**Max intensity = 144930 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 964.635 AsPC963

Max intensity = 270670 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 966.651 AsPC965

Max intensity = 103090 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 981.505 AsSugPL980**

**Max intensity = 280110 Scans = 0**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1051.583 AsSugPL1050

Max intensity = 158900 Scans = 0






## 75As LC-ICPMS




## LC-ESIMS. EIC = 1067.614 AsSugPL1066

Max intensity = 91910 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 1069.63 AsSugPL1068**

**Max intensity = 176380 Scans = 0**



## 75As LC-ICPMS



## LC-ESIMS. EIC = 1071.646 AsSugPL1070

Max intensity = 88790 Scans = 0

