



75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662

Max intensity = 312040 Scans = 122




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664

Max intensity = 231540 Scans = 55




75As LC-ICPMS




LC-ESIMS. EIC = 677.228 lysoAsSugPL676

Max intensity = 169500 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 679.244 lysoAsSugPL678

Max intensity = 383930 Scans = 80




75As LC-ICPMS




LC-ESIMS. EIC = 721.291 lysoAsSugPL720

Max intensity = 59290 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 824.479 AsPC823

Max intensity = 180590 Scans = 18




75As LC-ICPMS




LC-ESIMS. EIC = 826.494 AsPC825

Max intensity = 226200 Scans = 96




75As LC-ICPMS




LC-ESIMS. EIC = 834.369 AsPC833

Max intensity = 257620 Scans = 73




75As LC-ICPMS




LC-ESIMS. EIC = 836.479 AsPC835


Max intensity = 125740 Scans = 46




75As LC-ICPMS




LC-ESIMS. EIC = 838.494 AsPC837
Max intensity = 371280 Scans = 154




75As LC-ICPMS



LC-ESIMS. EIC = 840.51 AsPC839
Max intensity = 239140 Scans = 86




75As LC-ICPMS




LC-ESIMS. EIC = 854.526 AsPC853


Max intensity = 977150 Scans = 58




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855
Max intensity = 1286770 Scans = 51




75As LC-ICPMS




LC-ESIMS. EIC = 862.4 AsPC861
Max intensity = 419700 Scans = 82




75As LC-ICPMS




LC-ESIMS. EIC = 864.51 AsPC863
Max intensity = 128600 Scans = 5




75As LC-ICPMS




LC-ESIMS. EIC = 866.526 AsPC865
Max intensity = 463720 Scans = 180




75As LC-ICPMS




LC-ESIMS. EIC = 868.541 AsPC867
Max intensity = 17352100 Scans = 503




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883
Max intensity = 2283490 Scans = 82




75As LC-ICPMS



LC-ESIMS. EIC = 892.541 AsPC891
Max intensity = 357290 Scans = 142




75As LC-ICPMS




LC-ESIMS. EIC = 894.463 AsPC893


Max intensity = 134360 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 707680 Scans = 329




75As LC-ICPMS




LC-ESIMS. EIC = 896.573 AsPC895
Max intensity = 724780 Scans = 372




75As LC-ICPMS



LC-ESIMS. EIC = 912.51 AsPC911 Max intensity = 1088400 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 924.604 AsPC923


Max intensity = 168570 Scans = 6




75As LC-ICPMS




LC-ESIMS. EIC = 938.62 AsPC937
Max intensity = 472710 Scans = 46




75As LC-ICPMS



LC-ESIMS. EIC = 940.541 AsPC939
Max intensity = 7279780 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954


Max intensity = 4436440 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 962.526 AsPC961
Max intensity = 377120 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 966.651 AsPC965 Max intensity = 1393690 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 992.666 AsPC991 Max intensity = 2509700 Scans = 91




75As LC-ICPMS



LC-ESIMS. EIC = 994.682 AsPC993
Max intensity = 1710410 Scans = 86




75As LC-ICPMS




LC-ESIMS. EIC = 1002.651 AsPC1001

Max intensity = 173310 Scans = 17




75As LC-ICPMS




LC-ESIMS. EIC = 1006.682 AsPC1005

Max intensity = 353210 Scans = 10




75As LC-ICPMS




LC-ESIMS. EIC = 1008.698 AsPC1007

Max intensity = 2432360 Scans = 15




75As LC-ICPMS




LC-ESIMS. EIC = 1016.666 AsPC1015

Max intensity = 823680 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 1018.682 AsPC1017


Max intensity = 3348310 Scans = 121




75As LC-ICPMS



LC-ESIMS. EIC = 1020.698 AsPC1019
Max intensity = 33763100 Scans = 395




75As LC-ICPMS




LC-ESIMS. EIC = 1022.713 AsPC1021

Max intensity = 2134950 Scans = 187




75As LC-ICPMS




LC-ESIMS. EIC = 1025.568 AsSugPL1024

Max intensity = 950580 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 1043.614 AsSugPL1042

Max intensity = 1487780 Scans = 32



75As LC-ICPMS



LC-ESIMS. EIC = 1071.646 AsSugPL1070

Max intensity = 1439040 Scans = 109

