



# 75As LC-ICPMS




**LC-ESIMS. EIC = 264.985 AsFA264**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 265.078 AsFA264**


**Max intensity = 235410 Scans = 44**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266**  
**Max intensity = 62500 Scans = 32**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 279 AsFA278**  
**Max intensity = 118030 Scans = 65**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 279.094 AsFA278 Max intensity = 1437440 Scans = 71




## 75As LC-ICPMS



**LC-ESIMS. EIC = 293.089 AsHC292**  
**Max intensity = 287760 Scans = 568**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 295.032 AsFA294**

**Max intensity = 64730 Scans = 32**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 295.104 AsHC294**

**Max intensity = 59610 Scans = 24**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296**


**Max intensity = 91180 Scans = 83**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 299.063 AsFA298**  
**Max intensity = 488840 Scans = 1279**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 307.104 AsHC306**


**Max intensity = 184180 Scans = 50**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312**  
**Max intensity = 385420 Scans = 2567**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314**  
**Max intensity = 218440 Scans = 642**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322**  
**Max intensity = 214890 Scans = 690**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332**  
**Max intensity = 955870 Scans = 125**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 335.063 AsFA334**  
**Max intensity = 141170 Scans = 381**






# 75As LC-ICPMS




## LC-ESIMS. EIC = 335.157 AsFA334


Max intensity = 0 Scans = 0




## 75As LC-ICPMS



**LC-ESIMS. EIC = 337.078 AsFA336**  
**Max intensity = 321620 Scans = 1046**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336**


**Max intensity = 140010 Scans = 28**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340**  
**Max intensity = 314750 Scans = 618**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 347.23 AsHC346**  
**Max intensity = 542730 Scans = 38**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 357.214 AsHC356**  
**Max intensity = 123330 Scans = 145**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360**

**Max intensity = 118120 Scans = 33**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 363.167 AsHC362

Max intensity = 147300 Scans = 579







## 75As LC-ICPMS



**LC-ESIMS. EIC = 365.11 AsFA364**  
**Max intensity = 266090 Scans = 45**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364**


**Max intensity = 155300 Scans = 71**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370**  
**Max intensity = 181530 Scans = 1843**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 375.094 AsFA374**  
**Max intensity = 179440 Scans = 397**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 375.188 AsFA374

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 385.245 AsHC384**


**Max intensity = 175460 Scans = 81**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 389.11 AsFA388**  
**Max intensity = 1575720 Scans = 1098**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0






## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390**


**Max intensity = 178570 Scans = 35**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 393.214 AsHC392**  
**Max intensity = 434740 Scans = 2041**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398**

**Max intensity = 130230 Scans = 34**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 0 Scans = 0




## 75As LC-ICPMS




## LC-ESIMS. EIC = 403.219 AsFA402

Max intensity = 80460 Scans = 76




# 75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406**

**Max intensity = 61580 Scans = 38**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 0 Scans = 0



## 75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416**  
**Max intensity = 143190 Scans = 2124**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 423.261 AsHC422**


**Max intensity = 140510 Scans = 46**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 429.235 AsFA428**  
**Max intensity = 1096010 Scans = 82**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430**  
**Max intensity = 154870 Scans = 1889**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 433.245 AsHC432**  
**Max intensity = 1840330 Scans = 113**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.172 AsFA444**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444**

**Max intensity = 69110 Scans = 103**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 449.276 AsHC448**

**Max intensity = 683960 Scans = 33**





## 75As LC-ICPMS



**LC-ESIMS. EIC = 453.308 AsHC452**

**Max intensity = 117480 Scans = 28**

