




75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662
Max intensity = 210650 Scans = 347




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664
Max intensity = 144510 Scans = 334




75As LC-ICPMS




LC-ESIMS. EIC = 677.228 lysoAsSugPL676
Max intensity = 84470 Scans = 302




75As LC-ICPMS




LC-ESIMS. EIC = 679.244 lysoAsSugPL678
Max intensity = 58970 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 755.275 lysoAsSugPL754
Max intensity = 213170 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 769.291 lysoAsSugPL768
Max intensity = 236490 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 816.416 AsPC815
Max intensity = 176310 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 844.447 AsPC843
Max intensity = 478900 Scans = 206




75As LC-ICPMS




LC-ESIMS. EIC = 853.348 AsSugPL852
Max intensity = 140840 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855
Max intensity = 187930 Scans = 67




75As LC-ICPMS




LC-ESIMS. EIC = 873.411 AsSugPL872
Max intensity = 494210 Scans = 27




MS2 spectra for mass 873.4119 at 23.1 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883
Max intensity = 1715740 Scans = 61




75As LC-ICPMS




LC-ESIMS. EIC = 892.541 AsPC891
Max intensity = 2499570 Scans = 142




MS2 spectra for mass 892.5416 at 31.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 2616050 Scans = 233




MS2 spectra for mass 894.557 at 31 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC893
Max intensity = 2616050 Scans = 233




MS2 spectra for mass 894.556 at 31.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 901.442 AsSugPL900
Max intensity = 110840 Scans = 39




75As LC-ICPMS




LC-ESIMS. EIC = 961.442 AsSugPL960
Max intensity = 81180 Scans = 82




75As LC-ICPMS




LC-ESIMS. EIC = 966.557 AsPC965
Max intensity = 73280 Scans = 83




75As LC-ICPMS



LC-ESIMS. EIC = 983.521 AsSugPL982
Max intensity = 72510 Scans = 46



75As LC-ICPMS



LC-ESIMS. EIC = 992.573 AsPC991
Max intensity = 63080 Scans = 45

