




# 75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292**  
**Max intensity = 422810 Scans = 1194**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298**  
**Max intensity = 1051530 Scans = 1908**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312**  
**Max intensity = 409590 Scans = 1576**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314**  
**Max intensity = 413720 Scans = 474**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332**  
**Max intensity = 1454350 Scans = 143**




# 75As LC-ICPMS



## LC-ESIMS. EIC = 337.078 AsFA336 Max intensity = 266610 Scans = 1029




# 75As LC-ICPMS




## LC-ESIMS. EIC = 339.167 AsHC338


Max intensity = 778280 Scans = 64



# 75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340**  
**Max intensity = 664270 Scans = 715**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356**

**Max intensity = 116350 Scans = 26**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 361.245 AsHC360


Max intensity = 194140 Scans = 39




# 75As LC-ICPMS




## LC-ESIMS. EIC = 363.167 AsHC362 Max intensity = 124630 Scans = 521




# 75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364**  
**Max intensity = 173490 Scans = 35**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370**  
**Max intensity = 1123370 Scans = 1200**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 375.094 AsFA374**  
**Max intensity = 103770 Scans = 38**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 385.245 AsHC384


Max intensity = 79710 Scans = 13



# 75As LC-ICPMS




## LC-ESIMS. EIC = 389.11 AsFA388 Max intensity = 1600330 Scans = 1128







# 75As LC-ICPMS



**LC-ESIMS. EIC = 391.198 AsHC390**  
**Max intensity = 1358360 Scans = 36**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 399.261 AsHC398

Max intensity = 248190 Scans = 31




# 75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402**


**Max intensity = 94120 Scans = 797**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 407.23 AsHC406**  
**Max intensity = 485460 Scans = 78**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 415.292 AsHC414


Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416**  
**Max intensity = 185330 Scans = 2811**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428**  
**Max intensity = 655590 Scans = 33**



# 75As LC-ICPMS




## LC-ESIMS. EIC = 431.251 AsFA430 Max intensity = 150210 Scans = 2347






### 75As LC-ICPMS




### LC-ESIMS. EIC = 437.276 AsHC436

Max intensity = 120530 Scans = 9




# 75As LC-ICPMS




**LC-ESIMS. EIC = 443.323 AsHC442**

**Max intensity = 137000 Scans = 41**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452**

**Max intensity = 532370 Scans = 50**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 453.782 AsPC905\_MH2


Max intensity = 496090 Scans = 63




# 75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460**  
**Max intensity = 243850 Scans = 178**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 465.308 AsHC464**  
**Max intensity = 1089540 Scans = 206**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 467.798 AsPC933\_MH2


Max intensity = 4101810 Scans = 766



# 75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472**  
**Max intensity = 429880 Scans = 625**







# 75As LC-ICPMS



**LC-ESIMS. EIC = 479.323 AsHC478**  
**Max intensity = 1894220 Scans = 59**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480**

**Max intensity = 547880 Scans = 55**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 481.814 AsPC961\_MH2


Max intensity = 3571620 Scans = 2220




# 75As LC-ICPMS



**LC-ESIMS. EIC = 489.308 AsHC488**  
**Max intensity = 399660 Scans = 254**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490**


**Max intensity = 132710 Scans = 27**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 493.339 AsHC492**  
**Max intensity = 874230 Scans = 170**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 499.386 AsHC498


Max intensity = 163110 Scans = 39



# 75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500**  
**Max intensity = 4103650 Scans = 163**






# 75As LC-ICPMS




## LC-ESIMS. EIC = 503.323 AsHC502


Max intensity = 144800 Scans = 60




### 75As LC-ICPMS



**LC-ESIMS. EIC = 509.37 AsHC508**  
**Max intensity = 313500 Scans = 18**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 509.845 AsPC1017\_MH2

Max intensity = 1669180 Scans = 286




# 75As LC-ICPMS




## LC-ESIMS. EIC = 513.402 AsHC512


Max intensity = 147350 Scans = 12




### 75As LC-ICPMS



**LC-ESIMS. EIC = 515.417 AsHC514**  
**Max intensity = 78206420 Scans = 467**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 519.355 AsHC518


Max intensity = 275220 Scans = 57




# 75As LC-ICPMS



**LC-ESIMS. EIC = 521.37 AsHC520**  
**Max intensity = 225120 Scans = 26**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 525.402 AsHC524**

**Max intensity = 74940 Scans = 7**





# 75As LC-ICPMS



**LC-ESIMS. EIC = 529.433 AsHC528**  
**Max intensity = 261290 Scans = 107**

