




75As LC-ICPMS




**LC-ESIMS. EIC = 259.032 AsFA258
Max intensity = 143270 Scans = 32**




75As LC-ICPMS




**LC-ESIMS. EIC = 261.047 AsFA260
Max intensity = 212680 Scans = 28**




75As LC-ICPMS




**LC-ESIMS. EIC = 264.985 AsFA264
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 265.078 AsFA264
Max intensity = 173610 Scans = 35**




75As LC-ICPMS




**LC-ESIMS. EIC = 267 AsFA266
Max intensity = 106650 Scans = 74**




75As LC-ICPMS




**LC-ESIMS. EIC = 269.016 AsFA268
Max intensity = 740640 Scans = 30**




75As LC-ICPMS




**LC-ESIMS. EIC = 271.032 AsFA270
Max intensity = 169490 Scans = 23**




75As LC-ICPMS




**LC-ESIMS. EIC = 273.047 AsFA272
Max intensity = 390020 Scans = 43**




75As LC-ICPMS




**LC-ESIMS. EIC = 275.063 AsFA274
Max intensity = 308520 Scans = 42**




75As LC-ICPMS




**LC-ESIMS. EIC = 276.985 AsFA276
Max intensity = 259760 Scans = 41**




75As LC-ICPMS




**LC-ESIMS. EIC = 277.078 AsFA276
Max intensity = 579000 Scans = 21**




75As LC-ICPMS




**LC-ESIMS. EIC = 279 AsFA278
Max intensity = 261880 Scans = 77**




75As LC-ICPMS




**LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 3446750 Scans = 24**




75As LC-ICPMS




**LC-ESIMS. EIC = 281.016 AsFA280
Max intensity = 123700 Scans = 37**




75As LC-ICPMS




**LC-ESIMS. EIC = 285.047 AsFA284
Max intensity = 191930 Scans = 78**




75As LC-ICPMS




**LC-ESIMS. EIC = 287.063 AsFA286
Max intensity = 480250 Scans = 134**




75As LC-ICPMS




**LC-ESIMS. EIC = 289.078 AsFA288
Max intensity = 195020 Scans = 38**




75As LC-ICPMS




**LC-ESIMS. EIC = 291 AsFA290
Max intensity = 133220 Scans = 33**




75As LC-ICPMS




**LC-ESIMS. EIC = 291.094 AsFA290
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 476100 Scans = 396**




75As LC-ICPMS




**LC-ESIMS. EIC = 295.032 AsFA294
Max intensity = 777380 Scans = 36**




75As LC-ICPMS




**LC-ESIMS. EIC = 295.104 AsHC294
Max intensity = 278530 Scans = 232**




75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296
Max intensity = 6978870 Scans = 120**




75As LC-ICPMS




**LC-ESIMS. EIC = 297.12 AsHC296
Max intensity = 144420 Scans = 41**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 929860 Scans = 1313**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.136 AsHC298
Max intensity = 357180 Scans = 45**




75As LC-ICPMS




**LC-ESIMS. EIC = 301.078 AsFA300
Max intensity = 532140 Scans = 162**




75As LC-ICPMS




**LC-ESIMS. EIC = 301.151 AsHC300
Max intensity = 121820 Scans = 22**




75As LC-ICPMS




**LC-ESIMS. EIC = 303.094 AsFA302
Max intensity = 236070 Scans = 59**




75As LC-ICPMS




**LC-ESIMS. EIC = 305.016 AsFA304
Max intensity = 161850 Scans = 21**




75As LC-ICPMS




LC-ESIMS. EIC = 305.11 AsFA304
Max intensity = 0 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 305.183 AsHC304
Max intensity = 933970 Scans = 62**




75As LC-ICPMS




**LC-ESIMS. EIC = 307.032 AsFA306
Max intensity = 88070 Scans = 32**




75As LC-ICPMS




**LC-ESIMS. EIC = 307.125 AsFA306
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 309.047 AsFA308
Max intensity = 380310 Scans = 173**




75As LC-ICPMS




**LC-ESIMS. EIC = 309.12 AsHC308
Max intensity = 92000 Scans = 39**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.063 AsFA310
Max intensity = 222400 Scans = 286**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 158600 Scans = 118**




75As LC-ICPMS




**LC-ESIMS. EIC = 313.078 AsFA312
Max intensity = 509160 Scans = 162**




75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 283350 Scans = 1139**




75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 306710 Scans = 409**




75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314
Max intensity = 2940580 Scans = 92**




75As LC-ICPMS




**LC-ESIMS. EIC = 317.11 AsFA316
Max intensity = 149580 Scans = 62**




75As LC-ICPMS




**LC-ESIMS. EIC = 319.032 AsFA318
Max intensity = 142630 Scans = 72**




75As LC-ICPMS




LC-ESIMS. EIC = 319.125 AsFA318
Max intensity = 0 Scans = 0




75As LC-ICPMS




**LC-ESIMS. EIC = 321.047 AsFA320
Max intensity = 1644920 Scans = 84**




75As LC-ICPMS




**LC-ESIMS. EIC = 321.141 AsFA320
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 807890 Scans = 306**




75As LC-ICPMS




**LC-ESIMS. EIC = 325.078 AsFA324
Max intensity = 245320 Scans = 170**




75As LC-ICPMS




**LC-ESIMS. EIC = 325.151 AsHC324
Max intensity = 182270 Scans = 21**




75As LC-ICPMS




**LC-ESIMS. EIC = 327.094 AsFA326
Max intensity = 264420 Scans = 172**




75As LC-ICPMS




**LC-ESIMS. EIC = 327.167 AsHC326
Max intensity = 915370 Scans = 117**




75As LC-ICPMS




**LC-ESIMS. EIC = 329.11 AsFA328
Max intensity = 139520 Scans = 189**




75As LC-ICPMS




**LC-ESIMS. EIC = 329.183 AsHC328
Max intensity = 446870 Scans = 55**




75As LC-ICPMS




**LC-ESIMS. EIC = 331.198 AsHC330
Max intensity = 1852600 Scans = 302**




75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 3173560 Scans = 156**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 106200 Scans = 147**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.136 AsHC334
Max intensity = 81580 Scans = 29**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.157 AsFA334
Max intensity = 134470 Scans = 6**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 321720 Scans = 562**




75As LC-ICPMS




**LC-ESIMS. EIC = 339.094 AsFA338
Max intensity = 219760 Scans = 204**




75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338
Max intensity = 392410 Scans = 31**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 608400 Scans = 680**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340
Max intensity = 163840 Scans = 30**




75As LC-ICPMS




**LC-ESIMS. EIC = 343.125 AsFA342
Max intensity = 697550 Scans = 139**




75As LC-ICPMS




**LC-ESIMS. EIC = 345.214 AsHC344
Max intensity = 1640080 Scans = 107**




75As LC-ICPMS




**LC-ESIMS. EIC = 349.078 AsFA348
Max intensity = 104330 Scans = 38**




75As LC-ICPMS




**LC-ESIMS. EIC = 349.172 AsFA348
Max intensity = 94810 Scans = 57**




75As LC-ICPMS




**LC-ESIMS. EIC = 351.094 AsFA350
Max intensity = 356420 Scans = 25**




75As LC-ICPMS




**LC-ESIMS. EIC = 353.11 AsFA352
Max intensity = 82190 Scans = 111**




75As LC-ICPMS




**LC-ESIMS. EIC = 353.183 AsHC352
Max intensity = 295250 Scans = 66**




75As LC-ICPMS




**LC-ESIMS. EIC = 355.125 AsFA354
Max intensity = 107060 Scans = 26**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.141 AsFA356
Max intensity = 74840 Scans = 43**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 581870 Scans = 103**




75As LC-ICPMS




**LC-ESIMS. EIC = 363.094 AsFA362
Max intensity = 422620 Scans = 170**




75As LC-ICPMS




**LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 4619440 Scans = 209**




75As LC-ICPMS




**LC-ESIMS. EIC = 363.188 AsFA362
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 434300 Scans = 36**




75As LC-ICPMS




**LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 179780 Scans = 40**




75As LC-ICPMS




**LC-ESIMS. EIC = 367.198 AsHC366
Max intensity = 888980 Scans = 37**




75As LC-ICPMS




**LC-ESIMS. EIC = 369.214 AsHC368
Max intensity = 454070 Scans = 34**




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 259480 Scans = 467**




75As LC-ICPMS




**LC-ESIMS. EIC = 373.172 AsFA372
Max intensity = 5895320 Scans = 23**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 AsHC374
Max intensity = 663700 Scans = 33**




75As LC-ICPMS




**LC-ESIMS. EIC = 375.261 TMA₃FOH374
Max intensity = 663700 Scans = 33**




75As LC-ICPMS




**LC-ESIMS. EIC = 377.11 AsFA376
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 377.183 AsHC376
Max intensity = 3528840 Scans = 174**




75As LC-ICPMS




**LC-ESIMS. EIC = 377.204 AsFA376
Max intensity = 516600 Scans = 106**




75As LC-ICPMS




**LC-ESIMS. EIC = 383.157 AsFA382
Max intensity = 213790 Scans = 159**




75As LC-ICPMS




**LC-ESIMS. EIC = 385.172 AsFA384
Max intensity = 1993220 Scans = 337**




75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386
Max intensity = 549060 Scans = 347**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 2513180 Scans = 1479**




75As LC-ICPMS




**LC-ESIMS. EIC = 389.204 AsFA388
Max intensity = 210330 Scans = 233**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.125 AsFA390
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 60291830 Scans = 373**




75As LC-ICPMS




**LC-ESIMS. EIC = 391.219 AsFA390
Max intensity = 464460 Scans = 63**




75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 2184230 Scans = 1329**




75As LC-ICPMS




**LC-ESIMS. EIC = 395.157 AsFA394
Max intensity = 358600 Scans = 113**




75As LC-ICPMS




**LC-ESIMS. EIC = 395.23 AsHC394
Max intensity = 403380 Scans = 26**




75As LC-ICPMS




**LC-ESIMS. EIC = 397.172 AsFA396
Max intensity = 274870 Scans = 49**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.188 AsFA398
Max intensity = 2024220 Scans = 610**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 3397630 Scans = 81**




75As LC-ICPMS




**LC-ESIMS. EIC = 401.204 AsFA400
Max intensity = 318560 Scans = 229**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.125 AsFA402
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 146220 Scans = 177**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.141 AsFA404
Max intensity = 42370 Scans = 5**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 5096410 Scans = 132**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.235 AsFA404
Max intensity = 294030 Scans = 29**




75As LC-ICPMS




**LC-ESIMS. EIC = 407.157 AsFA406
Max intensity = 133790 Scans = 29**




75As LC-ICPMS




**LC-ESIMS. EIC = 407.23 AsHC406
Max intensity = 208110 Scans = 43**




75As LC-ICPMS




**LC-ESIMS. EIC = 409.172 AsFA408
Max intensity = 146510 Scans = 32**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.141 AsFA416
Max intensity = 131770 Scans = 21**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 240630 Scans = 1406**




75As LC-ICPMS




**LC-ESIMS. EIC = 419.157 AsFA418
Max intensity = 51850 Scans = 6**




75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 AsHC418
Max intensity = 22979940 Scans = 169**




75As LC-ICPMS




**LC-ESIMS. EIC = 419.23 TMA₃FOH₄18
Max intensity = 22979940 Scans = 169**




75As LC-ICPMS




**LC-ESIMS. EIC = 419.251 AsFA418
Max intensity = 328500 Scans = 68**




75As LC-ICPMS




**LC-ESIMS. EIC = 421.245 AsHC420
Max intensity = 504660 Scans = 100**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.219 AsFA426
Max intensity = 444890 Scans = 31**




75As LC-ICPMS




**LC-ESIMS. EIC = 427.292 AsHC426
Max intensity = 615720 Scans = 41**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 153220 Scans = 65**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.308 AsHC428
Max intensity = 263990 Scans = 43**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.157 AsFA430
Max intensity = 0 Scans = 0**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 484410 Scans = 1256**




75As LC-ICPMS




**LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 934850 Scans = 365**




75As LC-ICPMS




**LC-ESIMS. EIC = 437.276 AsHC436
Max intensity = 666440 Scans = 28**




75As LC-ICPMS




**LC-ESIMS. EIC = 441.308 AsHC440
Max intensity = 1492180 Scans = 25**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.172 AsFA444
Max intensity = 206260 Scans = 6**




75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 96330 Scans = 199**




75As LC-ICPMS




**LC-ESIMS. EIC = 447.261 AsHC446
Max intensity = 8312840 Scans = 49**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.204 AsFA448
Max intensity = 200020 Scans = 40**




75As LC-ICPMS




**LC-ESIMS. EIC = 451.219 AsFA450
Max intensity = 504670 Scans = 35**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452
Max intensity = 867260 Scans = 75**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.251 AsFA454
Max intensity = 383760 Scans = 29**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.323 AsHC454
Max intensity = 54941900 Scans = 204**




75As LC-ICPMS




**LC-ESIMS. EIC = 457.266 AsFA456
Max intensity = 2813830 Scans = 95**




75As LC-ICPMS




LC-ESIMS. EIC = 457.339 AsHC456
Max intensity = 2906440 Scans = 110




75As LC-ICPMS




**LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 8495040 Scans = 508**




75As LC-ICPMS




**LC-ESIMS. EIC = 461.298 AsFA460
Max intensity = 545640 Scans = 45**




75As LC-ICPMS




**LC-ESIMS. EIC = 463.292 AsHC462
Max intensity = 462870 Scans = 79**




75As LC-ICPMS




**LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 3814280 Scans = 413**




75As LC-ICPMS




**LC-ESIMS. EIC = 469.339 AsHC468
Max intensity = 3818690 Scans = 27**




75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 918410 Scans = 396**




75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 288480 Scans = 50**




75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476
Max intensity = 2080120 Scans = 61**




75As LC-ICPMS




**LC-ESIMS. EIC = 479.323 AsHC478
Max intensity = 125930 Scans = 55**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 337800 Scans = 56**




75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486
Max intensity = 321440 Scans = 63**




75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488
Max intensity = 6232790 Scans = 106**




75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490
Max intensity = 776260 Scans = 98**




75As LC-ICPMS



**LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 2324390 Scans = 140**



75As LC-ICPMS



**LC-ESIMS. EIC = 497.37 AsHC496
Max intensity = 385820 Scans = 79**

