



# 75As LC-ICPMS




**LC-ESIMS. EIC = 261.047 AsFA260**

**Max intensity = 235110 Scans = 55**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 264.985 AsFA264**


**Max intensity = 0 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 265.078 AsFA264**  
**Max intensity = 1035210 Scans = 76**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 267 AsFA266**  
**Max intensity = 81160 Scans = 45**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 269.016 AsFA268**

**Max intensity = 511330 Scans = 31**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 271.032 AsFA270

Max intensity = 90620 Scans = 22




## 75As LC-ICPMS




**LC-ESIMS. EIC = 273.047 AsFA272**

**Max intensity = 249530 Scans = 52**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 275.063 AsFA274**

**Max intensity = 272890 Scans = 43**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 276.985 AsFA276**

**Max intensity = 120880 Scans = 27**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 277.078 AsFA276**


**Max intensity = 399730 Scans = 35**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 279 AsFA278**  
**Max intensity = 139720 Scans = 73**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 279.094 AsFA278**

**Max intensity = 64940 Scans = 16**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 285.047 AsFA284**

**Max intensity = 179990 Scans = 81**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 287.063 AsFA286**

**Max intensity = 270470 Scans = 95**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 289.078 AsFA288**

**Max intensity = 205110 Scans = 43**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292**

**Max intensity = 292060 Scans = 195**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 295.032 AsFA294**

**Max intensity = 577070 Scans = 25**



# 75As LC-ICPMS




**LC-ESIMS. EIC = 295.104 AsHC294**


**Max intensity = 146420 Scans = 39**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 297.047 AsFA296**  
**Max intensity = 2878520 Scans = 107**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 297.12 AsHC296**  
**Max intensity = 135220 Scans = 43**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 299.063 AsFA298**  
**Max intensity = 383020 Scans = 789**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 299.136 AsHC298**

**Max intensity = 390140 Scans = 65**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 301.078 AsFA300**

**Max intensity = 501370 Scans = 96**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 303.094 AsFA302

Max intensity = 219720 Scans = 64






### 75As LC-ICPMS




**LC-ESIMS. EIC = 309.047 AsFA308**


**Max intensity = 145850 Scans = 62**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 309.12 AsHC308**  
**Max intensity = 136680 Scans = 61**




### 75As LC-ICPMS




**LC-ESIMS. EIC = 311.063 AsFA310**


**Max intensity = 155190 Scans = 46**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310**  
**Max intensity = 311500 Scans = 131**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 313.078 AsFA312**  
**Max intensity = 224290 Scans = 121**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 313.151 AsHC312**  
**Max intensity = 331140 Scans = 1630**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.094 AsFA314**  
**Max intensity = 347330 Scans = 238**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314**  
**Max intensity = 475230 Scans = 40**







## 75As LC-ICPMS



**LC-ESIMS. EIC = 317.11 AsFA316**  
**Max intensity = 205280 Scans = 63**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 321.047 AsFA320**

**Max intensity = 495090 Scans = 55**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 321.141 AsFA320


Max intensity = 0 Scans = 0




# 75As LC-ICPMS



**LC-ESIMS. EIC = 323.063 AsFA322**  
**Max intensity = 1001730 Scans = 556**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 325.078 AsFA324**


**Max intensity = 151070 Scans = 37**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 325.151 AsHC324**  
**Max intensity = 1906280 Scans = 99**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 327.094 AsFA326**

**Max intensity = 198620 Scans = 65**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 327.167 AsHC326**

**Max intensity = 481250 Scans = 84**







# 75As LC-ICPMS



**LC-ESIMS. EIC = 329.11 AsFA328**  
**Max intensity = 172630 Scans = 88**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 331.125 AsFA330**

**Max intensity = 114820 Scans = 39**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 331.198 AsHC330**


**Max intensity = 889870 Scans = 46**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332**  
**Max intensity = 4750710 Scans = 103**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 335.063 AsFA334**  
**Max intensity = 100540 Scans = 243**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 335.157 AsFA334**


**Max intensity = 0 Scans = 0**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 337.078 AsFA336**  
**Max intensity = 210370 Scans = 505**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 339.094 AsFA338**

**Max intensity = 247370 Scans = 67**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338**


**Max intensity = 394580 Scans = 47**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 341.11 AsFA340**  
**Max intensity = 330330 Scans = 178**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340**

**Max intensity = 184040 Scans = 23**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 343.125 AsFA342**


**Max intensity = 350020 Scans = 106**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 353.11 AsFA352**  
**Max intensity = 167840 Scans = 49**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 353.183 AsHC352**

**Max intensity = 230240 Scans = 62**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 355.125 AsFA354**

**Max intensity = 154910 Scans = 96**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 357.141 AsFA356**

**Max intensity = 179950 Scans = 87**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356**

**Max intensity = 754450 Scans = 63**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 359.157 AsFA358


Max intensity = 93180 Scans = 23




# 75As LC-ICPMS




**LC-ESIMS. EIC = 363.094 AsFA362**  
**Max intensity = 140490 Scans = 140**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 363.167 AsHC362**  
**Max intensity = 980770 Scans = 422**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 363.188 AsFA362


Max intensity = 403570 Scans = 14




# 75As LC-ICPMS



**LC-ESIMS. EIC = 365.11 AsFA364**  
**Max intensity = 955140 Scans = 73**




### 75As LC-ICPMS




### LC-ESIMS. EIC = 371.157 AsFA370


Max intensity = 89950 Scans = 42



# 75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370**  
**Max intensity = 281530 Scans = 888**







## 75As LC-ICPMS




**LC-ESIMS. EIC = 373.172 AsFA372**  
**Max intensity = 1102400 Scans = 22**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 377.183 AsHC376**  
**Max intensity = 748390 Scans = 125**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 379.125 AsFA378

Max intensity = 95630 Scans = 36




# 75As LC-ICPMS




**LC-ESIMS. EIC = 381.141 AsFA380**


**Max intensity = 240500 Scans = 99**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 383.157 AsFA382**  
**Max intensity = 119800 Scans = 175**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 385.172 AsFA384**  
**Max intensity = 517180 Scans = 225**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386**  
**Max intensity = 330080 Scans = 164**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388**  
**Max intensity = 2760390 Scans = 924**






# 75As LC-ICPMS




## LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 391.125 AsFA390


Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.198 AsHC390**  
**Max intensity = 9092000 Scans = 218**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 391.219 AsFA390**  
**Max intensity = 509020 Scans = 45**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392**  
**Max intensity = 2463440 Scans = 1562**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 395.23 AsHC394**  
**Max intensity = 605450 Scans = 27**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398**

**Max intensity = 568850 Scans = 55**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 0 Scans = 0







# 75As LC-ICPMS



**LC-ESIMS. EIC = 403.219 AsFA402**  
**Max intensity = 103220 Scans = 648**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404**


**Max intensity = 815750 Scans = 49**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 407.23 AsHC406**  
**Max intensity = 655530 Scans = 68**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 45250 Scans = 5




## 75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416**  
**Max intensity = 377630 Scans = 2482**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 419.23 AsHC418**  
**Max intensity = 6510110 Scans = 64**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 419.23 TMA<sub>s</sub>FOH418

Max intensity = 6510110 Scans = 64




## 75As LC-ICPMS




## LC-ESIMS. EIC = 427.219 AsFA426

Max intensity = 425690 Scans = 31







## 75As LC-ICPMS



## LC-ESIMS. EIC = 429.235 AsFA428 Max intensity = 3585750 Scans = 61




# 75As LC-ICPMS




## LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




## 75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430**  
**Max intensity = 160350 Scans = 2358**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 433.245 AsHC432**  
**Max intensity = 1664400 Scans = 249**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 445.172 AsFA444**

**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.266 AsFA444**


**Max intensity = 97120 Scans = 855**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 445.339 AsHC444**  
**Max intensity = 121410 Scans = 414**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 447.261 AsHC446**  
**Max intensity = 1988870 Scans = 28**






# 75As LC-ICPMS




## LC-ESIMS. EIC = 449.204 AsFA448


Max intensity = 261820 Scans = 39




## 75As LC-ICPMS




**LC-ESIMS. EIC = 449.276 AsHC448**  
**Max intensity = 4978310 Scans = 31**




# 75As LC-ICPMS



**LC-ESIMS. EIC = 453.308 AsHC452**  
**Max intensity = 1095270 Scans = 52**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 455.323 AsHC454**


**Max intensity = 3255640 Scans = 31**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 457.266 AsFA456**  
**Max intensity = 1003820 Scans = 70**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 457.339 AsHC456**

**Max intensity = 468560 Scans = 60**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 459.282 AsFA458**


**Max intensity = 264650 Scans = 30**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 459.355 AsHC458**  
**Max intensity = 8405110 Scans = 961**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460**

**Max intensity = 245690 Scans = 62**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 463.292 AsHC462**


**Max intensity = 241680 Scans = 49**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 465.308 AsHC464**  
**Max intensity = 8170800 Scans = 349**




## 75As LC-ICPMS



## LC-ESIMS. EIC = 473.37 AsHC472 Max intensity = 708320 Scans = 716




## 75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474**

**Max intensity = 410770 Scans = 29**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476**

**Max intensity = 675980 Scans = 59**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 479.323 AsHC478**

**Max intensity = 118670 Scans = 41**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 481.339 AsHC480

Max intensity = 397660 Scans = 41







# 75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486**  
**Max intensity = 413490 Scans = 109**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 489.308 AsHC488**  
**Max intensity = 1361570 Scans = 151**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490**


**Max intensity = 800470 Scans = 94**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492**  
**Max intensity = 2082380 Scans = 172**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 497.37 AsHC496**  
**Max intensity = 681180 Scans = 89**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498**  
**Max intensity = 1079370 Scans = 106**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 501.402 AsHC500**  
**Max intensity = 1474070 Scans = 177**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 503.323 AsHC502**

**Max intensity = 195180 Scans = 40**






## 75As LC-ICPMS




**LC-ESIMS. EIC = 505.339 AsHC504**

**Max intensity = 129260 Scans = 27**



## 75As LC-ICPMS



**LC-ESIMS. EIC = 509.37 AsHC508**  
**Max intensity = 229770 Scans = 34**

