




75As LC-ICPMS



LC-ESIMS. EIC = 267 AsFA266
Max intensity = 126640 Scans = 124




75As LC-ICPMS




LC-ESIMS. EIC = 269.016 AsFA268


Max intensity = 514560 Scans = 31




75As LC-ICPMS



LC-ESIMS. EIC = 279 AsFA278
Max intensity = 144420 Scans = 61




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278

Max intensity = 71860 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 281.016 AsFA280

Max intensity = 108460 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 287.063 AsFA286


Max intensity = 93230 Scans = 110




75As LC-ICPMS



LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 318660 Scans = 462




75As LC-ICPMS




LC-ESIMS. EIC = 295.104 AsHC294


Max intensity = 76500 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 297.047 AsFA296
Max intensity = 4419940 Scans = 151




75As LC-ICPMS




LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 496490 Scans = 1684




75As LC-ICPMS



LC-ESIMS. EIC = 309.047 AsFA308
Max intensity = 378410 Scans = 190




75As LC-ICPMS




LC-ESIMS. EIC = 313.078 AsFA312


Max intensity = 261980 Scans = 47




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 219540 Scans = 1833




75As LC-ICPMS



LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 271570 Scans = 1054




75As LC-ICPMS




LC-ESIMS. EIC = 321.047 AsFA320

Max intensity = 722290 Scans = 27




75As LC-ICPMS




LC-ESIMS. EIC = 321.141 AsFA320


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 323.063 AsFA322
Max intensity = 494730 Scans = 910




75As LC-ICPMS




LC-ESIMS. EIC = 333.214 AsHC332


Max intensity = 227260 Scans = 30




75As LC-ICPMS



LC-ESIMS. EIC = 335.063 AsFA334
Max intensity = 121000 Scans = 626




75As LC-ICPMS




LC-ESIMS. EIC = 335.157 AsFA334


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 656050 Scans = 1208




75As LC-ICPMS




LC-ESIMS. EIC = 339.167 AsHC338


Max intensity = 751310 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 317680 Scans = 1260




75As LC-ICPMS



LC-ESIMS. EIC = 347.23 AsHC346
Max intensity = 664690 Scans = 38




75As LC-ICPMS




LC-ESIMS. EIC = 353.183 AsHC352


Max intensity = 92520 Scans = 29




75As LC-ICPMS




LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 135690 Scans = 132




75As LC-ICPMS



LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 133760 Scans = 837




75As LC-ICPMS




LC-ESIMS. EIC = 367.198 AsHC366


Max intensity = 95910 Scans = 26




75As LC-ICPMS



LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 192020 Scans = 1671




75As LC-ICPMS




LC-ESIMS. EIC = 373.245 AsHC372


Max intensity = 118390 Scans = 25




75As LC-ICPMS



LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 311440 Scans = 529




75As LC-ICPMS




LC-ESIMS. EIC = 375.188 AsFA374

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 385.245 AsHC384


Max intensity = 156470 Scans = 57




75As LC-ICPMS



LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 3803150 Scans = 1107




75As LC-ICPMS




LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390


Max intensity = 425800 Scans = 52




75As LC-ICPMS



LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 784750 Scans = 1849




75As LC-ICPMS




LC-ESIMS. EIC = 403.125 AsFA402


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 403.219 AsFA402
Max intensity = 109090 Scans = 123




75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404

Max intensity = 743340 Scans = 21




75As LC-ICPMS




LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 143830 Scans = 49




75As LC-ICPMS



LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 169260 Scans = 1969




75As LC-ICPMS




LC-ESIMS. EIC = 427.219 AsFA426

Max intensity = 464180 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 427.292 AsHC426


Max intensity = 135310 Scans = 28




75As LC-ICPMS



LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 1498670 Scans = 73




75As LC-ICPMS




LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 156330 Scans = 1427




75As LC-ICPMS



LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 2036360 Scans = 186




75As LC-ICPMS




LC-ESIMS. EIC = 445.172 AsFA444


Max intensity = 43110 Scans = 8




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 77160 Scans = 102




75As LC-ICPMS



LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 525490 Scans = 101




75As LC-ICPMS




LC-ESIMS. EIC = 453.308 AsHC452


Max intensity = 394730 Scans = 64




75As LC-ICPMS



LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 438250 Scans = 277




75As LC-ICPMS




LC-ESIMS. EIC = 461.276 AsHC460


Max intensity = 239600 Scans = 88




75As LC-ICPMS



LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 233210 Scans = 107




75As LC-ICPMS




LC-ESIMS. EIC = 467.323 AsHC466


Max intensity = 202460 Scans = 65




75As LC-ICPMS



LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 347400 Scans = 88




75As LC-ICPMS




LC-ESIMS. EIC = 475.292 AsHC474


Max intensity = 446500 Scans = 30




75As LC-ICPMS



LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 1744880 Scans = 100




75As LC-ICPMS




LC-ESIMS. EIC = 489.308 AsHC488

Max intensity = 264090 Scans = 68




75As LC-ICPMS




LC-ESIMS. EIC = 493.339 AsHC492

Max intensity = 2198320 Scans = 99




75As LC-ICPMS




LC-ESIMS. EIC = 495.355 AsHC494

Max intensity = 165630 Scans = 61




75As LC-ICPMS




LC-ESIMS. EIC = 501.402 AsHC500

Max intensity = 147180 Scans = 114




75As LC-ICPMS




LC-ESIMS. EIC = 503.323 AsHC502

Max intensity = 198150 Scans = 67



75As LC-ICPMS



LC-ESIMS. EIC = 507.355 AsHC506

Max intensity = 163270 Scans = 26

