




75As LC-ICPMS




LC-ESIMS. EIC = 864.51 AsPC863
Max intensity = 606980 Scans = 135




75As LC-ICPMS




LC-ESIMS. EIC = 890.526 AsPC889
Max intensity = 99890 Scans = 278




75As LC-ICPMS




LC-ESIMS. EIC = 892.541 AsPC891
Max intensity = 166720 Scans = 161




75As LC-ICPMS




LC-ESIMS. EIC = 896.573 AsPC895
Max intensity = 74390 Scans = 320




75As LC-ICPMS




LC-ESIMS. EIC = 903.458 AsSugPL902
Max intensity = 291960 Scans = 90




MS2 spectra for mass 903.4573 at 22.1 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 910.588 AsPC909
Max intensity = 242910 Scans = 162




75As LC-ICPMS




LC-ESIMS. EIC = 922.588 AsPC921
Max intensity = 118150 Scans = 79




75As LC-ICPMS




LC-ESIMS. EIC = 924.604 AsPC923
Max intensity = 72770 Scans = 44




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 1852270 Scans = 213




MS2 spectra for mass 955.4888 at 22.7 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 1852270 Scans = 213




MS2 spectra for mass 955.4884 at 22.9 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 1852270 Scans = 213




MS2 spectra for mass 955.4884 at 23.1 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 1852270 Scans = 213




MS2 spectra for mass 955.4889 at 23.2 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954
Max intensity = 1852270 Scans = 213




MS2 spectra for mass 955.4884 at 23.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 957.505 AsSugPL956
Max intensity = 441110 Scans = 75




MS2 spectra for mass 957.5053 at 23.8 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 957.505 AsSugPL956
Max intensity = 441110 Scans = 75




MS2 spectra for mass 957.5056 at 24.2 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 959.521 AsSugPL958
Max intensity = 504520 Scans = 55




MS2 spectra for mass 959.5197 at 24.9 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 983.521 AsSugPL982
Max intensity = 518910 Scans = 56




75As LC-ICPMS




LC-ESIMS. EIC = 985.536 AsSugPL984
Max intensity = 414890 Scans = 64




MS2 spectra for mass 985.537 at 25.4 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 987.458 AsSugPL986
Max intensity = 54300 Scans = 79




75As LC-ICPMS




LC-ESIMS. EIC = 987.552 AsSugPL986
Max intensity = 228960 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010
Max intensity = 1247880 Scans = 69




MS2 spectra for mass 1011.5519 at 25.5 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010
Max intensity = 1247880 Scans = 69




MS2 spectra for mass 1011.5517 at 25.6 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010
Max intensity = 1247880 Scans = 69




MS2 spectra for mass 1011.5523 at 25.8 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 1011.552 AsSugPL1010
Max intensity = 1247880 Scans = 69




MS2 spectra for mass 1011.5525 at 26 minutes




75As LC-ICPMS




LC-ESIMS. EIC = 1015.583 AsSugPL1014
Max intensity = 93670 Scans = 27




75As LC-ICPMS



LC-ESIMS. EIC = 1067.614 AsSugPL1066
Max intensity = 51080 Scans = 46



75As LC-ICPMS



LC-ESIMS. EIC = 1069.63 AsSugPL1068
Max intensity = 72650 Scans = 127

