




75As LC-ICPMS




**LC-ESIMS. EIC = 293.089 AsHC292
Max intensity = 427340 Scans = 90**




75As LC-ICPMS




**LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 291060 Scans = 273**




75As LC-ICPMS




**LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 324450 Scans = 98**




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 367410 Scans = 1247




75As LC-ICPMS




**LC-ESIMS. EIC = 315.167 AsHC314
Max intensity = 570310 Scans = 97**




75As LC-ICPMS




**LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 2144320 Scans = 90**




75As LC-ICPMS




**LC-ESIMS. EIC = 335.136 AsHC334
Max intensity = 159200 Scans = 39**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 125130 Scans = 212**




75As LC-ICPMS




**LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 183930 Scans = 31**




75As LC-ICPMS




**LC-ESIMS. EIC = 339.167 AsHC338
Max intensity = 583810 Scans = 53**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 233500 Scans = 66**




75As LC-ICPMS




**LC-ESIMS. EIC = 341.183 AsHC340
Max intensity = 162430 Scans = 23**




75As LC-ICPMS




**LC-ESIMS. EIC = 357.214 AsHC356
Max intensity = 741070 Scans = 64**




75As LC-ICPMS




**LC-ESIMS. EIC = 361.245 AsHC360
Max intensity = 495480 Scans = 64**




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 1384320 Scans = 491




75As LC-ICPMS




**LC-ESIMS. EIC = 367.198 AsHC366
Max intensity = 195240 Scans = 23**




75As LC-ICPMS




**LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 253120 Scans = 906**




75As LC-ICPMS




**LC-ESIMS. EIC = 373.172 AsFA372
Max intensity = 1369840 Scans = 8**




75As LC-ICPMS




**LC-ESIMS. EIC = 377.183 AsHC376
Max intensity = 276240 Scans = 104**




75As LC-ICPMS




**LC-ESIMS. EIC = 387.188 AsFA386
Max intensity = 522670 Scans = 138**




75As LC-ICPMS




LC-ESIMS. EIC = 387.261 AsHC386
Max intensity = 171470 Scans = 6




75As LC-ICPMS




**LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 1454230 Scans = 902**




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390
Max intensity = 9907040 Scans = 341




75As LC-ICPMS




**LC-ESIMS. EIC = 391.219 AsFA390
Max intensity = 414560 Scans = 6**




75As LC-ICPMS




**LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 1764770 Scans = 1440**




75As LC-ICPMS




**LC-ESIMS. EIC = 399.261 AsHC398
Max intensity = 571360 Scans = 73**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 894310 Scans = 123**




75As LC-ICPMS




**LC-ESIMS. EIC = 405.235 AsFA404
Max intensity = 233510 Scans = 29**




75As LC-ICPMS




**LC-ESIMS. EIC = 417.235 AsFA416
Max intensity = 163520 Scans = 2667**




75As LC-ICPMS




LC-ESIMS. EIC = 419.23 AsHC418
Max intensity = 8364240 Scans = 92




75As LC-ICPMS




LC-ESIMS. EIC = 419.23 TMA₅FOH₄I₈
Max intensity = 8364240 Scans = 92




75As LC-ICPMS




**LC-ESIMS. EIC = 419.251 AsFA418
Max intensity = 160470 Scans = 45**




75As LC-ICPMS




**LC-ESIMS. EIC = 421.245 AsHC420
Max intensity = 123700 Scans = 18**




75As LC-ICPMS




**LC-ESIMS. EIC = 429.235 AsFA428
Max intensity = 4266130 Scans = 452**




75As LC-ICPMS




**LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 162320 Scans = 2523**




75As LC-ICPMS




**LC-ESIMS. EIC = 435.261 AsHC434
Max intensity = 131270 Scans = 13**




75As LC-ICPMS




**LC-ESIMS. EIC = 447.261 AsHC446
Max intensity = 1455650 Scans = 48**




75As LC-ICPMS




**LC-ESIMS. EIC = 449.204 AsFA448
Max intensity = 197940 Scans = 33**




75As LC-ICPMS




**LC-ESIMS. EIC = 453.308 AsHC452
Max intensity = 914600 Scans = 52**




75As LC-ICPMS




**LC-ESIMS. EIC = 455.323 AsHC454
Max intensity = 10292810 Scans = 152**




75As LC-ICPMS




**LC-ESIMS. EIC = 457.266 AsFA456
Max intensity = 875850 Scans = 108**




75As LC-ICPMS




**LC-ESIMS. EIC = 457.339 AsHC456
Max intensity = 526550 Scans = 60**




75As LC-ICPMS




**LC-ESIMS. EIC = 459.282 AsFA458
Max intensity = 2230990 Scans = 128**




75As LC-ICPMS




**LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 5993070 Scans = 846**




75As LC-ICPMS




**LC-ESIMS. EIC = 461.276 AsHC460
Max intensity = 226280 Scans = 24**




75As LC-ICPMS




LC-ESIMS. EIC = 463.292 AsHC462
Max intensity = 263880 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 6235410 Scans = 330




75As LC-ICPMS




LC-ESIMS. EIC = 467.798 AsPC933_MH2
Max intensity = 7750910 Scans = 352




75As LC-ICPMS




**LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 922530 Scans = 699**




75As LC-ICPMS




**LC-ESIMS. EIC = 475.292 AsHC474
Max intensity = 438810 Scans = 66**




75As LC-ICPMS




**LC-ESIMS. EIC = 477.308 AsHC476
Max intensity = 748090 Scans = 82**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.339 AsHC480
Max intensity = 629820 Scans = 51**




75As LC-ICPMS




**LC-ESIMS. EIC = 481.814 AsPC961_MH2
Max intensity = 13897310 Scans = 1657**




75As LC-ICPMS




**LC-ESIMS. EIC = 487.386 AsHC486
Max intensity = 277530 Scans = 118**




75As LC-ICPMS




**LC-ESIMS. EIC = 489.308 AsHC488
Max intensity = 829060 Scans = 200**




75As LC-ICPMS




**LC-ESIMS. EIC = 491.323 AsHC490
Max intensity = 536410 Scans = 74**




75As LC-ICPMS




**LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 2585570 Scans = 200**




75As LC-ICPMS




**LC-ESIMS. EIC = 499.386 AsHC498
Max intensity = 347600 Scans = 81**




75As LC-ICPMS




**LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 1693960 Scans = 196**




75As LC-ICPMS




**LC-ESIMS. EIC = 509.37 AsHC508
Max intensity = 182060 Scans = 20**




75As LC-ICPMS




LC-ESIMS. EIC = 509.845 AsPC1017_MH2
Max intensity = 2632000 Scans = 173




75As LC-ICPMS




**LC-ESIMS. EIC = 511.386 AsHC510
Max intensity = 2063800 Scans = 18**




75As LC-ICPMS




**LC-ESIMS. EIC = 515.417 AsHC514
Max intensity = 58848270 Scans = 262**




75As LC-ICPMS




**LC-ESIMS. EIC = 517.339 AsHC516
Max intensity = 1558920 Scans = 94**




75As LC-ICPMS




**LC-ESIMS. EIC = 519.355 AsHC518
Max intensity = 314110 Scans = 59**




75As LC-ICPMS




**LC-ESIMS. EIC = 521.37 AsHC520
Max intensity = 407830 Scans = 101**




75As LC-ICPMS




**LC-ESIMS. EIC = 523.386 AsHC522
Max intensity = 119030 Scans = 22**




75As LC-ICPMS




**LC-ESIMS. EIC = 529.433 AsHC528
Max intensity = 929420 Scans = 101**




75As LC-ICPMS




**LC-ESIMS. EIC = 541.433 AsHC540
Max intensity = 544930 Scans = 53**




75As LC-ICPMS



**LC-ESIMS. EIC = 543.449 AsHC542
Max intensity = 493820 Scans = 43**



75As LC-ICPMS



**LC-ESIMS. EIC = 547.334 Aslsop546
Max intensity = 221420 Scans = 19**

