



# 75As LC-ICPMS




## LC-ESIMS. EIC = 659.181 lysoAsSugPL658

Max intensity = 148900 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 719.275 lysoAsSugPL718

Max intensity = 16700 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 775.338 lysoAsSugPL774**

**Max intensity = 125100 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 820.447 AsPC819

Max intensity = 89860 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 836.479 AsPC835

Max intensity = 632040 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 838.494 AsPC837**

**Max intensity = 467020 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 847.395 AsSugPL846**

**Max intensity = 71080 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 858.369 AsPC857

Max intensity = 385150 Scans = 0






# 75As LC-ICPMS




## LC-ESIMS. EIC = 864.51 AsPC863

Max intensity = 480060 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 873.411 AsSugPL872

Max intensity = 110230 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 884.479 AsPC883

Max intensity = 103450 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 888.51 AsPC887

Max intensity = 77130 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 889.442 AsSugPL888**

**Max intensity = 192120 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 890.526 AsPC889

Max intensity = 74790 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 892.541 AsPC891

Max intensity = 113710 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 894.557 AsPC893

Max intensity = 0 Scans = 0






# 75As LC-ICPMS




## LC-ESIMS. EIC = 896.573 AsPC895

Max intensity = 88440 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 900.51 AsPC899

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 902.526 AsPC901

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 903.458 AsSugPL902**

**Max intensity = 375250 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 910.588 AsPC909

Max intensity = 385130 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 914.432 AsPC913

Max intensity = 260600 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 917.474 AsSugPL916

Max intensity = 75270 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 918.557 AsPC917

Max intensity = 117640 Scans = 0






# 75As LC-ICPMS




## LC-ESIMS. EIC = 922.588 AsPC921

Max intensity = 114120 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 935.427 AsSugPL934**

**Max intensity = 73190 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 938.62 AsPC937

Max intensity = 102110 Scans = 0




# 75As LC-ICPMS




LC-ESIMS. EIC = 945.411 AsSugPL944

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 953.474 AsSugPL952**

**Max intensity = 166430 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 954.557 AsPC953

Max intensity = 59840 Scans = 0




# 75As LC-ICPMS




## LC-ESIMS. EIC = 955.489 AsSugPL954

Max intensity = 3561250 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 957.505 AsSugPL956**

**Max intensity = 1005710 Scans = 0**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 959.521 AsSugPL958**

**Max intensity = 684410 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 961.442 AsSugPL960

Max intensity = 63040 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 983.521 AsSugPL982**

**Max intensity = 412750 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 985.536 AsSugPL984**

**Max intensity = 545070 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 987.458 AsSugPL986**

**Max intensity = 566190 Scans = 0**




# 75As LC-ICPMS




**LC-ESIMS. EIC = 989.474 AsSugPL988**

**Max intensity = 175450 Scans = 0**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 994.682 AsPC993

Max intensity = 329360 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 999.458 AsSugPL998**

**Max intensity = 101450 Scans = 0**






# 75As LC-ICPMS




## LC-ESIMS. EIC = 1011.552 AsSugPL1010

Max intensity = 584440 Scans = 0



# 75As LC-ICPMS



## LC-ESIMS. EIC = 1029.505 AsSugPL1028

Max intensity = 103120 Scans = 0

