



75As LC-ICPMS




LC-ESIMS. EIC = 663.213 lysoAsSugPL662

Max intensity = 312040 Scans = 130




75As LC-ICPMS




LC-ESIMS. EIC = 665.228 lysoAsSugPL664

Max intensity = 231540 Scans = 61




75As LC-ICPMS




LC-ESIMS. EIC = 677.228 lysoAsSugPL676

Max intensity = 169500 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 679.244 lysoAsSugPL678

Max intensity = 383930 Scans = 80




75As LC-ICPMS




LC-ESIMS. EIC = 721.291 lysoAsSugPL720

Max intensity = 59290 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 820.353 AsPC819

Max intensity = 23700 Scans = 45




75As LC-ICPMS




LC-ESIMS. EIC = 820.447 AsPC819


Max intensity = 114640 Scans = 38




75As LC-ICPMS



LC-ESIMS. EIC = 826.4 AsPC825
Max intensity = 40350 Scans = 60




75As LC-ICPMS




LC-ESIMS. EIC = 826.494 AsPC825

Max intensity = 226200 Scans = 96




75As LC-ICPMS




LC-ESIMS. EIC = 830.338 AsPC829


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 830.432 AsPC829
Max intensity = 2902630 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 834.369 AsPC833

Max intensity = 257620 Scans = 73




75As LC-ICPMS




LC-ESIMS. EIC = 834.463 AsPC833

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 836.385 AsPC835

Max intensity = 86440 Scans = 7




75As LC-ICPMS




LC-ESIMS. EIC = 836.479 AsPC835

Max intensity = 125740 Scans = 46




75As LC-ICPMS




LC-ESIMS. EIC = 838.4 AsPC837


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 838.494 AsPC837
Max intensity = 371280 Scans = 154




75As LC-ICPMS



LC-ESIMS. EIC = 840.51 AsPC840
Max intensity = 239140 Scans = 86




75As LC-ICPMS




LC-ESIMS. EIC = 854.432 AsPC853

Max intensity = 931500 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 854.526 AsPC854

Max intensity = 977150 Scans = 58




75As LC-ICPMS




LC-ESIMS. EIC = 856.447 AsPC855

Max intensity = 1286770 Scans = 51




75As LC-ICPMS




LC-ESIMS. EIC = 858.369 AsPC857


Max intensity = 121430 Scans = 5




75As LC-ICPMS




LC-ESIMS. EIC = 858.463 AsPC857
Max intensity = 1710490 Scans = 30




75As LC-ICPMS



LC-ESIMS. EIC = 862.4 AsPC861
Max intensity = 419700 Scans = 82




75As LC-ICPMS




LC-ESIMS. EIC = 862.494 AsPC861


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 866.526 AsPC866
Max intensity = 463720 Scans = 180




75As LC-ICPMS




LC-ESIMS. EIC = 868.541 AsPC868
Max intensity = 17352100 Scans = 503




75As LC-ICPMS




LC-ESIMS. EIC = 884.479 AsPC883
Max intensity = 2283490 Scans = 82




75As LC-ICPMS



LC-ESIMS. EIC = 892.541 AsPC892
Max intensity = 357290 Scans = 142




75As LC-ICPMS




LC-ESIMS. EIC = 894.463 AsPC893


Max intensity = 134360 Scans = 26




75As LC-ICPMS




LC-ESIMS. EIC = 894.557 AsPC894
Max intensity = 707680 Scans = 329




75As LC-ICPMS



LC-ESIMS. EIC = 896.573 AsPC896
Max intensity = 724780 Scans = 372




75As LC-ICPMS




LC-ESIMS. EIC = 900.416 AsPC899


Max intensity = 1550710 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 912.51 AsPC912 Max intensity = 1088400 Scans = 36




75As LC-ICPMS



LC-ESIMS. EIC = 936.51 AsPC936
Max intensity = 503500 Scans = 40




75As LC-ICPMS




LC-ESIMS. EIC = 936.604 AsPC936

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 938.526 AsPC938


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 938.62 AsPC938
Max intensity = 472710 Scans = 46




75As LC-ICPMS



LC-ESIMS. EIC = 940.541 AsPC940
Max intensity = 7279780 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 950.526 AsPC950

Max intensity = 711260 Scans = 53




75As LC-ICPMS




LC-ESIMS. EIC = 950.62 AsPC950


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 952.541 AsPC952
Max intensity = 1162710 Scans = 63




75As LC-ICPMS




LC-ESIMS. EIC = 952.635 AsPC952

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 955.489 AsSugPL954

Max intensity = 4436440 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 962.526 AsPC962

Max intensity = 377120 Scans = 36




75As LC-ICPMS




LC-ESIMS. EIC = 962.62 AsPC962

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 966.557 AsPC966

Max intensity = 105100 Scans = 37



75As LC-ICPMS



LC-ESIMS. EIC = 966.651 AsPC966 Max intensity = 1393690 Scans = 31

