



75As LC-ICPMS




LC-ESIMS. EIC = 264.985 AsFA264

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 265.078 AsFA264


Max intensity = 152140 Scans = 23




75As LC-ICPMS



LC-ESIMS. EIC = 267 AsFA266
Max intensity = 76570 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 269.016 AsFA268


Max intensity = 322140 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 279 AsFA278
Max intensity = 146240 Scans = 69




75As LC-ICPMS




LC-ESIMS. EIC = 279.094 AsFA278
Max intensity = 1727510 Scans = 33




75As LC-ICPMS



LC-ESIMS. EIC = 283.032 AsFA282
Max intensity = 132120 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 287.063 AsFA286

Max intensity = 50520 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 293.089 AsHC292

Max intensity = 361950 Scans = 858




75As LC-ICPMS




LC-ESIMS. EIC = 295.032 AsFA294


Max intensity = 238190 Scans = 26




75As LC-ICPMS



LC-ESIMS. EIC = 295.104 AsHC294
Max intensity = 300340 Scans = 242




75As LC-ICPMS




LC-ESIMS. EIC = 297.047 AsFA296

Max intensity = 978710 Scans = 62




75As LC-ICPMS




LC-ESIMS. EIC = 297.12 AsHC296


Max intensity = 77200 Scans = 26




75As LC-ICPMS



LC-ESIMS. EIC = 299.063 AsFA298
Max intensity = 1533240 Scans = 2075




75As LC-ICPMS




LC-ESIMS. EIC = 299.136 AsHC298

Max intensity = 133220 Scans = 57




75As LC-ICPMS




LC-ESIMS. EIC = 301.078 AsFA300

Max intensity = 103460 Scans = 40




75As LC-ICPMS




LC-ESIMS. EIC = 309.047 AsFA308


Max intensity = 72420 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 311.136 AsHC310
Max intensity = 269430 Scans = 103




75As LC-ICPMS




LC-ESIMS. EIC = 313.151 AsHC312
Max intensity = 311750 Scans = 548




75As LC-ICPMS



LC-ESIMS. EIC = 315.094 AsFA314
Max intensity = 1264340 Scans = 1052




75As LC-ICPMS




LC-ESIMS. EIC = 315.167 AsHC314

Max intensity = 357770 Scans = 30




75As LC-ICPMS




LC-ESIMS. EIC = 317.183 AsHC316

Max intensity = 353460 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 323.063 AsFA322

Max intensity = 357480 Scans = 91




75As LC-ICPMS




LC-ESIMS. EIC = 325.078 AsFA324

Max intensity = 82870 Scans = 37




75As LC-ICPMS




LC-ESIMS. EIC = 327.167 AsHC326


Max intensity = 230750 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 329.11 AsFA328
Max intensity = 74440 Scans = 27




75As LC-ICPMS



LC-ESIMS. EIC = 333.214 AsHC332
Max intensity = 3473690 Scans = 173




75As LC-ICPMS




LC-ESIMS. EIC = 335.136 AsHC334


Max intensity = 810170 Scans = 93




75As LC-ICPMS




LC-ESIMS. EIC = 337.078 AsFA336
Max intensity = 3782180 Scans = 1096




75As LC-ICPMS



LC-ESIMS. EIC = 337.151 AsHC336
Max intensity = 2999950 Scans = 89




75As LC-ICPMS




LC-ESIMS. EIC = 339.167 AsHC338


Max intensity = 586570 Scans = 50




75As LC-ICPMS



LC-ESIMS. EIC = 341.11 AsFA340
Max intensity = 1001700 Scans = 1656




75As LC-ICPMS




LC-ESIMS. EIC = 341.183 AsHC340

Max intensity = 723020 Scans = 65




75As LC-ICPMS




LC-ESIMS. EIC = 343.125 AsFA342


Max intensity = 261030 Scans = 39




75As LC-ICPMS



LC-ESIMS. EIC = 359.157 AsFA358
Max intensity = 188690 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 361.078 AsFA360


Max intensity = 0 Scans = 0




75As LC-ICPMS



LC-ESIMS. EIC = 361.172 AsFA360
Max intensity = 435170 Scans = 40




75As LC-ICPMS




LC-ESIMS. EIC = 363.094 AsFA362


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 363.167 AsHC362
Max intensity = 180780 Scans = 719




75As LC-ICPMS




LC-ESIMS. EIC = 363.188 AsFA362
Max intensity = 361510 Scans = 72




75As LC-ICPMS




LC-ESIMS. EIC = 365.11 AsFA364
Max intensity = 159510 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 365.183 AsHC364
Max intensity = 550570 Scans = 52




75As LC-ICPMS




LC-ESIMS. EIC = 371.23 AsHC370
Max intensity = 146680 Scans = 818




75As LC-ICPMS



LC-ESIMS. EIC = 375.094 AsFA374
Max intensity = 921610 Scans = 811




75As LC-ICPMS




LC-ESIMS. EIC = 375.188 AsFA374


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 379.125 AsFA378
Max intensity = 866850 Scans = 236




75As LC-ICPMS



LC-ESIMS. EIC = 389.11 AsFA388
Max intensity = 15380670 Scans = 1370




75As LC-ICPMS




LC-ESIMS. EIC = 389.204 AsFA388

Max intensity = 546050 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 391.198 AsHC390


Max intensity = 425300 Scans = 34




75As LC-ICPMS




LC-ESIMS. EIC = 393.214 AsHC392
Max intensity = 1056940 Scans = 1283




75As LC-ICPMS




LC-ESIMS. EIC = 395.157 AsFA394
Max intensity = 1156860 Scans = 70




75As LC-ICPMS



LC-ESIMS. EIC = 401.204 AsFA400
Max intensity = 386380 Scans = 25




75As LC-ICPMS




LC-ESIMS. EIC = 403.125 AsFA402

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 403.219 AsFA402

Max intensity = 92190 Scans = 336




75As LC-ICPMS




LC-ESIMS. EIC = 403.292 AsHC402

Max intensity = 99670 Scans = 49




75As LC-ICPMS




LC-ESIMS. EIC = 405.141 AsFA404


Max intensity = 488950 Scans = 94




75As LC-ICPMS




LC-ESIMS. EIC = 405.214 AsHC404
Max intensity = 1568110 Scans = 186




75As LC-ICPMS



LC-ESIMS. EIC = 405.235 AsFA404 Max intensity = 1460200 Scans = 111




75As LC-ICPMS




LC-ESIMS. EIC = 407.157 AsFA406


Max intensity = 174390 Scans = 49




75As LC-ICPMS



LC-ESIMS. EIC = 407.23 AsHC406
Max intensity = 804860 Scans = 84




75As LC-ICPMS




LC-ESIMS. EIC = 409.194 AsIsop408


Max intensity = 3033980 Scans = 59




75As LC-ICPMS




LC-ESIMS. EIC = 411.188 AsFA410
Max intensity = 954940 Scans = 45




75As LC-ICPMS



LC-ESIMS. EIC = 411.261 AsHC410
Max intensity = 2162300 Scans = 61




75As LC-ICPMS




LC-ESIMS. EIC = 413.204 AsFA412

Max intensity = 320630 Scans = 67




75As LC-ICPMS




LC-ESIMS. EIC = 417.141 AsFA416


Max intensity = 181260 Scans = 30




75As LC-ICPMS



LC-ESIMS. EIC = 417.235 AsFA416 Max intensity = 289380 Scans = 2010




75As LC-ICPMS




LC-ESIMS. EIC = 417.308 AsHC416

Max intensity = 251150 Scans = 23




75As LC-ICPMS




LC-ESIMS. EIC = 419.157 AsFA418

Max intensity = 691420 Scans = 85




75As LC-ICPMS




LC-ESIMS. EIC = 419.251 AsFA418

Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 423.261 AsHC422

Max intensity = 400210 Scans = 70




75As LC-ICPMS




LC-ESIMS. EIC = 429.308 AsHC428

Max intensity = 385710 Scans = 31




75As LC-ICPMS




LC-ESIMS. EIC = 431.157 AsFA430


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 431.251 AsFA430
Max intensity = 5387550 Scans = 1809




75As LC-ICPMS



LC-ESIMS. EIC = 433.245 AsHC432
Max intensity = 2113140 Scans = 232




75As LC-ICPMS




LC-ESIMS. EIC = 443.323 AsHC442

Max intensity = 636980 Scans = 63




75As LC-ICPMS




LC-ESIMS. EIC = 445.172 AsFA444


Max intensity = 0 Scans = 0




75As LC-ICPMS




LC-ESIMS. EIC = 445.266 AsFA444
Max intensity = 304320 Scans = 487




75As LC-ICPMS



LC-ESIMS. EIC = 445.339 AsHC444
Max intensity = 289670 Scans = 475




75As LC-ICPMS




LC-ESIMS. EIC = 449.204 AsFA448


Max intensity = 135180 Scans = 29




75As LC-ICPMS



LC-ESIMS. EIC = 453.235 AsFA452
Max intensity = 471380 Scans = 73




75As LC-ICPMS




LC-ESIMS. EIC = 453.308 AsHC452


Max intensity = 1173830 Scans = 59




75As LC-ICPMS



LC-ESIMS. EIC = 455.251 AsFA454
Max intensity = 128040 Scans = 24




75As LC-ICPMS




LC-ESIMS. EIC = 459.282 AsFA458


Max intensity = 155920 Scans = 40




75As LC-ICPMS



LC-ESIMS. EIC = 459.355 AsHC458
Max intensity = 121320 Scans = 736




75As LC-ICPMS




LC-ESIMS. EIC = 461.276 AsHC460


Max intensity = 269870 Scans = 44




75As LC-ICPMS



LC-ESIMS. EIC = 465.308 AsHC464
Max intensity = 12189390 Scans = 303




75As LC-ICPMS




LC-ESIMS. EIC = 467.323 AsHC466

Max intensity = 257940 Scans = 28




75As LC-ICPMS




LC-ESIMS. EIC = 471.355 AsHC470


Max intensity = 317270 Scans = 35




75As LC-ICPMS




LC-ESIMS. EIC = 473.37 AsHC472
Max intensity = 2363340 Scans = 723




75As LC-ICPMS



LC-ESIMS. EIC = 479.323 AsHC478
Max intensity = 507340 Scans = 124




75As LC-ICPMS




LC-ESIMS. EIC = 481.339 AsHC480

Max intensity = 600060 Scans = 48




75As LC-ICPMS




LC-ESIMS. EIC = 483.355 AsHC482


Max intensity = 764330 Scans = 40




75As LC-ICPMS




LC-ESIMS. EIC = 487.386 AsHC486
Max intensity = 506890 Scans = 166




75As LC-ICPMS




LC-ESIMS. EIC = 489.308 AsHC488 Max intensity = 620410 Scans = 180




75As LC-ICPMS




LC-ESIMS. EIC = 491.323 AsHC490
Max intensity = 984930 Scans = 131




75As LC-ICPMS




LC-ESIMS. EIC = 493.339 AsHC492
Max intensity = 6973230 Scans = 239




75As LC-ICPMS




LC-ESIMS. EIC = 495.355 AsHC494
Max intensity = 1179120 Scans = 146




75As LC-ICPMS




LC-ESIMS. EIC = 497.37 AsHC496
Max intensity = 1807270 Scans = 165




75As LC-ICPMS




LC-ESIMS. EIC = 499.386 AsHC498
Max intensity = 2614540 Scans = 149




75As LC-ICPMS




LC-ESIMS. EIC = 501.402 AsHC500
Max intensity = 3993960 Scans = 220




75As LC-ICPMS




LC-ESIMS. EIC = 503.323 AsHC502
Max intensity = 559050 Scans = 126




75As LC-ICPMS



LC-ESIMS. EIC = 505.339 AsHC504
Max intensity = 912250 Scans = 130




75As LC-ICPMS




LC-ESIMS. EIC = 507.355 AsHC506

Max intensity = 354220 Scans = 38



75As LC-ICPMS



LC-ESIMS. EIC = 509.37 AsHC508
Max intensity = 355110 Scans = 30

