IconExperience Icon Collection

Software Development



Contents

1	Appl	cation	3
	1.1	Application-General	3
	1.2	Application-Enterprise	3
	1.3	Application-Window	4
	1.4	Application Server	4
2	Debu	ugging	5
3	Cont	rol Flow	6
	3.1	Element	3 3 3 4 4 5 6 6 7 7 8 8 9 9 9
	3.2	Branch	7
	3.3	Breakpoint	7
	3.4	Step	8
1	Com	ponents	8
5	Code		9
3	Java	(TM)	9
	6.1	JAR	9
	6.2	WAR	10
	6.3	Beans	11
	6.4	Others	11
7	Othe	<u>rs</u>	12
3	Layo	<u>ut</u>	12

1 Application (38 icons)

1.1 Application-General (16 icons)

application	A	A		
application_add	A	Ą		
application_certificate	A	<u></u>		
application_connection	a			
application_delete	A	<u> </u>		
application_error	Æ		E	
application_information	ío.	6		1
application_lock	<i>I</i> 0	<u></u>		
application_network	2	<u>_</u>		
application_new	2	<u> </u>		
application_ok	6			
application_preferences	A			
application_run	A	A		
application_stop	A	<u></u>		
application_view	Â	Q		
application_warning	A			•

1.2 Application-Enterprise (9 icons)

application_enterprise	M			
application_enterprise_add	76	A	4	

application_enterprise_certificate	/		
application_enterprise_delete	A		
application_enterprise_new	EX.		
application_enterprise_preferences	R		
application_enterprise_run	<i>K</i>	A	
application_enterprise_stop	F	A	
application_enterprise_view	A	Á	

1.3 Application-Window (6 icons)

window_application	A		A	A
window_application_add	P	P	A	
window_application_delete				
window_application_enterprise				A
window_application_enterprise_add			Z	C.
window_application_enterprise_delete				

1.4 Application Server (7 icons)

application_server	A			
application_server_add	₽.			
application_server_delete	ā,			
application_server_new	S	2	29	
application_server_preferences	<i>i</i>			
application_server_run	**			

application_server_stop	7				
-------------------------	----------	--	--	--	--

2 Debugging (16 icons)

			-	
bug_green	*	***		
bug_red	*	**		**
bug_yellow	*	**	**	***
bug-mail	<u></u>	*		
debug	***	***	\$	*
debug_into	**	**	***	₹
debug_next	海	**	**	**
debug_pause	***	***	***	***
debug_preferences	**	***	***	***
debug_previous	ä	**		
debug_reset	*	*		
debug_run	**	**	**	**
debug_step_forward	*	**	***	**
debug_stop	***	76	***	***
debug_time	***	***	***	***
debug_view	*		()	
	-			

3 Control Flow (50 icons)

3.1 Element (27 icons)

element	•			
element_add	-	Ę,	-	
element_copy				
element_delete	æ	~	***	×
element_down	4	•	•	
element_find	ℴℼ	-	₹	
element_into	->=	⇒		
element_into_input	÷ E	₩ <u>x</u>	T.	I
element_new	<u>*</u>	<u>~</u>	%	*
element_new_after	65 ,	6	4	
element_new_before	2 =	&	2	
element_next	₽,	-		
element_ok	•	•	•	
element_preferences	*			
element_previous	#	=	=	-
element_refresh	₩.	•	-	
element_replace	₩,	₹,	-	
element_run	η,	•	-	
element_selection				
element_selection_delete	=			

element_stop	-	•	•	
element_time	•	-	~	
element_up	<u>a</u>	<u></u>	₽	
element_view	•	•		
elements1	-			
elements2				
elements_selection				

3.2 Branch (6 icons)

branch	-=	~(=		
branch_delete	7	%	7	%
branch_element	~=	=(=		
branch_element_new	~	-		
branch_find	₹5			
branch_view	-4			

3.3 Breakpoint (13 icons)

breakpoint				
breakpoint_add	-	-	—	
breakpoint_delete	₽.	***		×
breakpoint_down	II ,	G.		
breakpoint_find	€	-	600	
breakpoint_new	e	e	*	

breakpoint_run	·	•		
breakpoint_selection				
breakpoint_selection_delete	9 0			
breakpoint_up	■	<u>r</u>		
breakpoints	=			
breakpoints_delete	₽.			×
breakpoint_into	₩.	•	•	

3.4 Step (4 icons)

step	99	99	99	99
step_add	₽ \$	<i>9</i> 4	<i></i>	94
step_delete	€9	Q.P	20	20
step_new	99	99	99	\$

4 Components (13 icons)

component	Æ	Å	£	
component_add	Å	ř.	Å	
component_delete	A	ž	į.	
component_edit	R	R	R	
component_find	*	*	*	
component_green	A	£	£	F
component_new	A:	£		
component_preferences	Ř	R	R	

component_red	A	Å	Æ	
component_replace	ria.	r.	ř.	
component_view	Ř	ř.	Ř	
component_yellow	A	å	£	£
components	ile.	il.	R.	

5 Code (7 icons)

text_code			E	
text_code_c	F.	Æ	िंट	-
text_code_colored	F	E	F	F
text_code_cplusplus	₹	<u></u>	-	C++
text_code_csharp	Ē#	Ē#	Ē#	C#
text_code_java	B	ā	5	5
text_code_javascript	- Ts	Ī	Js	JS

6 Java (TM) (41 icons)

6.1 JAR (21 icons)

jar	ā		7	
jar_add	(Ā	~		
jar_delete	ā	ā	2	
jar_into	•	€	3	S
jar_new	60	8		

jar_out	2	***		
jar_preferences	<u>~</u>			
jar_view	<u>©</u>			
jar_bean	>			
jar_bean_add	(A)			
jar_bean_delete	<u></u>	<u> </u>		
jar_bean_enterprise	5	6	6	
jar_bean_enterprise_add				
jar_bean_enterprise_delete	5	5		
jar_bean_enterprise_preferences	5			
jar_bean_enterprise_view				
jar_bean_into	⊕	5	5	
jar_bean_new	6	8	6	6
jar_bean_out	**	3	8	
jar_bean_preferences	<u>~</u>			
jar_bean_view	۵	Q		

6.2 WAR (7 icons)

war	5			
war_add				
war_delete	ā	Ñ	<u></u>	
war_into	5	5	<u> </u>	5
war_out	3	3	8	

war_preferences	•		
war_view	<u>Q</u>		

6.3 Beans (12 icons)

coffeebean	0	0		
coffeebean_add	æ	A	G	
coffeebean_delete	6			
coffeebean_new	>			
coffeebean_preferences	@			
coffeebean_view	Q	Q		
coffeebean_enterprise	Ø			
coffeebean_enterprise_add	Æ		C	
coffeebean_enterprise_delete	5			
coffeebean_enterprise_new	5			
coffeebean_enterprise_preferences	₽			
coffeebean_enterprise_view	D	O		


6.4 Others (1 icons)

cup	3	<u></u>	3	
-----	---	---------	---	--

7 Others (4 icons)



8 Layout (11 icons)



Index

application 3	breakpoint_down 7
application_add 3	breakpoint_find 7
application_certificate 3	breakpoint_into 8
application_connection 3	breakpoint_new 8
application_delete 3	breakpoint_run 8
application_enterprise 3	breakpoint_selection 8
application_enterprise_add 3	breakpoint_selection_delete 8
application_enterprise_certificate 4	breakpoint_up 8
application_enterprise_delete 4	breakpoints 8
application_enterprise_new 4	breakpoints_delete 8
application_enterprise_preferences 4	bug-mail 5
application_enterprise_run 4	<u>bug_green</u> <u>5</u>
application_enterprise_stop 4	bug_red 5
application_enterprise_view 4	bug_yellow 5
application_error 3	coffeebean 11
application_information 3	coffeebean_add 11
application_lock 3	coffeebean_delete 11
application_network 3	coffeebean_enterprise 11
application_new 3	coffeebean_enterprise_add 11
application_ok 3	coffeebean_enterprise_delete 11
application_preferences 3	coffeebean_enterprise_new 11
application_run 3	coffeebean_enterprise_preferences 11
application_server 4	coffeebean_enterprise_view 11
application_server_add 4	coffeebean_new 11
application_server_delete 4	coffeebean_preferences 11
application_server_new 4	coffeebean_view 11
application_server_preferences 4	component 8
application_server_run 5	component_add 8
application_server_stop 5	component_delete 8
application_stop 3	component_edit 8
application_view 3	component_find 8
application_warning 3	component_green 8
branch 7	component_new 8
branch_delete 7	component_preferences 9
<u>branch_element</u> <u>7</u>	component_red 9
branch_element_new 7	component_replace 9
branch_find 7	component_view 9
branch_view 7	component_yellow 9
breakpoint 7	components 9
breakpoint_add 7	console 12
breakpoint_delete 7	console_network 12

<u>cup</u> <u>11</u>	jar_bean_add <u>10</u>
debug 5	jar_bean_delete 10
debug_into 5	jar_bean_enterprise 10
debug_next 5	jar_bean_enterprise_add 10
debug_pause 5	jar_bean_enterprise_delete 10
debug_preferences 5	jar_bean_enterprise_preferences 10
debug_previous 5	jar_bean_enterprise_view 10
debug_reset 5	jar_bean_into 10
debug_run 5	jar_bean_new 10
debug_step_forward 5	jar_bean_out 10
debug_stop 5	jar_bean_preferences 10
debug_time 5	jar_bean_view 10
debug_view 5	jar_delete 9
element 6	jar_into 9
element_add 6	jar_new 9
element_copy 6	jar_out 10
element_delete 6	jar_preferences 10
element_down 6	jar_view 10
element_find 6	layout_center 12
element_into 6	layout_east 12
element_into_input 6	layout_horizontal 12
element_new 6	layout_north 12
element_new_after 6	layout_northeast 12
element_new_before 6	layout_northwest 12
element_next 6	layout_south 12
element_ok 6	layout_southeast 12
element_preferences 6	layout_southwest 12
element_previous 6	layout_vertical 12
element_refresh 6	layout_west 12
element_replace 6	oszillograph 12
element_run 6	registry 12
element_selection 6	step 8
element_selection_delete 6	step_add 8
element_stop 7	step_delete 8
element_time 7	step_new 8
element_up 7	text_code 9
element_view 7	text_code_c 9
elements1 7	text_code_colored 9
elements2 7	text_code_cplusplus 9
elements_selection 7	text_code_csharp 9
<u>jar</u> 9	text_code_java 9
jar_add 9	text_code_javascript 9
jar_bean 10	<u>war</u> <u>10</u>

```
war_add 10
war_delete 10
war_into 10
war_out 10
war_preferences 11
war_view 11
window_application 4
window_application_add 4
window_application_delete 4
window_application_enterprise 4
window_application_enterprise_add 4
window_application_enterprise_delete 4
```