Correlation Matrix - Maternal Exams Results

	age_at_admission	icu_stay	icu_stay_count	heart_rate	respiratory_rate	o2_saturation	pressure_blood_mean	pressure_blood_systolic	pressure_blood_diastolic	temperature_fahrenheit	weight_admission	glucose	hemoglobine	sodium	potassium	noionized_calcium	magnesium	chloride	bicarbonate	phosphorus	creatine	hematrocit	lactic_acid	gcs_eye_opening	gcs_verbal_response	gcs_motor_response	richmond_ras_scale	peep_set	height	anion_gap
age_at_admission	1.00	0.03	0.03	-0.01	-0.01	-0.00	0.01	0.01	-0.00	-0.03	0.01	0.04	0.05	0.02	0.03	-0.03	0.01	-0.01	0.01	0.02	0.05	0.10	0.03	-0.02	-0.03	-0.02	-0.02	0.01	0.01	-0.00
icu_stay	0.03	1.00	0.96	0.04	0.32	-0.40	0.25	0.49	-0.08	-0.09	0.18	0.22	-0.14	-0.02	0.11	-0.16	0.04	0.18	-0.21	0.12	0.09	-0.13	0.28	-0.55	-0.59	-0.46	-0.45	0.26	-0.07	0.02
icu_stay_count	0.03	0.96	1.00	0.05	0.32	-0.41	0.25	0.48	-0.07	-0.06	0.17	0.21	-0.14	-0.02	0.11	-0.16	0.03	0.17	-0.21	0.12	0.08	-0.12	0.28	-0.53	-0.58	-0.44	-0.44	0.26	-0.05	0.02
heart_rate	-0.01	0.04	0.05	1.00	0.33	-0.15	-0.05	-0.04	-0.04	0.21	0.07	0.05	-0.02	0.00	-0.00	-0.06	-0.01	0.03	-0.13	-0.08	0.02	-0.01	0.08	0.07	0.07	0.01	0.05	0.08	-0.00	0.10
respiratory_rate	-0.01	0.32	0.32	0.33	1.00	-0.30	0.11	0.19	0.00	0.19	0.13	0.07	-0.07	0.00	-0.00	-0.08	0.01	0.06	-0.13	-0.04	0.02	-0.06	0.01	0.04	0.03	0.02	0.08	0.18	-0.11	0.06
o2_saturation	-0.00	-0.40	-0.41	-0.15	-0.30	1.00	-0.12	-0.18	-0.01	-0.05	-0.12	-0.07	0.06	0.02	-0.07	0.14	-0.07	-0.05	0.08	-0.04	-0.09	0.06	-0.03	0.13	0.11	0.11	0.04	-0.27	0.01	0.00
pressure_blood_mean	0.01	0.25	0.25	-0.05	0.11	-0.12	1.00	0.83	0.91	0.01	0.22	0.06	-0.02	0.02	0.07	-0.01	0.10	-0.03	-0.00	0.11	0.10	-0.00	0.10	-0.10	-0.10	-0.09	-0.16	0.13	0.03	0.05
pressure_blood_systolic	0.01	0.49	0.48	-0.04	0.19	-0.18	0.83	1.00	0.59	0.02	0.30	0.12	-0.06	0.02	0.08	-0.02	0.10	0.04	-0.06	0.10	0.09	-0.05	0.15	-0.22	-0.24	-0.19	-0.24	0.18	-0.01	0.06
pressure_blood_diastolic	-0.00	-0.08	-0.07	-0.04	0.00	-0.01	0.91	0.59	1.00	0.02	0.15	-0.02	0.03	0.03	0.03	0.02	0.08	-0.09	0.07	0.08	0.08	0.04	0.00	0.08	0.10	0.08	-0.01	0.04	0.08	0.04
temperature_fahrenheit	-0.03	-0.09	-0.06	0.21	0.19	-0.05	0.01	0.02	0.02	1.00	0.08	-0.07	-0.01	0.02	-0.01	-0.00	-0.01	0.01	0.02	-0.09	-0.01	-0.01	-0.12	0.25	0.26	0.25	0.22	0.00	0.02	-0.01
weight_admission	0.01	0.18	0.17	0.07	0.13	-0.12	0.22	0.30	0.15	0.08	1.00	0.04	-0.01	0.04	0.08	0.05	0.03	-0.00	0.01	0.08	0.07	-0.00	0.03	-0.08	-0.09	-0.09	-0.09	0.13	0.11	0.04
glucose	0.04	0.22	0.21	0.05	0.07	-0.07	0.06	0.12	-0.02	-0.07	0.04	1.00	-0.06	-0.17	0.09	-0.05	0.04	-0.07	-0.14	-0.03	0.07	-0.06	0.17	-0.21	-0.20	-0.19	-0.18	0.13	-0.02	0.05
hemoglobine	0.05	-0.14	-0.14	-0.02	-0.07	0.06	-0.02	-0.06	0.03	-0.01	-0.01	-0.06	1.00	0.04	-0.00	0.08	-0.02	-0.08	0.05	-0.01	0.01	0.84	-0.03	0.07	0.08	0.06	0.06	-0.03	0.01	0.10
sodium	0.02	-0.02	-0.02	0.00	0.00	0.02	0.02	0.02	0.03	0.02	0.04	-0.17	0.04	1.00	-0.11	0.12	-0.13	0.57	0.28	0.09	0.02	0.05	0.04	0.00	-0.02	-0.01	0.01	0.02	0.02	0.08
potassium	0.03	0.11	0.11	-0.00	-0.00	-0.07	0.07	0.08	0.03	-0.01	0.08	0.09	-0.00	-0.11	1.00	0.08	0.15	-0.05	-0.05	0.35	0.22	0.02	0.10	-0.10	-0.09	-0.09	-0.08	0.03	-0.01	0.04
noionized_calcium	-0.03	-0.16	-0.16	-0.06	-0.08	0.14	-0.01	-0.02	0.02	-0.00	0.05	-0.05	0.08	0.12	0.08	1.00	-0.14	-0.15	0.18	0.13	0.01	0.09	-0.05	0.09	0.10	0.06	0.07	-0.08	-0.04	0.15
magnesium	0.01	0.04	0.03	-0.01	0.01	-0.07	0.10	0.10	0.08	-0.01	0.03	0.04	-0.02	-0.13	0.15	-0.14	1.00	-0.15	-0.00	0.13	0.13	-0.00	0.01	-0.01	-0.01	0.00	-0.02	0.03	-0.01	0.03
chloride	-0.01	0.18	0.17	0.03	0.06	-0.05	-0.03	0.04	-0.09	0.01	-0.00	-0.07	-0.08	0.57	-0.05	-0.15	-0.15	1.00	-0.16	-0.08	-0.08	-0.08	0.09	-0.13	-0.16	-0.12	-0.08	0.04	0.00	-0.28
bicarbonate	0.01	-0.21	-0.21	-0.13	-0.13	0.08	-0.00	-0.06	0.07	0.02	0.01	-0.14	0.05	0.28	-0.05	0.18	-0.00	-0.16	1.00	0.11	-0.01	0.04	-0.17	0.13	0.12	0.14	0.12	-0.07	0.00	-0.41
phosphorus	0.02	0.12	0.12	-0.08	-0.04	-0.04	0.11	0.10	0.08	-0.09	0.08	-0.03	-0.01	0.09	0.35	0.13	0.13	-0.08	0.11	1.00	0.19	-0.00	0.15	-0.20	-0.19	-0.19	-0.20	0.03	0.02	0.10
creatine	0.05	0.09	0.08	0.02	0.02	-0.09	0.10	0.09	0.08	-0.01	0.07	0.07	0.01	0.02	0.22	0.01	0.13	-0.08	-0.01	0.19	1.00	0.01	0.11	-0.07	-0.07	-0.08	-0.07	0.08	0.03	0.13
hematrocit	0.10	-0.13	-0.12	-0.01	-0.06	0.06	-0.00	-0.05	0.04	-0.01	-0.00	-0.06	0.84	0.05	0.02	0.09	-0.00	-0.08	0.04	-0.00	0.01	1.00	-0.03	0.07	0.08	0.05	0.05	-0.03	0.00	0.08
lactic_acid	0.03	0.28	0.28	0.08	0.01	-0.03	0.10	0.15	0.00	-0.12	0.03	0.17	-0.03	0.04	0.10	-0.05	0.01	0.09	-0.17	0.15	0.11	-0.03	1.00	-0.37	-0.37	-0.38	-0.40	0.14	-0.06	0.11
gcs_eye_opening	-0.02	-0.55	-0.53	0.07	0.04	0.13	-0.10	-0.22	0.08	0.25	-0.08	-0.21	0.07	0.00	-0.10	0.09	-0.01	-0.13	0.13	-0.20	-0.07	0.07	-0.37	1.00	0.89	0.88	0.78	-0.32	0.10	-0.00
gcs_verbal_response	-0.03	-0.59	-0.58	0.07	0.03	0.11	-0.10	-0.24	0.10	0.26	-0.09	-0.20	0.08	-0.02	-0.09	0.10	-0.01	-0.16	0.12	-0.19	-0.07	0.08	-0.37	0.89	1.00	0.77	0.75	-0.31	0.08	0.01
gcs_motor_response	-0.02	-0.46	-0.44	0.01	0.02	0.11	-0.09	-0.19	0.08	0.25	-0.09	-0.19	0.06	-0.01	-0.09	0.06	0.00	-0.12	0.14	-0.19	-0.08	0.05	-0.38	0.88	0.77	1.00	0.75	-0.32	0.10	-0.03
richmond_ras_scale	-0.02	-0.45	-0.44	0.05	0.08	0.04	-0.16	-0.24	-0.01	0.22	-0.09	-0.18	0.06	0.01	-0.08	0.07	-0.02	-0.08	0.12	-0.20	-0.07	0.05	-0.40	0.78	0.75	0.75	1.00	-0.31	0.08	-0.02
peep_set	0.01	0.26	0.26	0.08	0.18	-0.27	0.13	0.18	0.04	0.00	0.13	0.13	-0.03	0.02	0.03	-0.08	0.03	0.04	-0.07	0.03	0.08	-0.03	0.14	-0.32	-0.31	-0.32	-0.31	1.00	-0.07	0.05
height	0.01	-0.07	-0.05	-0.00	-0.11	0.01	0.03	-0.01	0.08	0.02	0.11	-0.02	0.01	0.02	-0.01	-0.04	-0.01	0.00	0.00	0.02	0.03	0.00	-0.06	0.10	0.08	0.10	0.08	-0.07	1.00	0.01
anion_gap	-0.00	0.02	0.02	0.10	0.06	0.00	0.05	0.06	0.04	-0.01	0.04	0.05	0.10	0.08	0.04	0.15	0.03	-0.28	-0.41	0.10	0.13	0.08	0.11	-0.00	0.01	-0.03	-0.02	0.05	0.01	1.00