

Render Log Bug Fixes — Implementation Summary

Vyapar AI Employee — Approved & Implemented

Date: June 4, 2026

Status: IMPLEMENTED

Scope: P0 (3 bugs) + P1 (4 items) from Render Log Bug Analysis

Deploy: Push all changed files atomically → restart Render service

1. Changed Files (8)

File	Priority
intent_engine.py	P0 + P1
memory_extractor.py	P1
lead_extractor.py	P0 + P1
session_state_manager.py	P0
response_validator.py	P0 + P1
ai_employee_engine.py	P0
turn_router.py	P1
tests/test_render_log_fixes.py	Tests (14 cases)

2. P0 Fixes

FIX-1 — Greeting false positive P0

File: intent_engine.py

Before: "hi" in text → matched chahiyo, mahinako, bujhina, thiyo

After: re.search(r"\b(?:hello|hi|hey|namaste|namaskar)\b", text)

Also: Pricing checked before greeting; buying patterns expanded

Message	Before	After
500 Mbps chahiyo	greeting	buying_intent
3 Mahinako kati ho?	greeting	pricing
bujhina maile	greeting	general_knowledge
Namaste	greeting	greeting

FIX-2 — Telegram user_id ≠ phone P0

Files: memory_extractor.py , session_state_manager.py , lead_extractor.py

Added: is_valid_nepal_mobile() — only 97xxxxxxx / 98xxxxxxx

Before: contact_value=2071979418 → phone_collected=True

After: Telegram ID saved as contact_method=telegram only; phone_collected stays False until real mobile

```
// session_state_manager.py - sync_session_state()
phone = facts.get("phone") or memory.get("phone")
if not phone and lead:
    lead_phone = getattr(lead, "phone", None)
    if lead_phone and is_valid_nepal_mobile(lead_phone):
        phone = lead_phone
// contact_value (Telegram ID) NO LONGER used as phone
if phone and is_valid_nepal_mobile(phone):
    state.phone_collected = True
```

FIX-3 — Validator rejects valid direct answers P0

Files: response_validator.py , ai_employee_engine.py

Before: "internet package" in identity answer → catalog_in_non_sales_turn → fallback spam

After: Exempt turns (company_info, meta, language_request, follow_up, correction, greeting) only block strict catalog (Mbps/NPR digits). is_direct_answer=True passed from engine.

3. P1 Fixes

FIX-4 — Buying intent patterns P1

Files: `intent_engine.py`, `lead_extractor.py`

Added: `chahiyo`, `thiyo`, `rakhchhu`, `linu`, `jodnu chha`, `jodne`, `\d+ mbps`, `net jod`, `mahina kati`

Message	Intent
Net jodnu thiyo bhaneko maile	<code>buying_intent</code>
100 Mbps rakhchhu ma	<code>buying_intent</code>
500 Mbps chahiyo	<code>buying_intent</code>

FIX-5 — Language request routing P1

File: `turn_router.py`

Added patterns: `bhannu`, `bhannus`, `bhan`, `bol`, `bhannus na`

"Nepali ma bhannus na" → `turn=language_request` (was `general_knowledge`)

FIX-6 — Banepa location P1

Files: `memory_extractor.py`, `lead_extractor.py`

Added CITY_ALIASES: `banepa`, `banepama` → `Banepa`

Pattern: `banepa\s*ma` handles "Banepama jodnu chha" typo

FIX-7 — Fallback duplicate loop P1

File: `response_validator.py`

- Unique fallback text per turn (`company_info`, `greeting`, `correction`, `general_knowledge`)
- `duplicate_response` no longer invalidates non-sales turns (logged as warning only)
- Breaks "confirmed jankari chaina" infinite loop

4. Test Plan

```
python -m unittest discover -s tests -v
```

New file: `tests/test_render_log_fixes.py` (14 test cases)

```
test_chahiyo_not_greeting
test_mahinako_not_greeting
test_bujhina_not_greeting
test_thiyo_buying_intent
test_rakhchhu_buying_intent
test_namaste_is_greeting
test_telegram_id_not_valid_mobile
test_sync_lead_telegram_id_not_phone_collected
test_mark_phone_rejects_telegram_id
test_company_info_direct_answer_valid
test_nepali_ma_bhannus_language_request
test_banepama_location
test_buying_intent_chahiyo
test_duplicate_non_sales_does_not_invalidate
```

Note: Python not available on local Windows machine. Run tests on Render or dev machine after deploy.

5. Re-Test Script (Telegram)

1. `bujhina maile` → `correction` (not greeting)
2. `Net jodnu thiyo bhaneko maile` → `buying_intent` / `sales`
3. `3 Mahinako kati ho?` → `pricing`
4. `500 Mbps chahiyo` → `sales` (`phone_collected=False`)

5. `Nepali ma bhannus na` → `language_request`
6. `Banepama jodnu chha` → `has_location=True`
7. `Tapaiko naam ke ho?` → `company_info, is_valid=True`
8. `100 Mbps rakhchhu ma` → `sales`

6. Expected Log Lines After Deploy

```
INTENT_DETECTED intent=buying_intent text=500 Mbps chahiyo
INTENT_DETECTED intent=pricing text=3 Mahinako kati ho?
INTENT_DETECTED intent=buying_intent text=100 Mbps rakhchhu ma
INTENT_DETECTED intent=general_knowledge text=bujhina maile
TURN_ROUTED turn=correction reason=bot_complaint
TURN_ROUTED turn=language_request reason=language_request
TURN_ROUTED turn=sales reason=intent=buying_intent
SESSION_STATE_SYNCED phone_collected=False
LEAD_SIGNALS_DETECTED has_location=True
RESPONSE_VALIDATED turn=company_info is_valid=True issues=[]
RESPONSE_VALIDATED turn=meta is_valid=True issues=[]
LANGUAGE_LOCK_APPLIED locked=True
```

7. Deploy Checklist

1. Push all 8 changed files to GitHub
2. Deploy atomically to Render (no partial deploy)
3. Restart service
4. Run: `python -m unittest discover -s tests -v`
5. Re-test 8 Telegram messages above
6. Verify log lines in Section 6