

ABOUT_API

About API — External (Public)

Base URL: `/api/v1/about` **Platform:** Spring Boot 3 · No Auth Required · Bilingual (CKB / KMR) · Tiptap HTML

Note: Read-only public endpoints. All media URLs inside the Tiptap `body` field point to S3/CDN.

Endpoint Summary

Method	Path	Auth Required	Description
GET	<code>/api/v1/about</code>	No	Get all active About pages
GET	<code>/api/v1/about/{slug}</code>	No	Get one About page by CKB or KMR slug

GET `/api/v1/about` — Get All Active About Pages

Auth: None — public

Query Params: None

Response `200 OK`:

```
[
  {
    "id": 1,
    "slugCkb": "der-bareman",
    "slugKmr": "der-bare-me",
    "ckbContent": {
      "title": "دەربارەى ئېمە",
      "subtitle": "دامەزراندن و ئاما نجه كان",
      "metaDescription": "KHI رېڭخراوى خويندنى كوردى",
      "body": "<p>ناوەڕۆكى دەربارەى ئېمە لێره دا یە</p>"
    },
  },
]
```

```

    "kmrContent": {
      "title": "Der Barê Me",
      "subtitle": "Damezrandin û Armancên",
      "metaDescription": "Rêxistina Xwendina Kurdî KHI",
      "body": "<p>Naveroka der barê me li vir e...</p>"
    },
    "active": true,
    "stats": [
      { "labelCkb": "سالی دامهزراندن", "labelKmr": "Sala Damezrandinê", "value": "2005" },
      { "labelCkb": "تاقمی کار", "labelKmr": "Tîma Karî", "value": "120+" },
      { "labelCkb": "پڕۆژە تەواو بوو", "labelKmr": "Projeyên Temambûyî", "value": "350+" }
    ],
    "createdAt": "2026-06-12T10:00:00",
    "updatedAt": "2026-06-12T10:00:00"
  }
]

```

Response Fields:

Field	Type	Description
<code>id</code>	long	Unique About page identifier
<code>slugCkb</code>	string	Sorani URL slug used for page routing
<code>slugKmr</code>	string	Kurmanji URL slug (may be null if not set)
<code>ckbContent.title</code>	string	Page title in Sorani Kurdish
<code>ckbContent.subtitle</code>	string	Secondary heading
<code>ckbContent.metaDescription</code>	string	SEO meta description
<code>ckbContent.body</code>	string	Tiptap HTML body with all inline media
<code>kmrContent</code>	object	Same structure as <code>ckbContent</code> for Kurmanji
<code>active</code>	boolean	Always <code>true</code> for public responses (inactive pages are filtered out)

Field	Type	Description
<code>stats</code>	array	Structured statistics list
<code>stats[].labelCkb</code>	string	Stat label in Sorani
<code>stats[].labelKmr</code>	string	Stat label in Kurmanji
<code>stats[].value</code>	string	Stat value string
<code>createdAt</code>	string	ISO-8601 creation timestamp
<code>updatedAt</code>	string	ISO-8601 last update timestamp

GET `/api/v1/about/{slug}` — Get About Page by Slug

Auth: None — public

Path Parameters:

Parameter	Type	Required	Description
<code>slug</code>	string	Yes	Accepts either the <code>slugCkb</code> or <code>slugKmr</code> value — both resolve to the same page

Response `200 OK`: Single About page object (same shape and fields as the array item above).

Error Responses

Status	Reason
<code>404 Not Found</code>	No active About page found with the given slug
<code>500 Internal Server Error</code>	Unexpected server-side failure