Bài 1

```
xe 1 . So doan " ( " Doan thu mot
System.out.println( " Doan thu " + xe 1 . get doan thu ());
}
}

Bài 1
class Hinh hoc {
public void tinh dien tich () {
System.out.println("day la hinh hoc chung chua co
cong thuc");
}
}
class hinh tron extends Hinh hoc {
private double bankinh;
public Hinh tron (double bankinh){
this.bankinh = bankinh;
}
@Override
public void tinh dien tich () {
double dien tich = Math.PI * bankinh
* bankinh;
System.out.println("Dien tich hinh tron (Ban kinh " + bankinh
+ ") : " + dientich);
}
}
class Hinh chu Nhat extends Hinh hoc {~~private double chieu~~
private double chieu dai;
```

```
private double chieu rong;
public hinh chu nhat (double chieu dai,
                      double chieu rong) {
    this.chieu dai = chieu dai;
    this.chieu rong = chieu rong;
}
@Override
public void tinh dien tich() {
    double dientich = chieu dai * chieu rong;
    System.out.println("Dientich HCN
        (" + chieu dai + "x" + chieu rong + ")
        : " + dientich);
```

Bài2

```
    public void tinh dien tich () {
    double dientich = chieu dai * chieu rong;
    System.out.println ("Dientich HCN
                (" + chieu dai + "x" + chieu rong + ")
                : " + dientich);
```

Bài 2

```
class Animal {
    public void makeSound () {
        System.out.println ("Dong vat tieng kêu")
    class Pig extends Animal {
    @override
    public void makeSound () {
        System.out.println ("Pig ủn ỉn ");
    }
}
class Dog extend S Animal {
@ override
    public void makeSound () {
    System.out.print ("Dog gâu gâu ");
    }
}
class Cat extend S Animal {
@ override
```

```
public void makeSound() {
    System.out.print("Cat: meomeo");
}
}
class Bird extends Animal {
@ override
    public void makeSound() {
    System.out.print("Bird: chipchip");
}
}
```

Bài 3

```
@ override
  public void make nand () {
  System.out.print ("Bind, chip chip ");
}
}
```

Bài 3

```
class Xedap {
  public void run () {
    System.out.print ("Xedap chay ");
  }
}
class Xe Dap Dien extends Xe Dap {
  public void run () {
  System.out.println (" Xe dap dien chay bang dien ");
  }
}
public class Main {
  public static void main (String [] args) {
  XeDap x1 = new Xe Dap ();
  XeDap x2 = new Xe DapDien ();
  x1.run ();
  x2.run ();
  }
}
```

Bài 4

```
class Person {
    private String name;
    private Date birthday;
    public void setValue (String name) {
        this.name = name
    }
    public void setBirthday (Date birthday) {
        this.birthday = birthday;
    }
    public String getDetails () {
        return "Name: " + name + ", Birthday
        " + birthday
    }
}

class Employee extends Person {
    private double Salary;
    public void setSalary (double Salary) {
        this.Salary = Salary;
    }
    public String getDetails () {
        return super.getDetails() + "Salary: " + Salary;
    }
}

class Manager extends Employee {
    private Employee assistant;
    public void setAssistant (Employee assistant) {
        this.assistant = assistant;
    }
    public String getDetails () {
```

```
@ override
  public void make nand () {
  System.out.print ("Bind, chip chip ");
}
}
```

Bài 3

```
class Xedap {
  public void run () {
    System.out.print ("Xedap chay ");
  }
}
class Xe Dap Dien extends Xe Dap {
  public void run () {
  System.out.println (" Xe dap dien chay bang dien ");
  }
}
public class Main {
  public static void main (String [] args) {
  XeDap x1 = new XeDap ();
  XeDap x2 = new XeDapDien ();
  x1.run ();
  x2.run ();
  }
}
```

Bài 5

```
emp.Set Name ("Ali");
emp.Set Salary (5.000);
Manager manager = new Manager();
manager.SetSalary
manager.Set Assistant (emp);

System.out.println(manager.get
Details());
}
}
```

Bank

```
class Bank {
int getRate() {
return 0;
}
}
class SBI extends Bank {
int getRate() {
return 8;
}
}
class ICICI extends Bank {
int getRate() {
return 7;
```

```
    }
}
class AXIS extends Bank {
    int getRate() {
        return 9;
    }
}
public class Main {
    public static void main (String[] args) {
        Bank b;
        b = new SBI();
        System.out.println("SBI : Rate : " + b
    Rate() + "%");
        b = new ICICI();
        System.out.println("ICICI Rate : "
    + b.getRate() + "%");
        b = new AXIS();
        System.out.println("AXIS Rate "
    + b.getRate() + "%");
    }
}
```