Module 2

(Manual Testing)

• What is Exploratory Testing?

Exploratory testing is a software testing approach in which testers simultaneously learn the application, design test cases, and execute tests without predefined scripts.

• What is traceability matrix?

A Traceability Matrix is a document that maps and tracks requirements with test cases to ensure that all requirements are covered and tested.

• What is Boundary value testing?

Boundary Value Testing is a software testing technique in which test cases are designed to check values at the edges (boundaries) of input ranges, as errors often occur at these limits.

• What is Equivalence partitioning testing?

Equivalence Partitioning is a software testing technique in which input data is divided into groups (partitions) where each group is expected to behave similarly, and only one value from each group is tested.

• What is Integration testing?

Testing performed to expose defects in the interfaces and in the interactions between integrated components or systems

Integration Testing is a level of these of software testing process where individual unit share combined and tested as a group.

• What determines the level of risk?

A factor that could result in future negative consequences; usually expressed as **impact** and **likelihood** When testing does find defects, the Quality of the software system increases when those defects are fixed

• What is Alpha testing?

Alpha testing is a type of software testing performed by the internal team (developers or testers) at the developer's site before releasing the product to external users.

• What is beta testing?

Beta testing is a type of software testing performed by real users outside the organization in a real environment before the final release of the product.

• What is component testing?

Component testing is a type of software testing in which individual parts or components of a software application are tested independently to verify that each part works correctly.

• What is functional system testing?

A requirement that specifies a function that a system or system component must perform.

• What is Non-Functional Testing?

Testing the attributes of a component or system that do not relate to functionality, e.g. reliability, efficiency, usability, interoperability, maintainability and portability

• What is GUI Testing?

GUI (Graphical User Interface) testing is a type of software testing that verifies the visual elements of an application, such as buttons, menus, icons, and layouts, to ensure they work correctly and are user-friendly.

• What is Adhoc testing?

The Error guessing is a technique where the experienced and good testers are encouraged to think of situations in which the software may not be able to cope.

• What is load testing?

Load testing is a type of software testing that checks how a system performs under expected normal and peak user loads to ensure it can handle the anticipated traffic without performance issues.

• What is stress Testing?

Stress testing is a type of software testing that evaluates how a system performs under extreme or beyond-normal conditions, such as heavy load, high traffic, or limited resources, to check its stability and reliability.

• What is white box testing and list the types of white box testing?

Testing based on an analysis of the internal structure of the component or system.

Structure-based testing technique is also known as 'white-box' or 'glass-box' testing technique because here the testers require knowledge of how the software is implemented, how it works.

Types:

1. statement coverage
2. Decision coverage
3. Condition coverage

• What is black box testing? What are the different black box testing techniques?

Black box testing is a software testing technique where the tester evaluates the functionality of an application ***without knowing the internal code or structure***. The focus is on inputs and expected outputs.

1. equivalence partitioning
2. boundary value analysis
3. decision table
4. state transition
5. use case

- Mention what are the categories of defects?

- Mention what big bang testing is?

Big Bang Testing is an integration testing approach where all the modules of a software application are combined together at once and tested as a complete system

- What is the purpose of exit criteria?

Purpose of exit criteria is to define when we STOP testing either at the:

End of all testing – i.e. product Go Live

End of phase of testing (e.g. hand over from System Test to UAT)

- When should "Regression Testing" be performed?

Regression testing should be performed whenever changes are made to the software to ensure that existing functionality still works correctly.

- What is 7 key principles? Explain in detail?

- Difference between QA v/s QC v/s Tester

- Difference between Smoke and Sanity?

Smoke	Sanity
1. To check the critical functionality Of new build	1. To Test the after defect fix and new functionality
2. It checks the stability of software	2.It checks the Rationality of software
3.General health checkup	3. specialized health check up

- Difference between verification and Validation?

Verification	Validation
1. Static Testing (“Review” of document)	1. Dynamic Testing (“Live Testing” of actual software)
2. Are you building the product right	2. Are you building the right product

3. Review, walkthrough, inspection	3. Testing

- Explain types of Performance testing?
- What is Error, Defect, Bug and failure?
- Difference between Priority and Severity?