

Trait	Completeness	Certainty 3	Certainty 2	Certainty 1
Body Size	100%	100%		
Body Form	100%	100%		
Skeleton Material	100%	100%		
Motility	100%			
Migration	100%	84%	15%	2%
Environmental Position	100%	100%		
Substratum Affinity	100%	100%		
Distribution	100%	100%		
Depth Range	82%	58%	16%	7%
Feeding Structure	100%			
Feeding Mode	100%	98%	2%	
Trophic Position	100%	100%		

Developmental Mechanism	100%	100%		
Reproductive Type	100%	100%		
Fertility Type	100%	100%		
Reproductive Frequency	100%	100%		
Growth Rate	100%	100%		
Life Span	84%	47%	33%	4%
Regeneration Capacity	100%	100%		
Sociability	96%	93%	4%	
Protection	100%	100%		
Diel Ativity Pattern	91%	56%	35%	
Habitat Complexity	100%	100%		

321

94

1 2 3

4 9 32

5

7.5

15-Apr

1 - 2 years

2 - 4 years

2 - 6 years

6+ years

3 - 5 years

3+

2+

3 - 5 years

5 - 20 years

2+ years

3 - 4 years

5 - 9 years

3+

3+ years

Males: 2-3, Females: 3-4

4 - 7 years

3 - 4 years

4 - 5 years

Males: 4+ , Females: 5+

2+

2+

F: 2-3, M: assumed 2

03-Feb

1

8.4 for males, 8.9 for females

5 - 9 years

5 - 6 years

2 - 3 years

2 - 4 years

4 years

3 - 5 years

3 - 5 years

3 - 7 years

3+ years

2 - 4 years

2 - 4 years

2 - 4 years

2 - 4 + years

2 - 7 years

~ 5 years

2 - 3 years

2 + years

2+

~ 5 years, possibly more

Certainty 0	Category	N Species
	100 - <1000 mm	38
	1000 - <10,000 mm	22
	Ellipsoid	55
	Bone	55
	Flyer	55
	Swimmer	55
	Drifter/Rafter	55
	Horizontal	55
	No	13
	Aerial	55
	Surface	55
	Pelagic	40
	Air	55
	Water Column	55
	Global	37
	Ocean basin/realm	11
	Regional	7
18%	0-50m	45
	50-200m	10
	200-1,000m	7
	Hard Structure	55
	Grazer/Browser	1
	Scavenger	55
	Predator	24
	Omnivore	10
	Carnivore	45
	Saprophagous	11

	Direct	55
	Sexual dioecious	55
	External with parental care	55
	Iteroparity non-continuous	55
	Fast	55
16%	Medium-short	1
	Medium	34
	Medium-Long	24
	None	55
4%	Solitary	17
	Gregarious	47
	No Protection	55
9%	Diurnal	51
	Nocturnal	31
	None/Minor impact	55
