

PC-WBC-2016-072

①

UR-297

MUSEUM: Dumbarton Oaks: PC-WBC-2016-072

(Large Khipu donated to D.O. by Bill Conklin)

PROVENIENCE: Unknown

MATERIAL: Cotton

Main cord: 126.5 cm. ~ Two diff. main cords, spliced
at 27.0 cm. I will call the first section (0.0-
27.0 cm.) cord A; from 27.0 to 126.5 cm. will
be cord B.

A = AB-AB-W; final S-twist ($\sim \frac{1}{3}$ cm. diameter)

B = AB-W; final S-twist ($\sim \frac{2}{3}$ cm. diameter)

Main Cord - A

8.0 cm., broken end; space of 0.0 cm.

8.0 cm., group of 11 pendants (1-11); space of 1.0 cm.

4.0 cm., " " 11 pendants (12-22); space of 1.0 cm.

7.0 cm., " " 11 " (23-33); " " 1.0 cm.

10.0 cm., " 11 5 " (34-38); " " 1.0 cm.

12.0 cm., " " 11 " (39-49); " " 1.0 cm.

15.0 cm., " " 11 " (50-60); " " 1.0 cm.

18.0 cm., " " 11 " (61-71); " " 1.0 cm.

20.5 cm., " " 11 " (72-82); " " 1.0 cm.

23.5 cm., " " 11 " (83-93); " " 0.0 cm.

26.5 cm. = splice knot w/ main cord B; gaps of 1.5 cm.

Main Cord - B

28.5 cm., group of 11 pendants (94-104); gaps of 1.0 cm.

31.5 cm., " " 5 " (105-109); " " 1.0 cm.

UR - 297

(D.A.)

(Q)

33.0 cm., group of 11 pendants (110-120); space of 1.0 cm.

35.5 cm., " " 11 " (121-131); " " 1.0 cm.

38.5 cm., " " 11 " (132-142); " " 1.0 cm.

41.0 cm., " " 11 " (143-153); " " 1.0 cm.

44.0 cm., " " 11 " (154-164); " " 1.5 cm.

47.5 cm., " " 11 " (165-175); " " 3.0 cm.

52.5 cm., " " 11 " (176-186); " " 1.0 cm.

55.5 cm., " " 11 " (187-197); " " 2.5 cm.

59.5 cm., " " 11 " (198-208); " " 2.0 cm.

63.0 cm., " " 11 " (209-219); " " 0.8 cm.

65.5 cm., " " 11 " (220-230); " " 1.5 cm.

69.0 cm., " " 11 " (231-241); " " 2.5 cm.

73.0 cm., " " 11 " (242-252); " " 0.5 cm.

75.5 cm., " " 11 " (253-263); " " 1.0 cm.

78.0 cm., " " 11 " (264-274); " " 1.0 cm.

80.5 cm., " " 11 " (275-285); " " 1.0 cm.

83.0 cm., " " 11 " (286-296); " " 1.5 cm.

86.5 cm., " " 10 " (297-306); " " 2.5 cm.

90.5 cm., " " 11 " (307-317); " " 1.5 cm.

94.5 cm., " " 11 " (318-328); " " 1.0 cm.

97.5 cm., " " 11 " (329-339); " " 1.0 cm.

101.0 cm., " " 11 " (340-350); " " 1.0 cm.

103.5 cm., " " 11 " (351-361); " " 1.5 cm.

107.0 cm., " " 11 " (362-372); " " 2.0 cm.

111.5 cm., " " 11 " (373-383); " " 1.0 cm.

114.0 cm., " " 11 " (384-394); " " 1.5 cm.

UR - 297

(3)

(D.O.)

116.5 cm., group of 11 pendants (395-405); space of 1.0 cm.

119.0 cm., " " 11" " (406-416); " " 1.0 cm.

121.5 cm., " " 10" " (417-427); " " 1.0 cm.

124.0 cm., " " 11" " (428-438); " " 0.5 cm.

126.5 cm., broken end of main cord B.

NOTE: In each of the 41 (1) groups of cards, one card has been pulled up to a position resembling a top card. These may actually be summary cards. These "top" cards are circled in the following pages.

Khipu Number: MR - 1

(1,0,1)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
1	z/s/V		37,0K	.08			
2	"		32,0K	.08			
3	"		28,0K	.08			
4	"		37,0P	.08			
5	"	1s(8,0/s)	26,0K	.08		11 & D	
5 <i>1</i>	z/s	2L(17,0/s)	33,5K	.08		2	
6*	z/s/V**	2S(6,5/s) 6L(6,5/s)†	26,5K	.08	(26)	11D,5	
6 <i>5</i>	z/s	-	30,0K	.08			
7	z/s/V	1s(8,0/s) 5L(12,0/s)‡	23,0K	.08			
8	"		58,0K	.08	WKB		Sums total in Pendulum
9	"		26,0B	.08	ABKB		
10	"		27,5K	.08			
11	"	4L(15,5/s)‡	37,0K	.08	W	4	
12	"	3L(13,0/s)‡	33,5K	.08	MC	3	
13	"		3,0b	.08	MC		
14	"	3L(13,5/s)‡	30,5K	.08			
15	"		30,5R	.08	MC		

* This - and all addnl. circled cord numbers - have been pulled up by combining
in a position similar to top cords.
** Addl. knot numbers.

Khipu Number: MR-~~A~~
Date:

(d, e.)

(5)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
16	2/S/V	-	50b	MG	MB	-	
17	"	3L (14, 0/5) d	37,0b	MG	3		
(18)	"	4S (5, 5/5) d	23,5K	MG	(45)		
19	"	-	13,0b	MG	-		
20	"	3L (14, 0/5) d	30,0K	MG	3		
21	"	3L (15, 0/5) d	34,0K	MG	3		
22	"	1S (6, 5/5)	31,5K	MG	10	2,3,0-3,5	
23 S1	2/S	3L (11, 0/5) d	26,0K	W	3		
20 S2	"	1S (3, 5/5)	35,0K	WB	15		
23	2/S/V	4L (13, 5/5) d	38,5K	W:MB	4		
24	"	4L (16, 0/5) d	37,0K	BS	4		
25	"	1S (7, 5/5)	34,0K	MG	13	1,1,5	
25 S1	2/S	1E (14, 0/5)	34,5K	W	1		
26	2/S/V	1S (15, 0/5)	35,0b	MG	10		
27	"	1S (7, 5/5)	32 (15, 5/5) d	48,0K	MG	13	1,2,0
27 S1	2/S	1S (16, 0/5)	47,5K	W	10		
28	2/S/V	4L (14, 5/5) d	27,5b	MG	4		

Khipu Number: MR - 297

(D, P.)

(6)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
29	2/S/V	8S(6,5/5)	1S(17,0/5)	30.0K	MB:AB	810	1-3; 1,5-2,5
29S1	2/S	5S(4,5/5) d	4L(16,0/5) d	23.5K	W	54 (0?)	
29S2	"	-	-	30.0K	DE	-	
29S3	"	3S(1,5/5)	36.0K	MB:W	30(0)?		
29S4	"	3L(5,5/5)	15.0K	MB	3		
30	2/S/V	8L(3,5/5) d	31.5K	YB	8	1:2,0	
30S1	2/S	1S(13,0/5)	43.5K	W	10		
31	2/S/V	1S(8,0/5)	36(15,0/5) d	38.5K	YB	13	1:2,0
31S1	2/S	1S(12,5/5)	40.0K	W	10		
32	2/S/V	4L(15,0/5) d	40.0K	YB:W	4		
33	"	2S(8,5/5)	2L(14,5/5) d	43.0K	MB	22	2:2,0
33S1	2/S	2S(7,0/5)	27.5K	AB	60		
33S2	"	1S(7,0/5)	4L(16,0/5) d	32.0K	YB	14	1:2,0
33S2S1	"	1S(14,0/5)	28.0K	W	10		
34	2/S/V	8L(14,0/5) d	36.0K	YB	8	1:4,5	
34S1	2/S	2L(16,5/5) d	29.5K	W	2		
35	2/S/V	6L(14,5/5) d	35.5K	YB	6	1:3,5	
35S1	2/S	2L(11,0/5) d	30.0K	W	3		

Khipu Number: MR-297

(D, D)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
(36)	2/5/V	35 (7, 0/5)	33,5K	0,6	30	2 : 3,0 - 3,5	
36S1	2/5	-	29,0K	W			
36S2	"		25,5K	MB		1 : 0,0	
36S3	"		0,0k	"			
37	2(5)1V		46,5K	W, AB		1 : 3,5	
37S1	2/5		33,5K	W			
38	2/5/V	15 (8,5/5)	36,5K	MB, W	12	1 : 3,5	
38S1	2/5	- (untied knot?)	31,0K	W			
39	2/5/V	3L (13,0/5)d	31,0K	W		3	
40	"	3L (13,0/5)d	31,5K	W		3	1 : 4,0
40,51	2/5	-	35,0K	AB			
41	2/5/V	2L (16,0/5)d	38,0K	W	2	1 : 4,5	
41S1	2/5		29,0K	AB			
41,2	2/5/V		38,5K	W		1 : 4,0	
42S1	2/5	4L (10,0/5)d	31,5K	AB		4	
43	2/5/V	4L (13,0/5)d	36,0K	W		1 : 4,5	
43S1	2/5	3L (9,0/5)d	39,5K	AB		3	

Khipu Number: U R - 297

(D, O.)

(8)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
45	2/5/V	1S(6,0/5) d	36,0K	W	17	1:5,5	
45S	2/5	4L(8,0/5)d	26,0K	AB	4		
(44)	2/5/V	5S(3,5/5)	2L(13,0/5)d	34,0K	MB	52	3:3,5-t,5
44S1	2/5	5S(4,0/5)	3L(10,0/5)d	34,5K	AB	53	
44,S2	"	5L(10,0/5)d	38,5K	W	5		
44,S3	"	2S(3,5/5)	2L(7,5/5)d	26,5K	W	22	
46	2/5/V	5L(13,0/5)d	35,0K	W	5	1:4,0	
46S1	2/5	8L(8,5/5)d	29,5K	AB	8		
47	2/5/V	4L(13,0/5)d	33,5K	W	4	1:3,5	
47S1	2/5	1S(3,0/5)	33,5K	AB	10,0?		
48	2/5/V	1S(5,0/5)	5L(11,0/5)d	28,5K	W	15	1:2,5
48S1	2/5	1S(3,0/5)	4L(10,5/5)d	26,0K	AB	14	
49	2/5/V	2S(5,5/5)	1E(3,5/5)	36,0K	W	21	1:4,0
49S1	2/5	3S(1,0/5)	3L(9,0/5)d	30,0K	AB	33	
50	2/5/V	1S(5,5/5)	36,5K	AB:W	10	1:4,0	
50S1	2/5	1S(5,5/5)	35,0K	WB:W	10		
51	2/5/V	2S(1,0/5)	31,0K	AB	20	1:4,0	
51S1	2/5	-	36,0K	W	-		

Khipu Number: UR - 297

(D,D)

(9)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
52	2/5/V	1s(10,0/5) d	33.0K	YB	13	1:4,0	
52s1	2/5	2s(4,5/5)	33.0K	W:YY	20	1:0,0	
52s1s1	2/5	2s(4,5/5)	33.0K	WB	-		
53	2/5/V	-	32.0K	YB	-	1:4,0	
53s1	2/5/s	-	33.5K	W	-		
54	2/5/V	1s(10,0/5)	34.5K	YB	10	1:5,0	
54s1	2/5	-	31.5K	W:YY	-		
(55)	2/5/V	8s(13,0/5) d	48.5K	BS	85	3:1 2:0-2:2	
55s1	2/5	3s(9,5/5)	34.5K	RB	30		
55s2	2/5	1s(9,0/5)	44.0K	BB	10	3:0,0-1,0	
55s2s1	2/5	3L(14,0/5) d	25.0K	W	5		
55s2s2	-	-	1.0B	F.B	-		
55s2s3	2/5	2s(8,0/5)	46.0K	RB:BB	20		
55s3	2/5/V	-	36.0K	W	-		
56	2/5/V	3s(9,5/5)	27.5K	YB	30	1:4,5	
56s1	2/5	3L(9,5/5) d	33.0K	YY:W	3		
57	2/5/V	1s(9,5/5) d	32.0K	YB	12	1:4,5	
57s1	2/5	3s(5,0/5) d	30.0K	YY:W	32		

Khipu Number: MR-297

(D, R)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
58	z/s/v	51 (10,0/5)d	33,5K	4B		12	1:4,0
58s1	z/s	51 (10,0/5)d	32,0K	4B:W	5		
59	z/s/v	—	29,0K	4B		11	4,5
59s1	z/s	—	31,0K	4B:W			
60	z/s/v	2L (15,0/5)d	42,5K	4B	2	1150	
60s1	z/s	2L (9,5/5)d	35,0K	4B:W	2		
61	z/s/v	2L (16,5/5)d	44,0K	W	2	113,0	
61s1	z/s	2L (22,0/5)d	28,5K	4B:W	7		
62	z/s/v	6L (6,0/5)d	38,0K	W	6	113,0	
62s1	z/s	—	34,5K	4B			
63	z/s/v	3L (17,0/5)d	39,0K	W		3	114,0
63s1	z/s	3L (11,5/5)d	28,5K	YY			
64	z/s/v	6L (6,5/5)d	37,0K	W		6	113,0
64s1	z/s	4L (13,0/5)d	29,5K	YY			
65	z/s/v	1S (9,0/5) 2L (17,0/5)d	39,5K	W		12	114,0
65s1	z/s	2S (4,0/5) 7L (9,5/5)d	27,5K	YY		22	
(66)	z/s/v	7S (7,5/5) 4L (14,0/5)d	22,0K	YY		74	3115,0 - 7,0

Khipu Number: MR-297

(D, Ø)

11

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
6651	2/S	6S (3,0/5)	3L (10,5/5)d	28.0K	YB	63	1; Ø, Ø
6651	"	3S (2,5/5)	7L (6,5/5)d	19.0K	W	37	
6652	"	2S (2,5/5)	4L (9,0/5)d	31.5K	MB	24	
6653	"	5S (2,0/5)d	23.5K	YY	50		
67	2/S/V	2S (8,0/5)	2L (150,5)g	40,5K	W	22	1; 3, Ø
6751	2/S	7L (12,0/5)d		26,5K	YY	7	
68	2/S/V	1S (11,0/5)		36,0K	W	10	1; 4, Ø
6851	2/S	5L (12,5/5)d		34,0K	YY	5	
69	2/S/V	1S (11,5/5)		40,0K	W	10	1; 3, Ø
6951	2/S	2L (11,5/5)d		28,5K	YY	2	
70	2/S/V	2S (6,5/5)	3L (15,0/5)d	36,5K	W	23	1; 4, Ø
7051	2/S	1S (5,5/5)	7L (11,5/5)	29,5K	YY	17	
71	2/S/V	2S (10,5/5)	15 (7,5/5)	39,5K	W	21	2; 3, 5
7151	2/S	5S (5,5/5)		18.0K	YY	50	
7152	"	1S (5,5/5)	6L (10,0/5)d	25,0K	YY	16	
72	2/S/V	6L (10,0/5)d		37,5K	W	6	1; 3, Ø
7251	2/S	1E (11,5/5)		41,5K	YB: W	1	

Khipu Number:

UR - 217

(D.O.)

(12)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
73	2/5/V	-	33,0r	W	-	7,2,5	
73s)	2/5	2L(11,5/5)d	40,5K	WB,W	2		
74	2/5/V	7L(7,5/5)d	39,5K	W	7	1,5,0	
74s)	2/5	8L(10,5/5)d	40,0K	WB,W	8		
75	2/5/V	8L(8,5/5)d	34,5K	W	8	1,4,0	
75s)	2/5	-	29,0r	AB	-		
76	2/5/V	4S(9,0/5)	31,15,5/5)d	19,5K	W	4,3	4,1,1,5
76s)	2/5	4S(5/5/5)	2L(9,5/5)d	16,5K	B	4,3	
76s0	"	6S(4,5/5)	5L(9,5/5)d	16,0r	YY	6,5	1,0,5
* 76s0s)	"	1S(6,0/5)	7L(8,5/5)d	16,5K	YY	1,7	
76s3	"	2S(4,5/5)	5L(10,0/5)d	15,(4,5/5)	32,5K	DB	2,6
76s4	"	5S(4,5/5)	22,0K	22,0K	YY	5D	
77	2/5/V	2S(11,5/5)	2L(17,5/5)d	37,0K	W	2,2	3,4,0-4,5
77s)	2/5	2S(6,0/5)	2L(10,0/5)d	58,5K	AB	2,2	
77s2	"	5L(11,5/5)d	43,0r	AB	5		
77s3	"	5S(5,5/5)	23,0K	54,W	5D		
78	2/4/V	4S(10,0/5)	5L(15,0/5)d	34,5K	W	4,5	1,6,5
78s)	2/5	2S(4,0/5)	3L(11,0/5)d	27,5K	AB	2,2	
* Tied to 76s2s1 at 19,5 cm,	"	"	"	"			
* "	"	7L at 16,5 cm,	"	"			

Khipu Number: MR - 297

(1, 2)

(13)

cord	spin/plly/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
79	2/s/V	5L(16,0/5)d	36,5K	W	5	1:3,5	
79s1	2/s	4L(12,0/5)d	43,5K	AB:W	4		
80	2/s/V	2L(18,0/5)d	39,0K	DB	2	1:4,0	
80s1	2/s	3S(7,0/5) 3S(10,5/5)	6L(14,0/5)d	26,5K	AB	336	
81	2/s/V	2L(18,5/5)d	31,0r	W	2	1:4,5	
81s1	2/s	1E(13,5/5)	51,5K	AB	1		
82	2/s/V	1S(12,5/5)	1E(19,0/5)	53,0K	W	11	1:4,5
82s1	2/s	7L(13,5/5)d	49,5K	AB	7		
83	2/s/V	4L(15,0/5)d	39,0K	W	4	1:5,0	
83s1	2/s	1S(10,0/5)	3L(10,0/5)d	34,5K	4B:W	13	
84	2/s/V	2L(14,0/5)d	41,0K	W	2	1:4,5	
84s1	2/s	3L(8,0/5)d	33,5K	AB	3		
85	2/s/V	8L(14,5/5)d	36,5K	DB	8	2:5,5	
85s1	2/s	4L(9,0/5)d	33,0K	AB:W	4		
85s2	"	4L(7,0/5)d	15,5K	YY:AB	4		
86	2/s/V	2L(6,0/5)d	42,0K	W	2	1:5,5	
86s1	2/s	4L(11,0/5)d	37,5K	YY	4		

Khipu Number:

MR-1297

(D.O.I.)

cord	spin/plly/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
87	2/5/V	5L (15, 0/5)d	31DK	0B	5	1; 5, 0	
87c	2/5	1S (5, 5/5)	35DK	AB:W	10		
(88)	2/5/V	6S (7, 0/5)	25, 5b	MB	6/	4; 1, 5-2, 5	
88s1	2/5	4S (5, 0/5) 2L (7, 0/5)d	34, 5K	YB	4Q	1; 9, 0	
(88s1s1)	1/	4L (8, 5/5)d	23, 5K	AB	4	1; 9, 5	
88s1s1s1	"	2S (4, 5/5)	39DK	BD	20	1; 0, 0	
88s1s1s1s1	"	1S (4, 0/5) 2L (14, 0/5)d	26DK	BB	12		
88s2	"	7L (14, 0/5)d	30, 5K	W	7		
88s3	"	5S (5, 5/5)	27, 0K	AB	5P		
* 88s4	"	2S (5, 0/5) 3L (13, 5/5)d	26, 5K	AB	23		
89	2/5/V	8L (15, 0/5)d	35, 0K	W	8	2; 4, 5	
89s1	2/5	5S (2, 5/5)	13, 0K	YB	5D		
89s2	"	1S (2, 0/5)	37, 5K	AB	10		
90	2/5/V	"	14, 0T	B	1; 4, 5		
90s1	2/5	5L (11, 5/5)d	35, 5K	YB:W	5		
91	2/5/V	5L (15, 0/5)d	35DK	W	5	1; 4, 0	
91s1	2/5	1S (3, 0/5)	34, 5K	BB	10	1; 2, 0	
91s1s1	"	"	9, 0K	AB			

* These three cords are knitted together at 23, 5cm.
** cord 88s4 has a pair of doubled ends knitted into the cord at 24, 0cm.

Khipu Number: UR-297

(0, 0, 1)

(15)

twisted

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
92	2/5/V	1s(8, 0/5)	39.5K	W	10	2, 4, 0	
92S1	2/5	1s(3, 0/5) 6L(9, 0/5)d	33.5K	W	16		
92S2	"	1s(3, 0/5)	17, DK	NB	10		
93	2/5/V	1s(7, 5/5) 4L(14, 0/5)d	37.0K	W	14	1, 5, 0	
93S1	2/5	2s(3, 0/5)	38.0K	AB, W	20		
94	2/5/V	7L(14, 5/5)d	32, DK	YB	7	1, 2, 3	
94S1	2/5	3L(2, 0/5)d	38.5K	YB	3		
95	2/5/V	5L(6, 0/5)d	37.0K	YB	5	1, 2, 6	
95S1	2/5	6s(5, 0/5) 4L(14, 5/5)d	35.0K	YB	14		
96	2/5/V	1s(7, 5/5) 4L(17, 5/5)d	38, DK	YB, W	14	1, 3, 5	
96S1	2/5	1s(4, 0/5)	45.0K	YB, W	10		
97	2/5/V	2L(17, 0/5)d	35.0K	YB	2	1, 3, 5	
97S1	2/5	8L(11, 5/5)d	27.5K	YB	8		
98	2/5/V	7L(17, 0/5)d	33.0K	YB, W	7	1, 4, 5	
98S1	2/5	8L(12, 0/5)d	34.5K	AB	8		
99	2/5/V	2L(15, 0/5)d	38.0K	YB	2	1, 5, 0	
99S1	2/5	2s(1, 5/5) 8L(11, 5/5)d	23, DK	AB, W	28		

Khipu Number: UR - 297

(D, O.)

(16)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
100	2/S/V	1S(9,5/5) 6L(15,0/5)d	2215K	0B	16	6:115-3:0	+
10051	2/S	8S(6,5/5) 3L(14,0/5)d	29,5K	AB	23	4:0/17:5	
10052	"	4S(11,0/5)	25,0K	PG	40		
10053	"	2S(11,5/5)	57,0K	YY:W	20	1:1,5	
10053S1	"	2S(8,5/5)	49,0K	YY:W	20	1:0,0	
10053S1S	"	2S(8,0/5)	32,5K	GG	20		
10054	"	5S(9,0/5) 2L(14,5/5)d	41,0K	AB	52	1:3,0	
10054S1	"	4S(5,5/5)	202,0K	LB	40		
10055	"	1S(9,0/5)	31,0K	W	10		
10056	"	1S(9,5/5) 7L(14,0/5)d	24,0K	DB	17	1:0,0	
10056S1	"	6S(6,0/5)	31,5K	AB:W	66:1		
10057	"	4L(12,0/5)d	17,5K	BB:AB	4		
10058	"	2S(6,0/5)	26,5K	BY	20	1:0,0	
10058S1	"	2L(15,0/5)d	21,0K	YB:W	2		
101	2/S/V	2S(6,5/5)	31,0K	YB	26	2:2:2,0	
10151	2/S	2S(5,5/5)	25,5K	W	20		
10152	"	1S(3,5/5) 3L(14,5/5)d	34,0K	YB	13		

* Tied together at 22.0 cm.

Khipu Number: MR-297 (D, D.)

17

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
102	2/5/V	15(7,0/5)	61	0.51/5)d	31,0K	VB	16 1:3,5
102S1	2/5	15(4,0/5)	32	(14,0/5)d	33,5K	VB	13
103	2/5/V	2L(17,0/5)d		33,5K	VB	2	1:1,5
103S1	2/5	15(4,0/5)	2L(15,0/5)d	40,0K	AB	12	
104	2/5/V	4S(5,5/5)	32L(11,5/5)d	18n5K	VB	48	3:1:2,5:2,5
104S1	2/5	2S(4,0/5)		36,0K	AB	20	1:0,0
104S1S1	"	2S(4,0/5)	2L(11,0/5)d	39,0K	W	22	
104S2	"	4S(3,5/5)		49,5K	5G	40	
104S3	"	2S(3,5/5)		26,0K	W:YY	30	1:0,5
104S3S1	"	2S(5,0/5)		39,0K	PG	30	
105	2/5/V	2S(5,0/5)d		39,5K	AB	9	
106	"	7L(6,5/5)d		28,5K	AB	7	
107	"	3S(3,0/5)	2L(9,5/5)d	29,5K	W	32	
108	"	7L(7,5/5)d		34,5K	AB	7	
109	"	9L(6,5/5)d		31,5K	AB	9	
110	2/5/V	-		24,5K	W	14	
				29,0K			

Khipu Number: UR-297

(D, θ₁)

(18)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
112	2/s/V	2L(8,0/5)d	26,0K	W,Y	2		
113	"	5L(7,5/5)d	30,0K	W,Y	5		
114	"	"	33,5K	W			
(115)	"	6s(5,0/5)	2L(13,5/5)d	33,5K	YB	62	1;2,1
115s)	2/s	"	28,0K	CG			
116	2/s/V	3L(9,0/5)d	36,0K	W	3		
117	"	3L(8,5/5)d	32,0K	YY,W	3		
118	"	3L(9,0/5)d	49,5K	W,Y	3		
119	"	2s(4,0/5)	3L(7,5/5)d	23,0K	W,Y	23	
120	"	2s(5,0/5)	3L(10,0/5)d	45,5K	W,Y	23	
121	"	"	29,0K	W			
122	"	"	33,5K	W			
123	"	1s(5,5/5)	5L(9,5/5)d	35,0K	W	15	
124	"	2L(10,0/5)d	48,0K	W	2		
125	"	5L(8,5/5)d	25,5K	W	5		
(126)	5s(5,0/5)	2L(12,0/5)d	35,0K	YB	52	1;2,5	
126s)	2/s	"	26,5K	CG			
126s1	"	2L(8,0/5)d	47,5K	W,YB	2		

Khipu Number: UR-297

(D, P.)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
127	2/5/V	1s(6, 5/5) d	26, DK	W	14		
128	"	4L(9, 9/5)d	39, 9b	W	4		
129	"	5L(8, 9/5)d	32, DK	W	3		
130	"	7L(9, 9/5)a	31, 5K	W	7		
131	"	2L(9, 9/5)d	47, DK	W	2		
132	"	4L(10, 9/5)d	45, 5K	W	4		
133	"	2L(11, 5/5)d	35, DK	W	2		
134	"	4L(8, 5/5)d	34, 5K	W	4		
135	"	7L(10, 6/5)d	24, 5K	W	7		
136	"	1s(5, 9/5)	22(10, 11/5)a	24, DK	W	13	
137	2/5/V	8s(4, 9/5)	24(10, 11/5)d	26, DK	YB	65	1, 1, 2
138	2/5/V	2s(2, 5/5)	25, DK	YY	2D		
139	"	4L(8, 5/5)d	21, DK	W	7		
140	"	1s(5, 6/5)	6L(9, 5/5)d	25, DK	W	16	
141	"	6L(10, 6/5)d	28, DK	W	6	1, 2, 2	
141.5	2/5	1s(5, 6/5)	24, 5K	W	10		

19

Khipu Number: KA-297

(0,0)

(29)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
14-2	2/S/V	2S(3,5/5) d	3L (9,0/5)d	20,5K	W	23	1:0,5
14251	2/S	1S(3,0/5)	—	28,0K	YY	10	
143	2/S/V	—	—	39,0K	YY	—	
144	"	2L(3,0/5)d	—	35,5K	W:YY	2	
145	"	4L(10,0/5)d	—	25,0K	W	4	
146	"	7L(10,0/5)d	—	43,0K	W	7	
147	"	1S(5,0/5)	3L (10,5/5)d	16,5K	W:YY	12	
148	"	6S(4,5/5)	2L (10,0/5)d	20,5K	YB	62	1:0,5
14851	2/S	2S(5,0/5)	—	29,0K	W:YY	20	
149	2/S/V	2S(5,0/5)	2L (10,5/5)d	27,5K	W	22	1:3,5
14951	2/S	2S(10,5/5)	—	7,5K	W:YY	20	
150	2/S/V	3L(2,0/5)d	—	33,5K	W	3	
151	"	5L (10,0/5)d	—	38,0R	W	5	
152	"	2L (10,0/5)d	—	46,0K	W	8	
—	153	5L (10,5/5)d	—	35,5R	W	5	
—	154	"	—	31,5K	W	—	
155	"	3L (9,5/5)d	—	26,5K	W	3	

Khipu Number: MR 297

(D, V)

(21)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
156	2/s/v	15(5,5/5)	31,5K	W	10	1;4,5	
156s1	2/s	-	26,5K	SG	-		
157	2/s/v	-	32,0K	W	-		
158	"	3L(9,0/5)d	26,5K	W	3		
159	"	6S(5,0/5)	31,5K	YB	6,5	1;2,0	
159s1	2/s	1S(4,5/5)	30,5K	YY	10		
160	2/s/v	15(5,5/5) 24(10,5/5)d	27,0K	W	12		
161	"	-	36,0K	YY,W	-		
162	"	5L(9,5/5)d	27,5K	YY,W	5		
163	"	6L(5,5/5)d	26,0K	W	6		
164	"	2S(5,5/5)	24,5K	W	26. 1;3,5		
164s1	2/s	1S(5,0/5)	29,5K	YY	10		
165	2/s/v	4L(7,5/5)d	26,0K	W	4		
166	"	4L(7,5/5)d	24,5K	W	4		
167	"	4L(8,5/5)d	28,0K	W	4		
168	"	3L(8,0/5)d	27,5K	W	3		
169	"	1S(3,5/5) 32(8,5/5)d	27,0K	W	13		

Khipu Number: MR - 297

(D, D.)

(22)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
(170)	2/5/V	6s (6,5/5)	28,5K	1B	6B	2,2,2	
170s1	2/5	1s (7,0/5)	30,5K	6G	10		
170s2	"	7s (5,5/5)	34,0K	W	7D		
171	2/5/V	5L (8,5/5)d	28,5K	W	5		
172	"	1s (5,0/5) 2L (10,0/5)d	27,5K	W	12	2,1,1,5	
172s1	2/5		10,0H	W	10		
172s2	"		9,0H	W	9		
173	2/5/V	1s (8,5/5) 2L (8,5/5)d	30,5K	W	12		
174	"	5L (8,5/5)d	29,0K	W	5		
175	"	2s (3,5/5) 3L (9,5/5)d	23,5K	W	2,3		
176	"		30,5K	W			
177	"		37,0K	W			
178	"		34,0K	W			
179	"		37,5K	W			
180	"	5L (15,0/5)d	33,5K	W	5		
(181)	"	6s (10,5/5) 4L (16,5/5)d	38,0K	BB	6,4	2 : 2,5	
181s1	2/5	1s (8,5/5) 1E (15,0/5)	33,5K	YB	11		
181s2	"		41,0K	66,1AB			

Khipu Number: UK-297

(D. D.)

(23)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
182	2/5/V	1s(7,5/5)	36,0K	1,9	W	10	
183	"	1s(6,0/5)	31,5K	W	10		
184	"	"	39,5K	Y.Y.			
185	"	4s(6,5/5)	36,0K	W	1,9		
186	"	1s(8,0/5)	37,0K	W	10	112,5	
186S)	2/5	"	32,5K	AB:G			
187	2/5/V	3L(2,5/5)d	23,5r	KB	3		
188	"	"	51,5L	KB		113,5	
188S)	?"	"	AB	AB			
189	2/5/V	3s(6,5/5)	4L (18,0/5)d	28,5K	K.B	24	114,2
189S)	2/5	5L(7,5/5)d	35,5K	BB	5		
190	2/5/V	"	32,0K	KB		113,5	
190S)	2/5	3L(9,0/5)d	26,5K	YB	3		
191	2/5/V	3L(8,0/5)d	41,5K	BB			
191S)	2/5	1s(5,0/5)	36,0K	YB	10		
191S2	"	1s(3,0/5)	38,0K	KB	10	110,0	
191S2S)	"	1s(3,0/5)	24,0K	YB	10		

Khipu Number: MR - 297

(24)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
192	2/5/V	32 (13, 5/5) d	31, 5K	KB	3		
193	"	25 (5, 5/5) 4L (8, 5/5) d	26, Dr	KB	24		
194	"	"	34, DK	KB			
195	"	4L (12, 9/5) d	34, 5K	KB	4		
196	"	15 (7, 0/5) 4L (11, 5/5) d	29, 0K	KB	14		
197	"	4L (12, 5/5) d	30, 5K	KB	4		
198	"	"	38, 5K	YB	-		
199	"	15 (6, 0/5)	35, 5K	YB	10		
200	"	15 (6, 5/5)	59, 0K	YB	10		
201	"	4L (6, 0/5) d	33, 0K	YB	4		
202	"	8S (7, 5/5)	23, 5K	KB	80	2, 30	
20281	2/5	15 (6, 5/5)	32 (14, 0, L) d	30, Dr	YY	13	
20282	"	2S (4, 0/5)	28, 5K	6G	20		
203	2/5/V	25 (7, 0/5)	12 (10, 5/5)	41, 5K	YB	21	
204	"	16 (7, 5/5)	2L (11, 0/5) d	41, 5K	YB	12	
205	"	15 (6, 0/5)	4L (10, 0, L) d	42, 0K	YB	14	
206	"	"	35, 0K	YB			

Khipu Number: MR = 297

(Q, P)

(25)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
207	2/3/V	1s(6/pk) 2L(11,0/5)d	43,0K	1B	12		
208	"	1s(5,0/5)	45,0K	1B	10	1,2,0	
209	2/S	2s(3,0/5)	49,5K	6G	20		
210	2/S/V	2L(10,5/5)d	48,0K	AB	2		
211	"	1s(4,5/5) 1s(8,0/5)	38,5K	AB	11	2,5,6	
212	2/S	2L(15,0/5)d	34,0K	1B	2		
213	"	2s(4,0/5) 2L(7,5/5)d	28,0K	PG	22		
214	2/S/V	6L(10,0/5)d	29,0K	1B	6		
215	"	1s(7,5/5)	45,0K	AB	10		
216	"	4L(11,0/5)d	40,0K	AB	4		
217	"	3s(5,5/5) 8L(18,0/5)d	31,5K	AB	38	1,4,10	
218	2/S	2s(12,5/5)	48,0K	PG	22		
219	"	2L(13,0/5)d	34,5K	1B	27		
			38,0K	1B	2		
			43,5K	1B	2		
			35,5K	AB	18		
			42,0K	AB	AB		

Khipu Number: MR - 297

(S, D)

(26)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
22.0	2/S/V		39,5K	YY			
22.1	"		38,5K	YY			
22.2	"	3L(8,0/5)d	37,0K	YY	3		
22.3	"		41,0K	YY			
22.4	"		49,5K	YY			
22.5	"	2S(7,5/5)	41,9K	YY	29		
22.6	"	2S(8,0/5) 2L(4,0/5)d	31,0K	AB			
22.6S1	2/S	4S(6,0/5) 1L(3,0/5)	26,9K	1B			
22.6S2	"	2S(4,0/5) 2L(8,5/5)d	33,0K	PG	28		
22.7	2/S/V	3S(7,0/5)	33,5K	YY	39		
22.8	"	1S(8,0/5)	45,5K	YY	10		
22.9	"	1S(7,5/5)	37,5K	YY	10		
23.0	"	4S(7,5/5)	33,0K	16	40	1;2,0	
23.1	2/S	2S(5,5/5)	27,5K	YY	28		
23.1	2/S/V	1S(6,5/5)	49,5K	1B	10		
23.2	"		43,0K	1B			
23.3	"	1S(6,5/5)	39,5K	1B	10		

Khipu Number:

UR-297

27

	cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
(234)	2/5/V	-	-	4,5 b	KB	-	1:3,5	
234s)	2/5	4s(6,5/5) d	61(11,5/5)d	36,0K	PB	46		
235	2/5/V	1s(7,0/5)	-	43,5K	YB	10	1:2,0	
235s)	2/5	-	44,5K	-	YB	-		
236	2/5/V	1s(6,5/5)	-	29,9r	YB	12	1:2,5	
236s)	2/5	2s(3,0/5)	61(8,0/5)d	14,0K	YB	26		
237	2/5/V	4s(6,5/5)	15(3,0/5)	41,9K	YB	11		
238	"	3s(3,0/5)	-	43,0K	YB	30		
239	"	3s(8,5/5)	41(20,1,1/5)d	34,5K	YB	34		
240	"	1s(8,0/5)	-	43,0K	YB	10		
241	"	8s(9,0/5)	-	42,0K	YB	81		
242	"	-	40,5K	-	YB;W	-		
243	"	-	37,5r	-	YB;W	-		
244	"	-	34,5K	-	YB;W	-		
245	"	-	39,0K	-	YB;W	-		
246	"	-	33,0K	-	YB;W	-		
(247)	2/5	1s(5,5/5)	-	50,5K	YB;W	100	1:1,5	
247s)	2/5	-	-	29,0r	W	-		

Khipu Number: UR-297

(0,0)

(28)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
248	2/5/V	—	36,5K	4B,W	—	—	
249	"	1S(5,5/5)	34,0K	4B,W	10	—	
250	"	1S(5,0/5)	34,5K	4B,W	10	—	
251	"	4S(4,5/5)	35,5K	4B,W	40	—	
252	"	4S(5,0/5)	31,0K	4B,W	40	—	
253	"	—	28,0P	KB	—		
254	"	1S(5,5/5)	26,5P	KB	10	—	
255	"	3S(6,0/5)	25,5P	KB	30	—	
256	"	—	26,0P	KB	—		
257	"	3S(6,5/5)	28,0P	KB	30	—	
(258)	"	7S(7,0/5)	40,5K	KB	70	213,0	
258a	2/5	1S(5,0/5)	27,0K	W	10	—	
258a2	"	2S(4,5/5)	38,5K	AB	20	—	
259	2/5/V	2S(5,0/5)	37,5K	KB	20	—	
260	"	1S(5,0/5)	38,5K	KB	10	—	
261	"	—	28,0P	KB	—		
262	"	—	26,5P	KB	—		
263	"	—	33,0P	KB	—		

Khipu Number: MR - 297

(U.D.)

29

cord	spin/plly/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
264	Z/S/N	—	27,01	W			
265	"	—	29,01K	W			
266	"	1s(7,5/5)	27,01	W	10		
267	"	1s(7,5/5)	43,5r	W	10		
268	"	2s(7,5/5)	28,0r	W	20		
269	"	2s(8,0/5)	25,5K	W	20		
270	"	—	26,0b	KB			
271	"	2s(7,0/5)	26,0K	W	20		
272	"	3s(7,0/5)	32,0r	W	30		
273	"	3s(7,0/5)	44,0K	W	30		
274	"	9s(7,5/5)	29,5K	W	90		
275	"	1s(7,5/5)	42,0b	KB	10		
276	"	1s(8,0/5)	26,0r	KB	10		
277	"	—	40,5K	YB			
278	"	—	37,5K	YB			
279	"	1s(6,5/5)	32,5r	KB	10		
280	"	5s(8,0/5)	20,0K	DB	50		

Khipu Number: UK-297

(U.P.)

(30)

cord	spin/ply/attach.	(no., type, pos., direction)	knots	length cm	thickness mm	color	value	subsidiaries (no., position)
281	z/s/n	2s(13,0/s)		18.0b		KB	20	1,1,0
281/s1	z/s 1s(4,0/s)	1s(12,0/s)		43.5K		Y/Y	510	
282	z/s/n	2s(8,0/s)		55.0K		YB	20	
283	"			27.0K		AB		
284	"			40.0K		YB		
285	"	3s(8,0/s)		40.0K		AB	30	
286	"			40.0K		YB		
287	"			41.0K		KB		
288	"	1s(8,0/s)		16.0b		KB	10	
289	"	1s(7,5/s)		38.0K		KB	10	
290	"	2s(8,5/s)		32.5K		KB	20	
291	"	1s(6,0/s)	3s(8,0/s)	28.0K		YY	130	1,1,5
291/s1	"	4s(7,0/s)		50.0K		W	40	
292	"	2s(9,0/s)		16.0b		KB	20	
293	"	2s(9,0/s)		31.0b		KB	20	
294	"	2s(9,0/s)		37.0K		KB	20	
295	"	1s(9,0/s)	4s(16,5/s) d	41.5K		KB	14	
296	"	5s(8,0/s)	3s(17,0/s)d	31.5K		KB	53	

Khipu Number: UR - 207

(D, P)

(31)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
297	2/5/V	—	20.16	KB	—		
298	"		35.0h	KB	—		
299	"	1S (8,5/5)	15.0h	KB	10		
(300)	"		1.0h	KB	—		
301	"	2s(9,0/5)	48.0K	KB	20		
302	"	1S(9,0/5)	28.0P	KB	10		
303	"		4.5h	KB	—		
304	"	4s (8,5/5)	40.0K	KB	40		
305	"	1S (8,5/5)	28.0P	KB	10		
306	"	6s (8,5/5)	45.0K	KB	60		
(307)	"	5s (12,5/5)	50.0K	W	50	1:7,1	
307.1	2/5	3s (7,0/5)	41.5K	6.6	30		
308	2/5/V	—	50.0K	YY	—		
309	"		43.5P	W	—		
310	"	—	60.5K	YY	—		
311	"	—	52.0K	W	—		
312	"	—	54.5K	W	—		

Khipu Number: MR-207

(D, D)

(32)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
313	2/s/V	—	43,5K	W	—		
314	"	—	41,0r	W	—		
315	"	6L(28,5/5)d	48,5K	W	6		
316	"	—	58,0K	W	—		
317	"	5S(15,0/5)	49,0K	W	50		
318	"	4L(21,5/5)d	49,5K	W	4		
319	"	5S(7,5/5)	2L(23,5/5)d	28,5K	W	52	1,5,5
319S)	2/s	1S(2,5/5)	2L(11,0/5)d	16,5K	BL	12	
320	2/s/V	—	27,0K	W	—		
321	"	2L(21,0/5)d	29,0r	W	2		
322	"	3L(23,5/5)d	28,5K	W	3		
323	"	2L(24,5/5)d	44,0K	W	2		
324	"	6L(23,0/5)d	30,5K	W	6		
325	"	2L(25,0/5)d	43,5K	W	2		
326	"	1L(23,5/5)	41,0K	W	1		
327	"	—	31,0K	W	—		
(328)	0	6S(12,0/5)	42,5K	W	60	9,12,5	
328S)	2/s	1S(9,0/5)	2L(21,5/5)d	15,0K	BL	12	

Khipu Number: MR-297

(D, A)

(33)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
329	2/s/V	—	53,0K	yy	—	—	—
330	"	—	63,5K	yy	—	—	—
331	"	—	50,0K	yy	—	—	—
332	"	—	49,0K	yy	—	—	—
333	"	—	52,0K	yy	—	—	—
334	"	—	57,0K	yy	—	—	—
335	"	1s (5,5/s)	48,0K	yy	10	—	—
337	"	1s (6,0/s) 2L (4,0/s) d	47,5K	yy	12	—	—
336	"	—	1,0H	yy	—	—	—
338	"	6s (6,0/s) 4L (4,0/s) u	45,5K	yy	64	—	—
(339)	"	9s (2,5/s) 6L (2,5/s) d	38,0K	yy	96	112,5	—
339(s)	2/s	—	48,0K	66	—	—	—
(340)	2/s/V	1s (4,0/s) 5s (14,5/s) 7L (65,5/s) d	35,5K	yy	154	112,0	—
341	2/s	25 (7,0/s) 3L (7,0/s) d	44,0K	66	22	—	—
341	2/s/V	—	46,0K	yy	—	—	—
342	"	1s (7,0/s)	39,0K	w	10	—	—
343	"	1s (7,0/s)	40,0K	w	10	—	—

Khipu Number: U.R - 297

(D, P)

cord	spin/ply/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
344	2/S/V	1S(8,0/5)	40,5K	W	W	10	
345	"		39,5K	W	W	-	
346	"	3S(6,5/5) 7L(9,0/5)d	32,0K	W	34		
347	"	5S(7,0/5)	35,5K	W	W	-	
348	"	1S(7,0/5)	42,0K	W	52		
349	"	1S(8,0/5)	42,0K	W	W	10	
350	"	2S(8,0/5)	41,5K	W	21		
(351)	"	1S(6,5/5)	14,5b	WB	100	1;3,0	
351a	2/S	3S(13,5/5)	41,0K	AB	30		
352	2/S/V	"	45,5K	YY	-		
353	"		47,0K	YY	-		
354	"	1S(4,0/5)	41,5K	YY	10		
355	"		24,0b	YY	-		
356	"	2S(14,5/5)	47,0K	YY	20		
357	"	1S(4,5/5)	43,0K	YY	10		
358	"	3S(5,0/5)	37,5K	YY	30		
359	"	1S(4,5/5)	46,0K	YY	10		

(34)

Khipu Number: MR - 297

(D,D)

(35)

cord	spin/plly/attach.	knots (no., type, pos., direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
360	2/s/V	2s(4,0/5)	32,0K	14	20		
361	"	5s(5,0/5)	42,5K	14	50		
362	"	-	44,5K	AB	-		
363	"	-	45,5K	AB	-		
364	"	1s(7,0/5) 42 (14,0/5)d	38,5K	AB	14		
365	"	1s(6,0/5)	45,0K	AB	10		
366	"	1s(6,5/5)	36,5b	AB	10		
367	"	2s(5,5/5)	41,0K	AB	20		
368	"	4s(5,0/5)	37,0K	AB	40		
369	"	4s(5,5/5)	32 (6,5/5)d	35,5K	AB	43	
370	"	2s(6,0/5)	41,5K	AB	20		
371	"	8s(6,0/5)	38,5K	AB	89		
(372)	"	2s(6,0/5) 3s(13,5/5) 7L (25,0/5)d	43,0K	W	237	1,3,5	
3723	2/s	7z(10,5/5) 2L (31,0/5)d	30,5K	65	72		
373	2/s/V	-	54,5K	W			
374	"	-	52,0K	W			
375	"	-	39,0b	W			
376	"	-	21,0K	W			

Khipu Number: MR-297

(A, D)

(36)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
377	Z/S/V	-	30,0K	W	-	-	
(378)	"	2s(2,0/5)	1,0b	KB	20	-	
379	"	-	42,0r	W	-	-	
380	"	-	47,0K	W	-	-	
381	"	-	52,5K	W	-	-	
382	"	-	57,5r	W	-	-	
383	"	2s(6,5/5)	51,0K	W	20	-	
384	"	-	54,5K	W	-	-	
385	"	-	53,5K	W	-	-	
386	"	1s(8,0/5)	56,5K	W	10	-	
387	"	-	55,0K	W	-	-	
388	"	-	6,0b	W	-	-	
(389)	"	2s(16,0/5)	44,5b	AB	20	-	
390	"	-	56,0K	W	-	-	
391	"	-	56,0K	W	-	-	
392	"	-	53,0K	W	-	-	
393	"	-	51,0K	W	-	-	
394	"	1s(9,5/5)	53,0K	W	10	-	

Khipu Number: M.R. - 297

(D.O.I.)

(37)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
395	2/S/Z	—	54.5K	YY	—	—	
396	"	—	57.0K	YY	—	—	
397	"	—	54.0K	YY	—	—	
398	"	—	32.0K	YY	—	—	
399	"	—	56.0K	YY	—	—	
(400)	"	4S (8,0/8)	42.0K	KB	40	1 ^o D, 5	
400.1	Z/S	4S (8,0/8)	59.0R	YY	40	—	
401	2(S)V	—	51.5K	YY	—	—	
402	"	—	50.5K	YY	—	—	
403	"	—	55.0K	YY	—	—	
404	"	1S (3,5/8)	57.0K	YY	10	—	
405	"	7S (3,0)Σ	44.0K	YY	70	—	
406	"	—	59.0R	AB	—	—	
407	"	—	67.5K	AB	—	—	
408	"	—	60.0R	AB	—	—	
409	"	4S (10,5/8)	55.5K	AB	40	—	
410	"	4S (11,0)	56.5K	AB	40	—	

Khipu Number: UR-297

(A, B)

(38)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
411	2/5/V	3S(7,0/5)	85.8	KB	3D	1; A, 5	
411S1	2/S	2S(7,0/5)	69.0r	W	2B		
412	2/S/V		58.0K	AB			
413	"		9.0b	?			
414	"		62.5r	AB			
415	"		61.0K	AB	-		
416	"		34.0K	AB	-		
417	"		9.0b	?			
418	"		49.0K	YB	-		
419	"		46.5K	YB	-		
420	"		53.0K	YB	-		
421	"		49.5K	W	-		
422	"	4S(12,5/5)	39.0K	KB	4D	1; D, 5	
422.51	2/5	4S(13,0/5) 2L(B3,5/5)d	50.5K	AB	4D		
423	2/S/V		16.0b	W	-		
424	"	15(S5,0/5)	44.0K	W			
425	"		57.0K	W			

Khipu Number: UR-297

(0,0)

cord	spin/ply/attach.	knots (no., type, pos, direction)	length cm	thickness mm	color	value	subsidiaries (no., position)
426	2/5/V	2S(4,5/5)	47,5K	W	20		
427	"	6S(4,5/5)	41,5K	W	60		
428	"	2L(2,1,0/5)d	32,5R	YB	2		
429	"	"	48,5K	YB	"		
430	"	1S(4,5/5)	46,5K	YB	12		
431	"	1S(5,0/5)	44,0K	YB	10		
432	"	"	28,5R	YB	"		
433	"	1S(3,0/5)	2S(3,5/5)	37,5K	AB	120	2; d, 5
433S	2/5	2L(5,0/5)d	41,0K	KB	2		
433S2	"	"	26,0K	YY	"		
434	2/5/V	1S(4,5/5)	49,5K	YB	10		
435	"	1S(4,5/5)	49,0K	YB	10		
436	"	2S(4,0/5)	49,0K	YB	20		
437	"	2S(4,0/5)	41,0K	YB	20		
438	"	4S(3,5/5)	48,5K	YB	40		

(39)

U.R.-297
D.D.

(D)

"SUMMARY" card + group
of 10 card values

Cards 1-11

Khipu A

28 = total on 10 card group

26 = " " summary card

12-22

40 = total on 10 card group

45 = " " summary card

23-33

210 = total on 10 card group

897 = " " summary card

34-38

30 = total of 5 card group

30 = " " summary card

(3)

39 - 49

Kline A

150 = total on 10 cards

132 = " " summary card

50 - 60

169 = total on 10 cards

148 = " " summary card

61 - 71

253 = total on 10 cards

248 = " " summary card

72 - 82

566 = total on 10 cards

244 = " " summary card

83 - 93

217 = total on 10 cards

219 = " " summary card

94 - 104

380 = total on 10 cards

1004 = " " summary card

Kline B

(3)

105-109

32 = total on group of 4 cards

32 = " " summary card

110-120

62 = total on group of 10 cards

62 = " " summary card

121-131

54 = total on group of 10 cards

54 = " " summary card

132 - 142

105 = total on group of 10 cards

105 = " " summary card

143 - 153

82 = total on group of 10 cards

82 = " " summary card

(4)

154 - 164

75 = total on 10 card group

75 = total on summary card

165 - 175

85 = total on group of 10 cards

140 = " " summary card

176 - 186

75 = total on group of 10 cards

75 = total on summary card

187 - 197

84 = total on 10 card group

123 = total on summary card

198 - 208

113 = total on 10 card group

113 = " " summary card

(5)

299 - 219

125 = Total of 10 card group

135 = " on summary card

220 - 230

135 = Total of 10 card group

135 = " on summary card

231 - 241

231 = Total of 10 card group

46 (broken) = " on summary card

242 - 252

100 = Total on 10 card group

100 = Total on summary card

253 - 263

100 = Total on 10 card group

100 = Total on summary card

⑥

264 - 274

230 = total on 10 card group

0 (broken) = total on summary card

275 - 285

130 = total on 10 card group

130 = total on summary card

286 - 296

167 = total on 10 card group

170 = " " summary card

297 - 306

150 = total on 10 card group

0 (broken) = summary card

307 - 317

56 = total on group of 10 cards

80 = " " summary card

(7)

318 - 328

84 = total on 10 card group

72 = " " summary card

329 - 339

86 = total on 10 card group

96 = " " summary card

340 - 350

157 = total on 10 card group

(157 + 22 =) 179 = total on summary card

351 - 361

150 = total on 10 card group

130 = " " summary card

362 - 372

237 = total on 10 card group

(237 + 72 =) 309 = total on summary card

(3)

373-383

20 = total on 10 card group

20 = total on summary card

384-394

20 = total on 10 card group

20 = " " summary card

395-405

80 = total on 10 card group

80 = " " summary card

406-416

80 = total on 10 card group

50 (broken) = total on summary card

417-427

81 = total on 10 card group

82 = " " summary card

428-438

122 = total of 10 card group

122 = " " summary card