

```

1 import pandas as pd
2 df = pd.read_csv("/content/cars.csv")
3 df.head()

```



| | Car_ID | Brand | Model | Year | Kilometers_Driven | Fuel_Type | Transmission | Owner_Type | Mileage | Engine | Power |
|---|--------|---------|---------|------|-------------------|-----------|--------------|------------|---------|--------|-------|
| 0 | 1 | Toyota | Corolla | 2018 | 50000 | Petrol | Manual | First | 15 | 1498 | 108 |
| 1 | 2 | Honda | Civic | 2019 | 40000 | Petrol | Automatic | Second | 17 | 1597 | 140 |
| 2 | 3 | Ford | Mustang | 2017 | 20000 | Petrol | Automatic | First | 10 | 4951 | 395 |
| 3 | 4 | Maruti | Swift | 2020 | 30000 | Diesel | Manual | Third | 23 | 1248 | 74 |
| 4 | 5 | Hyundai | Sonata | 2016 | 60000 | Diesel | Automatic | Second | 18 | 1999 | 194 |

Next steps:

[Generate code with df](#)



[View recommended plots](#)

```

1 import pandas as pd
2 from sklearn.ensemble import GradientBoostingRegressor
3 from sklearn.preprocessing import LabelEncoder
4 from sklearn.metrics import mean_squared_error, mean_absolute_error, r2_score
5 import matplotlib.pyplot as plt

```

```

1 # Separate the independent and dependent variables
2 X = df[['Brand', 'Model', 'Kilometers_Driven', 'Fuel_Type', 'Transmission', 'Owner_Type', 'Mileage', 'Engine', 'Pow
3 y = df['Price']

```

```

1 # Create label encoders for the nominal variables
2 label_encoders = {
3     'Brand': LabelEncoder(),
4     'Model': LabelEncoder(),
5     'Fuel_Type': LabelEncoder(),
6     'Transmission': LabelEncoder(),
7     'Owner_Type': LabelEncoder()
8 }

```

```

1 # Encode the nominal variables
2 for variable in label_encoders.keys():
3     X[variable] = label_encoders[variable].fit_transform(X[variable])

```



Show hidden output

```

1 # Create a GradientBoostingRegressor object
2 regressor = GradientBoostingRegressor(random_state=0)

```

```

1 # Train the regressor
2 regressor.fit(X, y)

```



```

v GradientBoostingRegressor
GradientBoostingRegressor(random_state=0)

```

```

1 # Make predictions on the training data
2 y_pred = regressor.predict(X)

```

```

1 # Calculate model fit indices
2 mse = mean_squared_error(y, y_pred)
3 rmse = mean_squared_error(y, y_pred, squared=False)
4 mae = mean_absolute_error(y, y_pred)
5 r2 = r2_score(y, y_pred)

```

```
1 # Print model fit indices
2 print("Mean Squared Error:", mse)
3 print("Root Mean Squared Error:", rmse)
4 print("Mean Absolute Error:", mae)
5 print("R-squared:", r2)
```



```
Mean Squared Error: 498791785.9667061
Root Mean Squared Error: 22333.646947301422
Mean Absolute Error: 16261.170457291008
R-squared: 0.9994964364457937
```