

a
gut metagenome
(raw reads)
assembly pipeline
MGnify v5 workflow: assemble, call genes, annotate
read pipeline
curatedMetagenomicData 3 workflow: MetaPhlAn 3 and HUMAnN 3
scored against the reference
1,941 adults, 26 studies; statistics only, no samples
scored against the reference
6,494 adults, 19 studies; statistics only, no samples
a report for every feature
percentile, and a call of within, below or above the range (c)
a deviation score
one number per sample, weighted over its percentiles
b
placing one feature: Oscillospiraceae
this sample: 364× lower (below the 1st percentile)
2.5th
97.5th
reference range
1/256
1/16
typical
16×
relative to the reference median (centred log-ratio)
c
report for one C. difficile infection patient (excerpt)
bacterial families
Bacteroidaceae
Bifidobacteriaceae
Oscillospiraceae
Lachnospiraceae
Streptococcaceae
Enterobacteriaceae
Atopobiaceae
7,786× lower · below the 1st percentile
553× lower · below the 1st percentile
364× lower · below the 1st percentile
139× lower · 2nd percentile
1.7× lower · 39th percentile
233× higher · 87th percentile
absent; carried by most reference adults
gene families
ECF sigma factor (K03088)
lysine racemase (K20707)
13× lower · below the 1st percentile
4.5× higher · above the 99th percentile
1/4096
1/256
1/16
typical
16×
256×
relative to the reference median (families in centred log-ratio)